Print

Print speed	Colour: up to 33 ppm Black: up to 33 ppm			
Two-sided output	Standard			
Recommended monthly print volume	up to 6,000 pages			
Duty cycle	Up to 80,000 images/month ^①			
Processor speed	1.0 GHz			
Print memory (standard)	1000 MB standard			
Connectivity Ethernet 10/100 BaseTX, Gigabit Ethernet, Hi Speed USB 2.0 (Type A - Thumbdrive), Hi Speed USB 2.0 (Type B), Wireless 802.11 b/g/n				
Maximum print resolution	1200 x 1200 dpi. 4800 Colour Quality			
First-page-out time, printing	As fast as 6.7 seconds black and white / 7.2 seconds colour			
Page Description Languages (PDL)	PCL® 5/6, PostScript® 3, XPS			
Print features	Booklet Layout, Collation, Draft Mode, Duplex, Earth Smart Settings, N-up, Normal, One Touch UI, Orientation, Print Job ID in Margins, Print Quality, Rotate Image 180 degrees, Saved Settings, Saved and Sample Set Job Types, Secure, Tray and Toner Status, Watermark			
Mobile printing	<u>Apple[®] AirPrint</u> [™] , <u>Chromebook Printing</u> , <u>Mopria Print Service</u> , Wi-Fi Direct			
OS support Windows Server 2008 R2 SP1, Windows Server 2012, Windows Server				

Media Handling

Paper capacity	Tray (Main tray): 250 sheets Tray (Manual feed slot): 1 sheets Tray (Multipurpose Feeder) (optional): 100 sheets Tray (550-sheet Feeder) (optional): 550 sheets
Paper size	Tray (Main tray): Custom sizes: 98 x 148 mm to 216 x 356 mm Tray (Manual feed slot): Custom sizes: 148 x 210 mm to 216 x 356 mm Tray (Multipurpose Feeder) (optional): Custom sizes: 76 x 127 mm to 216 x 356 mm
Output capacity	150 sheets
Media types	Plain Paper, Light Paper, Heavy Paper, Card Stock, Labels (Paper Labels), Envelopes, Colored Paper, Letterhead, Preprinted, Bond, Glossy, Rough/Cotton, Recycled

Security

	Access Controls, Auto-insertion of Sender's Email Address, Certificate Management,		
Security	Confidential Print, Digitally Signed Firmware Updates, Fax/Network Separation, Login		
features Restrictions, Non-Volatile Memory Wipe, Port Filtering, Protected USB Ports,			
	Password Reset, TCP Connection Filtering		

Dimensions

Minimum dimensions (WxDxH)	411.2 x 421 x 308 mm
Weight	21 kg