

Tech Specs

The product features and specifications are subject to change without prior notice

Technology

Scanner Type

Sheetfed Scanner

Optical Resolution

600 DPI x 600 DPI (Horizontal x Vertical)

ADF Minimum Document Size

50.8 mm x 50.8 mm (Horizontal x Vertical)

ADF Maximum Document Size

215.9 mm x 6,096 mm (Horizontal x Vertical)

Paper Formats

A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5, B6, Letter, Postcard, Business cards, Plastic cards, Legal, Executive

Scanning color depth

Input: 30 Bits Color / 10 Bits Monochrome , Output: 24 Bits Color / 8 Bits Monochrome

Ultrasonic Sensor

Yes

Category

High Capacity, General Office

Scanner

Light Source

ReadyScan LED technology

Output Resolution

75, 100, 150, 200, 240, 300, 600, 1200 DPI

Scan speed

Scanning Speed

Monochrome: 45 pages/min - Color: 45 pages/min measured with Size: A4 , Resolution: 200 / 300 dpi,

Monochrome: 90 image/min - Color: 90 image/min measured with Size: A4 , Resolution: 200 / 300 dpi

Paper / Media Handling

Paper weight

Auto loading: 27 - 413 g/m²

Automatic Document Feeder Type

Single pass dual scanning

Reliability Daily Duty Cycle

7,000 pages

Automatic Document Feed

100 pages

Duplex Scan

Yes

Scanning Features

Features

RGB colour dropout, Advanced Colour Dropout / Enhance, Skip blank page, A3 stitching, Punch holes removal, Advanced editing, Automatic de-skew, Automatic multi-document recognition, RGB colour enhance, Dual Image Output (Windows only), Auto-rotation, Text enhancement, Edge fill, Unsharp Mask (USM), Descreening, Automatic Folder Creation, Barcode Recognition, Zonal OCR A & B support, Full Zonal OCR

Output formats

JPEG, TIFF, multi-TIFF, PDF, searchable PDF, secure PDF, PDF/A

File compression features

Hardware JPEG compression, TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression

Advanced document integration

Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders

Connectivity

Interfaces

USB 3.0

General

Energy Use

12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off)

Product dimensions

296 x 169 x 176 mm (Width x Depth x Height)

Product weight

3.7 kg

Drivers

TWAIN, WIA, ISIS (Web download)

Included Software

Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6

Compatible Operating Systems

Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows Server 2003 R2, XP Professional x64 Edition

Supported Humidity

Operation 15% - 80%, Storage 15% - 85%

Supported Temperature

Operation 5° C - 35° C, Storage -25° C - 60° C

What's in the box

Driver and utilities (CD), Main unit, Power cable, Setup guide, USB cable, Warranty document

Options

Roller Assembly Kit

Other

Warranty

12 months Carry in

