

Tech Specs

The product features and specifications are subject to change without prior notice

Technology

Scanner Type

Sheetfed Scanner

Optical Resolution (ADF)

600 DPI x 600 DPI (Horizontal x Vertical)

Optical Resolution

600 DPI x 600 DPI (Horizontal x Vertical)

ADF Minimum Document Size

50.8 mm x 50.8 mm (Horizontal x Vertical)

ADF Maximum Document Size

215.9 mm x 6,096 mm (Horizontal x Vertical)

Paper Formats

A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B4, B5, B6, Letter, Legal, Postcard, Business cards, Plastic cards, DL (Envelope)

Scanning color depth

Input: 30 Bits Color / 10 Bits Monochrome , Output: 24 Bits Color / 8 Bits Monochrome

Ultrasonic Sensor

Yes

Category

Network & Wifi, General Office

Scanner

Optical Sensor

CIS (Contact Image Sensor)

Light Source

ReadyScan LED technology

Output Resolution

75, 100, 150, 200, 240, 300, 600, 1200 DPI

Scan speed

Scanning Speed

Monochrome: 40 pages/min - Color: 40 pages/min measured with Size: A4 , Resolution: 200 / 300 dpi,

Monochrome: 80 image/min - Color: 80 image/min measured with Size: A4 , Resolution: 200 / 300 dpi

Paper / Media Handling

Paper weight

Auto loading: 27 - 413 g/m²

Automatic Document Feeder Type

Single pass dual scanning

Reliability Daily Duty Cycle

4,500 pages

Automatic Document Feed

100 pages

Duplex Scan

Yes

Scanning Features

Features

RGB colour dropout, Advanced Colour Dropout / Enhance, Skip blank page, A3 stitching, Punch holes removal, Advanced editing, Pre-defined scanning settings, Automatic de-skew, Automatic multi-document recognition, Dual Image Output (Windows only), Auto-rotation, Text enhancement, Edge fill, Barcode Recognition, Manual / Automatic Job Separation, Scan to Cloud Storage

Output formats

BMP, JPEG, TIFF, multi-TIFF, PDF, searchable PDF, PDF/A, PNG, docx, xlsx, pptx

File compression features

TIFF Compression (JPEG(7) , CITT G4, LZW), PDF Compression, JPEG compression

Advanced document integration

Scan to Email, Scan to FTP, Scan to Web folders, Scan to Network folders

Scanning Volume

4,500 Pages per day

Connectivity

Interfaces

USB 2.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Hi-Speed USB - compatible with USB 2.0 specification

Network Interface Panel / Unit

Built-in

Ethernet settings

10BASE-T / 100BASE-TX / 1000BASE-T / Full-duplex / Half-duplex

IPv6 support

Yes

Push scan features

Yes (with Document Capture Pro solutions)

Panel Lock with password

Yes (with Document Capture Pro solutions)

General

Supply Voltage

AC 100 V - 240 V, 50 Hz - 60 Hz

Energy Use

14 Watt (Operation), 5.9 Watt (Ready), 1.5 Watt (sleep mode), 0.1 Watt (Power off)

Product dimensions

296 x 169 x 167 mm (Width x Depth x Height)

Product weight

3.6 kg

Drivers

TWAIN, ISIS (Web download), Epson Scan2 (TWAIN), SANE (Linux), WIA (Windows), ICA (Mac)

Included Software

Epson Device Admin, Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Event Manager, Epson Scan 2, Web browser interface

Compatible Operating Systems

Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Vista, Windows XP SP3

Supported Humidity

Operation 15% - 80%, Storage -25% - 60%

Supported Temperature

Operation 5° C - 35° C, Storage 25° C - 60° C

What's in the box

AC adapter, Driver and utilities (CD), Main unit, Power cable, Setup guide, USB cable, Warranty card

Options

Roller Assembly Kit

Other

Warranty

12 months Carry in

LCD and Memory Cards

Panel

Type: Color, Diagonal: 3.7 cm
