

Details

Overviews Functions ▾ Options Specifications ▾ Related Products

Home Products ▾ Solutions ▾ Support & Download ▾ About Us ▾

Where To Buy Partner Site ▾

[Home](#) > [Products](#) > TASKalfa 7054ci/6054ci/5054ci/4054ci/3554ci/2554ci - Specifications

# TASKalfa

## 7054ci/6054ci/5054ci/4054ci/3554ci/2554ci

### Main Specifications

[Dimensional drawing](#)

Main Specifications

Copy Functions (Standard)

Print Functions (Standard)

Scan Functions (Standard)

Fax Functions (Optional)

### Main Specifications

## Details

[Overviews](#)
[Functions](#)
[Options](#)
[Specifications](#)
[Related Products](#)

Writing Method		Semiconductor Laser					
CPU		ARM A53 1.6GHz					
Print Speed (A4) (Mono/Color)		25/25 ppm	35/35 ppm	40/40 ppm	50/50 ppm	60/60 ppm	70/70 ppm
Scanning Speed (A4) 300dpi	DP- 7140	Simplex	50 ipm			-	
		Duplex	16 ipm				
Scanning Speed (A4) 300dpi	DP- 7150	Simplex		80 ipm			
		Duplex		48 ipm			
Scanning Speed (A4) 300dpi	DP- 7160	Simplex	100 ipm			137 ipm	
		Duplex	200 ipm			274 ipm	
Scan with Duplex Feed Detection DP	DP- 7170	Simplex	100 ipm			137 ipm	
		Duplex	200 ipm			274 ipm	
Memory		Standard 4GB (Max. 4GB)					
SSD/HDD Capacity		SSD 32GB (Standard) / HDD 320GB or 1TB (Optional)		SSD 64GB (Standard) / HDD 320GB or 1TB (Optional)			

## Details

[Overviews](#)
[Functions](#)
[Options](#)
[Specifications](#)
[Related Products](#)

		18 seconds	17 seconds			seconds	
mainpower ON)							
Paper Capacity	Standard	2 x 500 sheets (Cassette) + 150 sheets (MPT) (A4 / Letter size or less equivalent to 80 g/m2)					
		2 x 600 sheets (Cassette) + 165 sheets (MPT) (A4 / Letter size or less equivalent to 64 g/m2)					
	Maximum	7,150 sheets (Main Unit + 2 x 1,500 sheets PF-7150 x1 + 3,000 sheets PF-7120 x1 + MPT)					
Paper Size	Cassette	Min. A6R - Max. SRA3(320mm x 450mm); Cassette 1 Min. A6R – Max. A4R (Legal)					
	MPT	Min. A6R - Max. SRA3(320mm x 450mm) & Banner Print (1,220mm x 304.8mm)					
Paper Size	Cassette	52~300g/m2					
	MPT	52~300g/m2 ; Banner paper 136~163g/m2					
Duplex Printing		Paper size: Min. A6R - Max. SRA3(320mm x 450mm) ; Paper weight: 60~256g/m2					
Output Capacity		Max. 500 sheets + 100 sheets face-down with Inner Job Separator					
Control Panel		10.1 inch resistive touch panel	10.1inch Capacitance touch panel				
Dimension (W x D x H) (Main Unit)		602mm x 665mm x 790mm					
Weight (Main Unit)		Approx. 90 kg		Approx. 95 kg			
Power Consumption (Standard configuration)	Copy/Print Mode	450W	590W	660W	780W	990W	1,140W
	Stand-by Mode	40W		45W			

## Details

Overviews Functions ▾ Options Specifications ▾ Related Products

Noise (ISO7779/ ISO9296)	Copy/Print Mode	66dB/67dB	68dB/69dB	70dB/70dB	71dB/71dB	73dB/73dB	74dB/74dB
	(Mono/Color)						
	Stand-by Mode				35dB		

## Copy Functions (Standard)

	TASKalfa	TASKalfa	TASKalfa	TASKalfa	TASKalfa	TASKalfa
	2554ci	3554ci	4054ci	5054ci	6054ci	7054ci
Copy Size	Max. A3 (Ledger) - Min. A6R (StatementR)					
Resolution	Scanning: 600 x 600 dpi ; Writing: 1200 x 1200 dpi multiple value					
First Copy Time (Mono/Color)	6.4/8.5 seconds	5.3/7.0 seconds	4.5/5.9 seconds	3.7/4.8 seconds	3.4/4.4 seconds	
Zoom Ratio	Manual	25% - 400% (1% per Step)				
Multiple Copy	1 - 9,999					

## Print Functions (Standard)

	TASKalfa	TASKalfa	TASKalfa	TASKalfa	TASKalfa	TASKalfa
	2554ci	3554ci	4054ci	5054ci	6054ci	7054ci
Resolution	1,200 x 1,200 dpi ; 4,800 equivalent x 1,200 dpi level					
PDL & Emulation	PRESCRIBE, PCL6 (PCL-XL, PCL 5c), KPDL3 (Postscript 3 compatible), XPS, OpenXPS, PDF Direct Print Ver. 2.0					
First Print Out Time (Mono/Color)	7.0/9.2 seconds	5.9/7.7 seconds	5.1/6.5 seconds	4.3/5.4 seconds	3.8/5.1 seconds	3.7/5.0 seconds

## Details

Overviews Functions ▾ Options Specifications ▾ Related Products

**Operating System Supported** Windows 8.1/10, Windows Server 2012/2012 R2/2016/2019, Mac OS X(10.9~), Google Chrome OS

**Interface** Ethernet (1000Base-T/100Base-TX/10Base-T)x1, USB 3.0x1, USB Host Interface (USB Host)x4, NFC TAGx1

## Scan Functions (Standard)

TASKalfa 2554ci   TASKalfa 3554ci   TASKalfa 4054ci   TASKalfa 5054ci   TASKalfa 6054ci   TASKalfa 7054ci

**Original size** Table: Max. A3 (Ledger)  
DP: Max. A3 (Ledger) - Min. A6R (DP-7140 is A5R)  
Banner: Max. 1,900mm

**Resolution** 600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi, 200 x 100 dpi, 200 x 400 dpi

**File Format** TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A-2, Encrypted PDF, Searchable PDF (Optional), MS Office file(Optional)

**Image Type Mode** Text, Photo, Text + Photo, Text (Fine Line)

**Send Method** SMB (Version 3.0), SMTP, FTP, FTPoverSSL, USB, TWAIN Source (Network), WIA Driver (Network), DFS, DSM

**Address Storage** 2,000 addresses (Common address list), 500 groups (Group address list)

## Fax Functions (Optional)

TASKalfa 2554ci   TASKalfa 3554ci   TASKalfa 4054ci   TASKalfa 5054ci   TASKalfa 6054ci   TASKalfa 7054ci

**Original Size** Max. A3 (Ledger) - Min. A6R (StatementR), Banner: 1,600mm

## Details

[Overviews](#) [Functions](#) [Options](#) [Specifications](#) [Related Products](#)

---

Transmission Speed

33.6 kpbs

Transmission Time

Less than 3 sec. (With JBIG)

Memory

170MB

## Contact Sales

[Catalog PDF Download](#)  
(2.4MB)

## Mail

[Contact Us](#)

[Click here for further information](#)

[For Kyocera customers](#)

[Product Catalog Download](#)

[Driver & User Guide Download](#)

[Products](#)

[Solutions](#)

[Support & Download](#) [About Us](#)

[Color MFPs](#)

[MDS](#)

[Download Center](#)

[Management Messages](#)

## Details

[Overviews](#) [Functions](#) [Options](#) [Specifications](#) [Related Products](#)

---

[Production Printers](#)

[Business Applications](#)

[Product Catalog Download](#)

[Asia](#)

[News Release](#)

[Corporate Social Responsibility](#)

[Social Media](#)

[Partner Site](#)

[Academy](#)

[Terms of use](#) [Privacy](#)

© KYOCERA Document Solutions Asia Limited. All rights reserved.