
Exhibition

Brand TCL

Model 75P618

HDMI ports 3

USB supports Yes

Ethernet sockets Yes

USB ports 2

Ultra slim TV No

Type LCD

Curved TV No

Size diagonal 165.1

Resolution 3840 x 2160

Colour Black

Image formats supported BMP, HEIF, JPG, PNG

Video formats supported AVI,H.264,H.265,MKV,MP4,MPG,TS,VP9,WEBM,WMV

Audio formats supported MP3,WMA

No. of speakers 2

Total speaker output 16

Internet access Yes

Smart TV Yes

Bluetooth Yes

Exhibition

Long description	TCL 75P618. Display diagonal: 165.1 cm (65"), Display resolution: 3840 x 2160, Display technology: LCD, Screen shape: Flat, LED backlighting type: Direct-LED technology: PPI (Picture Performance Index) 1500, Display brightness: 320 cd/m ² Digital signal format system: DVB-C,DVB-S2,DVB-T2. Wi-Fi, Ethernet LAN. Pro
Handheld remote control:	Yes
Viewable size diagonal:	164 cm
Response time:	10 ms
Peak luminance ratio:	65%
HD type:	4K Ultra HD (4K Ultra HD resolution TVs [🔗])
Screen shape:	Flat
Dynamic contrast ratio marketing name:	Mega Contrast
Display technology:	LCD
Native refresh rate:	60 Hz
Display resolution:	3840 x 2160 pixels
Motion interpolation technology:	PPI (Picture Performance Index) 1500
Display diagonal (metric):	165.1 cm
Display diagonal:	165.1 cm (65")
Display brightness:	320 cd/m ²
LED backlighting type:	Direct-LED

Exhibition

Tuner type: Analog & digital

Auto channel search: Yes

Analog signal format system: NTSC,PAL,SECAM

Digital signal format system: DVB-C,DVB-S2,DVB-T2

Ports and Interfaces

Digital audio optical out: 1

Consumer Electronics Control (CEC): T-link

RF connector type: F, IEC

Common interface Plus (CI+) version: 1.4

Common interface Plus (CI+): Yes

Common interface (CI): Yes

USB 2.0 ports quantity: 2 ([TVs with 2 USB ports](#) [🔗])

Headphone outputs: 1

HDMI version: 2.0b

HDMI Quick Switch: Yes

HDMI ports quantity: 3 ([TVs with 3 HDMI ports](#) [🔗])

Exhibition

Power consumption (typical): 120 W

Power consumption (standby): 0.29 W

Power consumption (max): 170 W

AC input voltage: 220 - 240 V

Energy consumption (HDR) per 1000 hours: 227 kWh

Energy efficiency scale: A to G

AC input frequency: 50 Hz

Energy consumption (SDR) per 1000 hours: 126 kWh

Energy efficiency class (HDR): G

Energy efficiency class (SDR): F

Weight and measurements

Weight (without stand): 18.2 kg

Weight (with stand): 18.6 kg

Depth (without stand): 250 mm

Exhibition

Web browser: Yes

HID support: Yes

Browsing: Yes

Bluetooth profiles: A2DP,HID

Bluetooth: Yes

Ethernet LAN: Y ([TVs with Ethernet port](#) [Ⓔ])

Wi-Fi standards: 802.11b,802.11g,Wi-Fi 4 (802.11n)

Management Features

Hotel mode: Yes

Voice control: Yes

Auto power off: Yes

Sleep timer: Yes

Firmware upgradeable via: Network, USB

Firmware upgradeable: Yes

On Screen Display (OSD) languages: ALB, Bulgarian, Croatian, Czech, Danish, German, Dutch, English, Spanish, Estonian, Hungarian, Italian, LAT, Lithuanian, MAC, Norwegian, Polish, Portuguese, Romanian, Slovenian, Swedish, Turkish, Ukrainian

On Screen Display (OSD): Yes

Number of OSD languages: 29

Works with the Google Assistant: Yes

Works with

Exhibition

Panel mounting interface: 300 x 200 mm

Ambient lighting: Yes

Performance

Image formats supported: BMP, HEIF, JPG, PNG

High Dynamic Range (HDR) technology: High Dynamic Range 10 (HDR10),Hybrid Log-Gamma (HLG)

High Dynamic Range (HDR) supported: Yes

Video formats supported: AVI,H.264,H.265,MKV,MP4,MPG,TS,VP9,WEBM,WMV

Processor cores: 4

USB cloning: Yes

Teletext function: Yes

Picture processing technology: TCL IPQ 2.0 Engine

Subtitles function: Yes

Smartphone remote support: Yes

Audio formats supported: MP3,WMA

4K Ultra HD upscaling: Yes

Noise reduction: Yes

Smart TV

Exhibition

Operating system installed: Android

Lifestyle apps: Google Apps

Packaging

Desktop stand: Yes

Remote control type: RC802N4

Package width: 1645 mm

Package weight: 25.8 kg

Package height: 1000 mm

Package depth: 165 mm