

All Specifications

Display

Screen Size	31.5 inch
Panel Type	IPS
Backlight Technology	LED backlight
Resolution (max.)	3840x2160
Brightness (typ.)	250 nits
HDR	HDR10, HLG
Native Contrast	1000:1
Viewing Angle (L/R) (CR>=10)	178°/178°
Response Times (GtG)	5 ms
Refresh Rate (Hz)	60
Color Gamut	100% sRGB, 95% P3, 99% AdobeRGB
Color Mode	Adobe RGB, B+W, Calibration 1, Calibration 2, Calibration 3, Custom, DCI-P3, DICOM, Display P3, HDR, M-Book, Paper Color Sync, Rec.709, sRGB
Aspect Ratio	16:9
Display Colors	1.07 billion colors
PPI	137
Display Screen Coating	Anti-Glare
Color Temperature	5000K, 6500K, 9300K, Custom, User Define
Gamma	1.6 - 2.6, sRGB
HDCP	2.2
OSD Language	Arabic, Chinese (simplified), Chinese (traditional), Czech, Deutsch, English, French, Hungarian, Italian, Japanese, Korean, Netherlands, Polish, Portuguese, Romanian, Russian, Spanish, Swedish
AMA	Yes

Audio

Headphone Jack	Yes
----------------	-----

Power

Voltage Rating	100 - 240V
Power Supply	Built-in
Power Consumption (normal)	52 W
Power Consumption (max)	170 W
Power Consumption (sleep mode)	<0.5 W
Power Delivery(USB C / Thunderbolt 3)	60W W

Dimension and Weight

Tilt (down/up)	-5° - 20°
Swivel (left/right)	45° / 45°
Pivot	90°
Height Adjustment Stand	150mm mm
Dimensions (HxWxD) (mm)	504.9-652.7x747.2x285.3
Dimensions (HxWxD) (inch)	19.9-25.7x29.4x11.2
Dimensions (HxWxD) (w/o Base) (mm)	448.2x747.2x77.8
Dimensions (HxWxD) (w/o Base) (inch)	17.6x29.4x3.1
Dimensions (HxWxD) (w/o Base) (with shading hood) (mm)	453.5x759.4x257.9
Dimensions (HxWxD) (w/o Base) (with shading hood) (inch)	17.9x29.9x10.2
Dimensions(HxWxD) (with shading hood) (mm)	514.1-664.1x759.4x340.5
Dimensions(HxWxD) (with shading hood) (inch)	20.2-26.1x29.9x13.4
Net Weight (kg)	12.6
Net Weight (lb)	27.8

Net Weight (w/o Base) (kg)	9.1
Net Weight (w/o Base) (lb)	20.1
Net Weight (with shading hood) (kg)	13.2
Net Weight (with shading hood) (lb)	29.1
VESA Wall Mount	100x100 mm

Accessories

Other Accessories	Calibration Report, Hotkey Puck G2, QSG, Shading Hood (landscape and portrait), Warranty Card
-------------------	---

Connectivity

Card Reader	SD/SDHC/SDXC/MMC
HDMI (v2.0)	2
DisplayPort (v1.4)	1
USB C(PowerDelivery 60W, DisplayPort Alt Mode, Data)	1
USB Type B (Upstream)	1
USB 3.1 (Downstream)	2

Certification

TUV Certificate	Anti-Reflection
calman verified	Yes
Pantone Validated	Yes
Pantone SkinTone™ Validated	Yes

Professional

Video Format Support	Yes
Factory Calibration Report	Yes

3D-LUT	16 bits
Delta E(avg)	≤2
Gamut Duo	Yes
Black & White mode	Yes
Black Level	Yes
FW update by USB	Yes
Hardware Calibration	Yes
Hotkey Puck G2	Yes
PIP/PBP	Yes

Software

Palette Master Element	Yes
Paper Color Sync	Yes
calman ready	Yes

Accessory Dimension and Weight

Dimensions (HxWxD) (mm)	504.9-652.7x747.2x285.3
Dimensions (HxWxD) (inch)	19.9-25.7x29.4x11.2
Net Weight (kg)	12.6
Net Weight (lb)	27.8