

DMInteract[®]

DMInteract Video Walls: Unleash the
Visual Power



Ultra-Narrow Border Design

DMinteract showcases a state-of-the-art video wall featuring an ultra-sleek 3.5mm border design. This minimalistic border creates a visually stunning display, delivering an exceptional viewing experience that's both immersive and captivating.

Ultra-narrow border design
Perfect visual feast



3.5mm splicing and narrow frame design make the screen display nearly seamless, The width of the frame on the left / upper side of the splicing display screen is 2.2mm, and the width of the frame on the right / lower side is 1.3mm, When splicing multiple screens, the frame spacing is only 3.5mm

3.5mm

Parameters of stitching series stitching unit



4K Full HD Resolutions

DMinteract's video wall effortlessly accommodates both 4K (3840x2160) and Full HD (1920x1080) resolutions within its sleek design. This versatility ensures a seamless and captivating display, whether showcasing high-definition or standard content.



Full HD



178 Viewing Angle



Tempered Glass



LED Backlight



Narrow Bezel

Available in Different Sizes




Super Narrow Bezel Design

The narrow bezel will bring you a broad and perfect visual enjoyment, it truly achieves the seamless



0.88mm to 8.0mm optional



178° View of Angle

Super visual angle, the screen is not deformation, color is not distorted



Product Specification

Model	US-DM550PBH/S/ US-DM460PBH/S/ USDM462X2B/S
Max Resolution Support	1920×1080(H×V)
Pixel Pitch	0.53025 (H) ×0.53025 (V)
Brightness (nits)	500 (cd/ m)
Contrast	4000:1
Response Time	8ms
Color	16.7M
Visual Angle (H/V)	178°(H) / 178°(V)
Aspect Ratio	16 : 9
Picture quality compensation	LTI、CTI
Motion compensation	AUTO MOVE
Filter	3D comb filtering, digital noise reduction
Video format	PAL、NTSC
Bezel Width	3.5mm
Net weight	25kg
Resolution	1920x1080 (Full HD)
Application	Indoor

Order Now

FOR OUR STORE

ADDRESS

BUSINESS CENTER: SHOWROOM G02, IT PLAZA
,DUBAI SILICON OASIS, DUBAI UAE

INFO@DUBAIMACHINES.COM

+971-4-3360300