


BP 3 GARDEN

The durable and powerful BP 3 Garden garden pump is perfect for ecological and economical garden watering using water from alternative sources such as cisterns or tanks.



Order no. 1.645-351.0

- Can be conveniently switched on and off without bending thanks to the practical foot switch
- Convenient carrying handle for mobile use
- The pump can be connected without the use of tools thanks to an optimised connection nozzle

Technical data

EAN code		4039784697720
Max. motor rating	W	800
Max. flow rate	l/h	< 3500
Delivery head	m	40
Pressure	bar	max. 4
Suction height	m	8
Delivery temperature	°C	max. 35
Connection thread		G1
Power cable	m	1.5
Voltage	V	230 - 240
Frequency	Hz	50
Weight without accessories	kg	8.2
Weight incl. packaging	kg	9.1
Dimensions (L × W × H)	mm	220 × 405 × 260

Equipment

Optimised union	■
PerfectConnect connection adapter for G1 pumps	■
Comfortable foot switch	■
Ergonomic carrying handle	■
■ included in the scope of supply.	



5
YEARS
EXTENDED
GUARANTEE*

REGISTRATION ON
[WWW.KAERCHER.COM/
GUARANTEE*](http://WWW.KAERCHER.COM/GUARANTEE*)

Robust and long-lasting

- Kärcher offers an extended five-year warranty.



Comfortable foot switch

- Easy to switch on and off – gentle on the back.



Optimal suction

- The quality pump effortlessly draws water from a depth of 8 m, for example from a cistern.


ACCESSORIES FOR BP 3 GARDEN 1.645-351.0



		Order no.	Description	
ADAPTERS / CONNECTORS				
Adapter connection	1	6.997-473.0	With the help of the connection adapter, a pump with internal thread can be connected quickly and safely to a water connection.	■
Pump adapter including check valve, small	2	6.997-359.0	Pump adapter with check valve for vacuum-resistant connection of suction hoses to pumps (e.g. garden pumps and high-pressure pumps for domestic use).	<input type="checkbox"/>
Connection kit Basic	3	6.997-358.0	Connector set for connecting water hoses to garden pumps and high-pressure pumps for domestic use. For easy and perfect hose and pump connection.	<input type="checkbox"/>
Premium pump connector set	4	6.997-340.0		<input type="checkbox"/>
Tap adapter for suction & garden hose 1" + 3/4"	5	2.997-113.0	The tap adapter can be used to connect suction and garden hoses to pressure and suction sides of pumps. The PerfectConnect sealing principle guarantees reliable sealing.	<input type="checkbox"/>
Connection adapter for pumps (axial/radial), G1	6	2.997-120.0	The PerfectConnect connection adapter (axial/radial) connects Kärcher pumps with a G1 internal thread to water connections and accessories by other manufacturers, as well as older Kärcher accessories.	<input type="checkbox"/>
2-way connection adapter for pumps, G1	7	6.997-474.0	With the help of the 2-way connection adapter, a pump with internal thread can be connected quickly and safely to two water connections.	<input type="checkbox"/>
SUCTION HOSES				
Suction hose available in bulk	8	6.997-347.0	Vacuum-resistant spiral hose can be cut to length for connection to submersible, garden, submersible pressure pumps and high-pressure pumps.	<input type="checkbox"/>
	9	6.997-346.0		<input type="checkbox"/>
Suction hose	10	6.997-348.0	Ready to use, vacuum-resistant spiral hose for garden pumps and high-pressure pumps. Suitable for suction hose extension or for use with suction filters.	<input type="checkbox"/>
Suction hose set, 3.5 m	11	6.997-350.0	Complete, ready to use vacuum-resistant spiral hose with suction filter and backflow preventer for garden pumps and high-pressure pumps. Ideal for suction hose extension.	<input type="checkbox"/>
Suction hose set, 7 m	12	6.997-349.0		<input type="checkbox"/>
Suction hose for pipes	13	6.997-360.0	Ready-to-connect, vacuum-proof suction hose for connecting pumps to driven wells or pipes on the suction side. For electronic booster pumps and garden pumps.	<input type="checkbox"/>
Suction kit, 3.5 m	14	2.997-110.0	Ready to connect and vacuum-proof: The suction kit, including a 3.5 m suction hose, suction filter, non-return valve and PerfectConnect sealing principle. Ideal for garden pumps and service water supply in the household.	<input type="checkbox"/>

■ Included in the scope of supply. Available accessories. Detergents.

ACCESSORIES FOR BP 3 GARDEN 1.645-351.0



		Order no.	Description	
SUCTION HOSES				
Suction kit, 7.0 m	15	2.997-111.0	Ideal suction kit for garden pumps and service water supply in the household. Includes a ready-to-connect, vacuum-proof 7 m suction hose with suction filter, non-return valve and PerfectConnect sealing principle.	<input type="checkbox"/>
FILTER				
Basic suction filter with backflow preventer, 3/4"	16	6.997-345.0	Basic suction filter with backflow preventer for connection to cut lengths of 3/4" suction hose.	<input type="checkbox"/>
Basic suction filter with backflow preventer, 1"	17	6.997-342.0	Basic suction filter with backflow preventer for connection to cut lengths of 1" suction hose.	<input type="checkbox"/>
Premium suction filter with backflow preventer	18	6.997-341.0	Premium suction filter with backflow preventer for connection to cut lengths of hose.	<input type="checkbox"/>
Pump prefilter, small	19	6.997-343.0	Pump prefilter for protecting garden pumps, electronic booster pumps, and domestic water supplies from coarse dirt particles or sand.	<input type="checkbox"/>
Pump prefilter, large	20	6.997-344.0	Pump prefilter protects garden pumps and high-pressure pumps against coarse particles or sand.	<input type="checkbox"/>
Pump prefilter, small	21	2.997-211.0	Small prefilter, big effect: The pump prefilter protects garden pumps, electronic booster pumps and home pumps from coarse dirt particles or sand. With PerfectConnect sealing principle.	<input type="checkbox"/>
MISCELLANEOUS				
Dry-run cut-out for pumps	22	6.997-355.0	Dry-running protection protects garden pumps, submersible pumps and high-pressure pumps against damage. Float switch automatically starts and stops the pump and prevents dry running.	<input type="checkbox"/>
Electronic pressure switch with dry-run cut-out for pumps	23	6.997-357.0	Electronic pressure switch automatically starts/stops the pump on demand. Float switch automatically starts and stops the pump and prevents dry running.	<input type="checkbox"/>
Float switch	24	6.997-356.0	Float switch automatically starts and stops the pump depending on the water level.	<input type="checkbox"/>
Dry-run cut-out for pumps *Socket Type E (CEE7/5)	25	6.997-546.0	The dry-run protection protects garden pumps, submersible pressure pumps and home pumps against damage. The pump is automatically switched off if there is no water running through it.	<input type="checkbox"/>
Electronic pressure switch with dry-run cut-out for pumps *Socket Type E (CEE7/5)	26	6.997-549.0	The electronic pressure switch automatically switches the pump on and off again as required. An additional dry-run protection protects the pump against damage by automatically switching it off when there is no water running.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories. ○ Detergents.