

DMInteract®

From Visualization to Collaboration



DMInteract DM-75110-ES
Electric Height Adjustable Universal
Aluminum Alloy & Cold Rolled Steel
Electric Lift Stand With Wheels
(Supported Screen Size: 75" to 110")



BEST IN CLASS

DMINTERACT DM-75110-ES

**Electric Height Adjustable Universal
Aluminum Alloy & Cold Rolled Steel
Electric Lift Stand With Wheels**

(Supported Screen Size: 75" to 110")

PRODUCT OVERVIEW

The DMInteract DM-75110-ES Electric Lift Stand is a versatile and robust solution for large displays, supporting universal screen sizes from 75 to 110 inches. With an adjustable lifting height range of 1200mm to 1700mm and a substantial load capacity of 136.40 kg, it ensures stability and flexibility for various setups. Constructed from high-quality aluminum alloy and cold-rolled steel plates, this stand offers durability and strength. It features multiple mounting hole positions for easy installation and includes a camera tray with a load capacity of 4.5 kg. Safety is prioritized with a child lock button and obstacle detection return function. Additionally, the stand offers convenient remote control operation for easy height adjustments and setting intervals.



Specifications Of The DMInteract DM-75110-ES Universal Electric Height Adjustable Stand:

Brand Name:	DMInteract
Model Number:	DM-75110-ES
Type Of Product:	Electric Lift Stand
Lifting Height:	1200 - 1700mm
Loading Capacity:	136.40 Kg
Tray:	Camera Tray Load Capacity 4.5 Kg
Universal Size:	75 - 110 Inches
Height Adjustment:	Adjustable Height
Body Material:	Aluminum Alloy & Cold Rolled Steel Plates
Hole Position:	200 x 200mm, 300 x 300mm, 400 x 200mm, 400 x 400mm, 500 x 400mm, 600 x 400mm, 800 x 500mm, 1000 x 600mm



SPECIAL OFFER

ORDER NOW



 **DEALER ADDRESS:**

Showroom G-02, IT Plaza, Dubai Silicon Oasis, Dubai, United Arab Emirates

 **CANADA OFFICE:**

DMInteract Inc 801 Dundas Street East, Unit #D6, Mississauga, Ontario, L4Y 4G9

 **CONTACT NUMBER:**

+971-4-3360300 - (Dubai Office)

437-880-7712 - (Mississauga Office)

 **EMAIL ADDRESS:**

info@dminteract.com