

* All images used are for illustrative purposes only.



Download
LG C-Display+
Mobile App

Google Play Store

 www.lg.com/global/business/information-display

 www.youtube.com/c/LGCommercialDisplay

 www.facebook.com/LGInformationDisplay

 www.linkedin.com/company/lginformationdisplay

 twitter.com/LG_ID_HQ

LG may make changes to specifications and product descriptions without notice.
Copyright © 2023 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp.
The names of products and brands mentioned here may be the trademarks of their respective owners.




2025 GLOBAL

LG COMMERCIAL TV

Information Display And Solutions

* All images are intended to help you understand, and there may be some differences in practical use.





True partner of the hospitality industry with unrivaled technology

LG Commercial TVs' innovative technology is designed to meet the demands of the hospitality industry. As a true partner of the field, LG seeks to elevate the industry standards of the service quality. Ranging from hotel employees to customers, LG keeps providing revolutionary ultra-slim designs, screen quality, and cutting-edge OLED & IPS technology to redefine luxury and comfort.





CONTENTS

Hotel TV


- Pro:Centric Solution with OLED
- Pro:Centric SMART
- Pro:Centric V
- Pro:Centric Direct
- Signage LITE (Commercial Lite)

Healthcare TV

- Healthcare TV (Arm TV)

Peripheral

- Peripheral




LG Pro:Centric Solution with OLED

A Premium Smart Solution via IP & RF Network

Pro:Centric Solution is optimized for customizing hospitality services for hotel brands and guests through an IP & RF infrastructure. With its high picture quality, sophisticated design and advanced connectivity functions, it upscales in-room entertainment and increases convenience through implementation of high-end technology.

Pro:Centric Solution with OLED LINE UP



Hotel TV AM960H (EU/CIS)

AM960H (EU/CIS) | 65" 55" 48"

- Resolution : 3,840 × 2,160 (4K UHD)
- Pro:Centric Solutions
- Netflix
- Game Optimizer

* Based on 65AM960H (EU/CIS) Specification




Hotel TV WM960H (EU/CIS)

WM960H (EU/CIS) | 65" 55"

- Resolution : 3,840 x 2,160 (4K UHD)
- Pro:Centric Solutions
- Netflix
- webOS23

* Based on 65WM960H (EU/CIS) Specification



Hotel TV AM960H (NA)

AM960H (NA) | 77" 65" 55"

- Resolution : 3,840 × 2,160 (4K UHD)
- Pro:Centric Solutions
- Netflix
- Game Optimizer

* Based on 77AM960H (NA) Specification




Hotel TV WN960H (EU)

WN960H (EU) | 65" 55"

- 4K UHD OLED
- Pro:Centric Solutions
- Voice Recognition
- webOS22

* Based on 65WN960H (EU) Specification



Hotel TV AM960H (MEA)

AM960H (MEA) | 77" 65" 55"

- Resolution : 3,840 × 2,160 (4K UHD)
- Pro:Centric Solutions
- Netflix
- Game Optimizer

* Based on 77AM960H (MEA) Specification



Hotel TV AN960H (NA)

AN960H (NA) | 77" 65" 55"

- 4K UHD OLED
- Pro:Centric Solutions
- Pro:Centric Cloud
- webOS22

* Based on 77AN960H (NA) Specification

Pro:Centric Solution with OLED LINE UP

Hotel TV AN960H (HONGKONG)

AN960H (HONGKONG) | 65" 55"

- 4K UHD OLED
- Pro:Centric Cloud
- Pro:Centric Solutions
- webOS22

* Based on 65AN960H (HONGKONG) Specification

Hotel TV AN960H (EU)

AN960H (EU) | 65" 55" 48"

- 4K UHD OLED
- Pro:Centric Solutions
- Voice Recognition
- webOS22

* Based on 65AN960H (EU) Specification

Hotel TV AN960H (ASIA)

AN960H (ASIA) | 65" 55"

- 4K UHD OLED
- Pro:Centric Cloud
- Pro:Centric Solutions
- webOS22

* Based on 65AN960H (ASIA) Specification

Hotel TV US660H (Japan)

US660H (Japan) | 65" 55" 43"

- Pro:Centric Smart Solution
- Voice Recognition
- Quick Menu

* Based on 65US660H (Japan) Specification

Hotel TV AN960H (MEA)

AN960H (MEA) | 65" 55" 48"

- 4K UHD OLED
- Pro:Centric Cloud
- Pro:Centric Solutions
- webOS22

* Based on 65AN960H (MEA) Specification

Hotel TV WS960H (EU)

WS960H (EU) | 65" 55"

- SELF-LIT LG OLED
- Pro:Centric Hotel Management Solution
- Gallery Mode

* Based on 65WS960H (EU) Specification



LG Pro:Centric SMART

A Premium Smart Solution via IP & RF Network

Pro:Centric SMART is optimized for customizing hospitality services for hotel brands and guests through an IP & RF infrastructure.

With its high picture quality, sophisticated design and advanced connectivity functions, it upscales in-room entertainment and increases convenience through implementation of high-end technology.

Pro:Centric SMART LINE UP



Hotel TV LN660H (ASIA)

LN660H (ASIA) | 32"

- Pro:Centric Hotel Management Solution
- Voice Recognition
- Quick Menu

* Based on 32LN660H (ASIA) Specification



Hotel TV UM662H (ASIA)

UM662H (ASIA) | 65" 55" 50" 43"

- Resolution : 3,840 x 2,160 (4K UHD)
- Pro:Centric Solutions
- TV Casting
- Netflix
- Slim Design
- Game Optimizer

* Based on 65UM662H (ASIA) Specification



Hotel TV UM661H (Japan)

UM661H (Japan) | 65" 55" 50" 43"

- Resolution : 3,840 x 2,160 (4K UHD)
- Pro:Centric Solutions
- Slim Design
- Voice Recognition

* Based on 65UM661H (Japan) Specification



Hotel TV UM662H (MEA)

UM662H (MEA) | 65" 55" 50" 43"

- Resolution : 3,840 x 2,160 (4K UHD)
- Pro:Centric Solutions
- TV Casting
- Netflix
- Slim Design
- Game Optimizer

* Based on 65UM662H (MEA) Specification



Hotel TV UM662H (EU/CIS)

UM662H (EU/CIS) | 75" 65" 55" 50" 43"

- Resolution : 3,840 x 2,160 (4K UHD)
- Pro:Centric Solutions
- TV Casting
- Netflix
- Slim Design
- Game Optimizer

* Based on 75UM662H (EU/CIS) Specification



Hotel TV UM660H (ASIA)

UM660H (ASIA) | 65" 55" 50" 43"

- Resolution : 3,840 x 2,160 (4K UHD)
- Pro:Centric Solutions
- TV Casting
- Netflix
- Slim Design
- Game Optimizer

* Based on 65UM660H (ASIA) Specification

Pro:Centric SMART LINE UP



Hotel TV UM777H (NA)

UM777H (NA) | 75" 65" 55" 50"

- Resolution : 3,840 x 2,1 60 (4K UHD)
- Pro:Centric Cloud
- Pro:Centric Direct
- Pro:Idiom

* Based on 75UM777H (NA) Specification



Hotel TV UM767H (EU/CIS)

UM767H (EU/CIS) | 65" 55" 50" 43"

- Resolution : 3,840 x 2,1 60 (4K UHD)
- Pro:Centric Cloud
- Pro:Centric Direct
- Pro:Idiom

* Based on 65UM767H (EU/CIS) Specification




Hotel TV UM767H (SCA)

UM767H (SCA) | 65" 55" 50" 43"

- Resolution : 3,840 x 2,1 60 (4K UHD)
- Pro:Centric Cloud
- Pro:Centric Direct
- Pro:Idiom

* Based on 65UM767H (SCA) Specification




Hotel TV UM767H (AUSTRIA)

UM767H (AUSTRIA) | 43"

- Resolution : 3,840 x 2,1 60 (4K UHD)
- Pro:Centric Cloud
- Pro:Centric Direct
- Pro:Idiom

* Based on 43UM767H (AUSTRIA) Specification



Hotel TV UM767H (MEA)

UM767H (MEA) | 75" 65" 55" 50"

- Resolution : 3,840 x 2,1 60 (4K UHD)
- Pro:Centric Cloud
- Pro:Centric Direct
- Pro:Idiom

* Based on 75UM767H (MEA) Specification



Hotel TV UM767H (ASIA)

UM767H (ASIA) | 75" 65" 55" 50" 43"

- Resolution : 3,840 x 2,1 60 (4K UHD)
- Pro:Centric Cloud
- Pro:Centric Direct
- Pro:Idiom

* Based on 75UM767H (ASIA) Specification

Pro:Centric SMART LINE UP

Hotel TV UM767H (HONGKONG)

UM767H (HONGKONG) | 75" 65" 55" 50" 43"

- Resolution : 3,840 x 2,160 (4K UHD)
- Pro:Centric Cloud
- Pro:Centric Direct
- Pro:Idiom

* Based on 75UM767H (HONGKONG) Specification

Hotel TV US660H (Colombia)

US660H (Colombia) | 65"

- Pro:Centric Hotel Management Solution
- Voice Recognition
- Quick Menu

* Based on 65US660H (Colombia) Specification

Hotel TV UM670H (NA)

UM670H (NA) | 65" 55" 50" 43"

- Resolution : 3,840 x 2,160 (4K UHD)
- Pro:Centric Direct
- Pro:Centric Cloud
- Pro:Idiom

* Based on 65UM670H (NA) Specification

Fitness TV LS766F (NA)

LS766F (NA) | 15.6"

- 15" Full HD Touch Display
- 24 Hours / 7 Days Operation
- Pre-loaded Apps Support (webOS 5.0)
- Pro:Centric Smart, Direct, V

* Based on 15LS766F (NA) Specification

Hotel TV LN661H (EU/CIS)

LN661H (EU/CIS) | 32" 27" 24"

- Pro:Centric Cloud
- Pro:Centric Direct
- Pro:Idiom
- Instant On

* Based on 32LN661H (EU/CIS) Specification



LG Pro:Centric v

Comprehensive Hospitality Solution via RF Network

Pro:Centric V provides comprehensive solutions in RF infrastructure. Through the Pro:Centric Server and Application, hoteliers are able to customize their settings in line with hotel branding concepts and deliver information on hotel facilities and wake-up call services, weather forecasts and other messages to guests, all while reinforcing the hotel's brand image.

Pro:Centric V LINE UP



Hotel TV LN560H (NA)

LN560H (NA) | 32"

- Pro:Centric Solutions
- Commercial Swivel Stand
- Game Optimizer
- Pro:Idiom

* Based on 32LN560H (NA) Specification



Hotel TV LN570H (NA)

N570H (NA) | 32"

- Pro:Centric Solutions
- Commercial Swivel Stand
- Game Optimizer
- Pro:Idiom

* Based on 32LN570H (NA) Specification



Hotel TV UN342H (EU)

UN342H (EU) | 55" 50" 43"

- Resolution : 3,840 x 2,160 (4K UHD)
- USB Cloning
- Multi IR
- Pro:Centric V

* Based on 55UN342H (EU) Specification



Hotel TV US342H (EU)

US342H (EU) | 55" 50" 43"

- Pro:Centric V Solution
- Quick Menu
- Hotel Mode

* Based on 55US342H (EU) Specification



Hotel TV LS341H (EU Only)

LS341H (EU Only) | 32"

- Pro:Centric V
- Quick Menu
- Commercial Swivel Stand
- Hotel Mode

* Based on 32LS341H (EU Only) Specification



Hotel TV LT341H (EU)

LT341H (EU) | 49" 43" 32"

- Pro:Centric V
- Quick Menu
- Commercial Swivel Stand
- Hotel Mode

* Based on 49LT341H (EU) Specification

Pro:Centric V LINE UP



Hotel TV LT341H (CIS)

LT341H (CIS) | 49" 43" 32"

- Pro:Centric V
- Quick Menu
- Commercial Swivel Stand
- Hotel Mode

* Based on 49LT341H (CIS) Specification



Hotel TV LT570H (NA)

LT570H (NA) | 49" 32"

- Pro:Centric Hotel Management Solution(V)
- b-LAN embedded
- Commercial Swivel Stand
- EzManager
- USB Closing

* Based on 49LT570H (NA) Specification



Hotel TV LT560H (NA)

LT560H (NA) | 49" 32"

- Pro:Centric Hotel Management Solution(V)
- Commercial Swivel Stand
- EzManager
- USB Closing

* Based on 49LT560H (NA) Specification



LG Pro:Centric Direct

Comprehensive Hospitality Solution via IP network

Pro:Centric Direct, offers editing tools that make it easy to perform service and IP network-based remote management. The Pro:Centric Direct solution enables users to edit their interface & provides customized interface to efficiently manages in-room TVs. The current PCD version provides IoT-based in-room control as well as voice control function through LG Natural Language Processing (NLP).

Pro:Centric Direct LINE UP



Hotel TV UN570H (NA)

UN570H (NA) | 65" 55" 50" 43"

- 4K UHD
- Pro:Idiom
- Pro:Centric Direct

* Based on 65UN570H (NA) Specification



Hotel TV UR760H (NA)

UR760H (NA) | 75" 65" 55" 50"

- Pro:Centric Cloud
- webOS
- Nano Bezel
- Voice Recognition

* Based on 75UR760H (NA) Specification



Hotel TV UN560H (NA)

UN560H (NA) | 65" 55" 50" 43"

- 4K UHD
- Pro:Idiom
- Pro:Centric Direct

* Based on 65UN560H (NA) Specification



Hotel TV UR770H (NA)

UR770H (NA) | 75" 65" 55" 50"

- Pro:Centric Cloud
- Slim Design
- Quick Menu
- Voice Recognition

* Based on 75UR770H (NA) Specification



Hotel TV UR767H (EU)

UR767H (EU) | 65" 55" 50"

- Real 4K
- Nano Bezel
- Pro:Centric Cloud
- webOS

* Based on 65UR767H (EU) Specification



Hotel TV UR765H (ASIA)

UR765H (ASIA) | 75" 65" 55" 50"

- Pro:Centric Cloud
- Slim Design
- Quick Menu
- Voice Recognition

* Based on 75UR765H (ASIA) Specification

Pro:Centric Direct LINE UP

Hotel TV UR762H (EU/CIS)

UR762H (EU/CIS) | 75" 65" 55" 50" 43"



- Pro:Centric Solutions
- TV Casting
- Netflix
- Quick Menu
- Slim Design
- Voice Recognition

* Based on 75UR762H (EU/CIS) Specification

Hotel TV US665H (CIS)

US665H (CIS) | 55" 50" 43"



- Pro:Centric Hotel Management Solution
- Voice Recognition
- Quick Menu

* Based on 55US665H (CIS) Specification

Hotel TV UR762H (MEA)

UR762H (MEA) | 75" 65" 55" 50"



- Pro:Centric Solutions
- TV Casting
- Netflix
- Quick Menu

* Based on 75UR762H (MEA) Specification

Hotel TV US665H (ASIA)

US665H (ASIA) | 65" 55" 50" 43"



- Pro:Centric Hotel Management Solution
- Voice Recognition
- Quick Menu

* Based on 65US665H (ASIA) Specification

Hotel TV UR761H (ASIA)

UR761H (ASIA) | 75" 65" 55" 50" 43"



- Pro:Centric Solutions
- TV Casting
- Netflix
- Slim Design

* Based on 75UR761H (ASIA) Specification

Hotel TV US660H (ASIA)

US660H (ASIA) | 65" 55" 50" 43"



- Pro:Centric Hotel Management Solution
- Voice Recognition
- Quick Menu

* Based on 65US660H (ASIA) Specification

Pro:Centric Direct LINE UP



Hotel TV US660H (MEA)

US660H (MEA) | 55" 50" 43"

- Pro:Centric Hotel Management Solution
- Voice Recognition
- Quick Menu

* Based on 55US660H (MEA) Specification



Hotel TV US662H (CIS)

US662H (CIS) | 65" 55" 50" 43"

- Pro:Centric Hotel Management Solution
- Voice Recognition
- Quick Menu

* Based on 65US662H (CIS) Specification



LG Signage **LITE** (Commercial Lite)

Essential Signages Tailored to Commercial Environments

Improve management efficiency and offer a warm welcome to guests. Featuring Welcome Video / Image, USB Cloning and other convenient functions, LG Signage LITE is able to lighten the management burden and makes customers feel cared for in numerous business environments.

Signage LITE (Commercial Lite) LINE UP



Hotel TV UT801C (ASIA)

UT801C (ASIA) | 86" 75" 70" 65" 55" 50" 43"

- Resolution : 3,840 x 2,1 60 (4K UHD)
- ThinQ AI
- HGiG
- Thrilling Sports Experience
- Bring the Cinema Home

* Based on 86UT801C (ASIA) Specification



Hotel TV UT801C (India)

UT801C (India) | 75" 70" 65" 55" 50" 43"

- Resolution : 3,840 x 2,1 60 (4K UHD)
- ThinQ AI
- HGiG
- Thrilling Sports Experience
- Bring the Cinema Home

* Based on 75UT801C (India) Specification



Hotel TV UT901C (ASIA)

UT901C (ASIA) | 75" 65" 55" 50"

- Resolution : 3,840 x 2,1 60 (4K UHD)
- ThinQ AI
- HGiG
- Thrilling Sports Experience
- Bring the Cinema Home

* Based on 75UT901C (ASIA) Specification



Hotel TV LN340H (NA)

LN340H (NA) | 32"

- Commercial Swivel Stand
- Public Display Mode
- Lock Mode
- USB Cloning

* Based on 32LN340H (NA) Specification



Hotel TV UR801C (ASIA)

UR801C (ASIA) | 86" 75" 65" 55" 50" 43"

- Resolution : 3,840 x 2,1 60 (4K UHD)
- HGiG
- Thrilling Sports Experience

* Based on 86UR801C (ASIA) Specification



Hotel TV UR801C (INDIA)

UR801C (INDIA) | 75" 65" 55" 50" 43"

- Resolution : 3,840 x 2,1 60 (4K UHD)
- HGiG
- Thrilling Sports Experience

* Based on 75UR801C (INDIA) Specification

Signage LITE (Commercial Lite) LINE UP

Hotel TV UR751C (ASIA)

UR751C (ASIA) | 75" 65" 55" 50" 43"

- Resolution : 3,840 × 2,160 (4K UHD)
- HGiG
- Thrilling Sports Experience



* Based on 75UR751C (ASIA) Specification

Hotel TV UR871C (SCA)

UR871C (SCA) | 86" 75" 65" 55" 50" 43"

- Resolution : 3,840 × 2,160 (4K UHD)
- HGiG
- Thrilling Sports Experience



* Based on 86UR871C (SCA) Specification

Hotel TV UR751C (INDIA)

UR751C (INDIA) | 75" 65" 55" 50" 43"

- Resolution : 3,840 × 2,160 (4K UHD)
- HGiG
- Thrilling Sports Experience



* Based on 75UR751C (INDIA) Specification

Hotel TV UR781C (EU)

UR781C (EU) | 86" 75" 65" 55" 50" 43"

- Resolution : 3,840 × 2,160 (4K UHD)
- HGiG
- Thrilling Sports Experience



* Based on 86UR781C (EU) Specification

Hotel TV UR801C (MEA)

UR801C (MEA) | 86" 75" 70" 65" 55" 50" 43"

- Resolution : 3,840 × 2,160 (4K UHD)
- HGiG
- Thrilling Sports Experience



* Based on 86UR801C (MEA) Specification

Hotel TV UR781C (SCA)

UR781C (SCA) | 75" 65" 55" 50" 43"

- Resolution : 3,840 × 2,160 (4K UHD)
- HGiG
- Thrilling Sports Experience



* Based on 75UR781C (SCA) Specification

Signage LITE (Commercial Lite) LINE UP



Hotel TV UN343H (NA)

UN343H (NA) | 65" 55" 50" 43"

- 4K UHD
- USB Cloning
- Multi IR

* Based on 65UN343H (NA) Specification



Hotel TV UQ801C (ASIA)

UQ801C (ASIA) | 75" 70" 65" 55" 50" 43"

- 4K UHD
- ThinQ AI
- Enhance Your Interior
- HGiG
- Thrilling Sports Experience
- Bring the Cinema Home

* Based on 75UQ801C (ASIA) Specification



Hotel TV UQ751C (ASIA)

UQ751C (ASIA) | 65" 55" 50" 43"

- 4K UHD
- ThinQ AI
- Enhance Your Interior
- HGiG
- Thrilling Sports Experience
- Bring the Cinema Home

* Based on 65UQ751C (ASIA) Specification



Hotel TV UQ801C (INDIA)

UQ801C (INDIA) | 75" 65" 55" 50" 43"

- 4K UHD
- ThinQ AI
- Enhance Your Interior
- HGiG
- Thrilling Sports Experience
- Bring the Cinema Home

* Based on 75UQ801C (INDIA) Specification



Hotel TV UQ751C (MEA)

UQ751C (MEA) | 65" 55" 50" 43"

- 4K UHD
- ThinQ AI
- Enhance Your Interior
- HGiG
- Thrilling Sports Experience
- Bring the Cinema Home

* Based on 65UQ751C (MEA) Specification



Hotel TV UQ801C (MEA)

UQ801C (MEA) | 75" 65" 55" 50" 43"

- 4K UHD
- ThinQ AI
- Enhance Your Interior
- HGiG
- Thrilling Sports Experience
- Bring the Cinema Home

* Based on 75UQ801C (MEA) Specification

Signage LITE (Commercial Lite) LINE UP



Hotel TV UQ751C (EU/CIS)

UQ751C (EU/CIS) | 65" 55" 50" 43"

- 4K UHD
- ThinQ AI
- Enhance Your Interior
- HGiG
- Thrilling Sports Experience
- Bring the Cinema Home

* Based on 65UQ751C (EU/CIS) Specification



Hotel TV UQ801C (EU/CIS)

UQ801C (EU/CIS) | 86" 75"

- 4K UHD
- ThinQ AI
- Enhance Your Interior
- HGiG
- Thrilling Sports Experience
- Bring the Cinema Home

* Based on 86UQ801C (EU/CIS) Specification



LG Healthcare TV


Personal Healthcare Smart TV

Provide your patients with the smart solution, LG Healthcare TV, for a superior hospital experience. It enables personalized interactive service with solution and webOS operating system, which is the optimal platform for Patient Engagement Providers in the industry.

Healthcare TV LINE UP

UHD TV UM672M (NA)

UM672M (NA) | 75" 65" 55" 50" 43"



- UL Hospital Grade Listed
- Pillow Speaker Ready
- Nurse Call System Ready
- Works with AirPlay

* Based on 75UM672M (NA) Specification

NanoCell TV UR772M (NA)

UR772M (NA) | 65" 55"




- UL Hospital Grade Listed
- Pillow Speaker & Nurse Call Ready
- Web-based Telemedicine Ready
- Pro:Centric Hospital Management Solution

* Based on 65UR772M (NA) Specification

UHD TV UN662M (MEA)

UN662M (MEA) | 55" 50" 43"



- UL Hospital Grade Listed
- Pillow Speaker Ready
- Nurse Call System Ready
- Pro:Idiom

* Based on 55UN662M (MEA) Specification

NanoCell TV UR762M (NA)

UR762M (NA) | 75"




- UL Hospital Grade Listed
- Pillow Speaker & Nurse Call Ready
- Web-based Telemedicine Ready
- Pro:Centric Hospital Management Solution

* Based on 75UR762M (NA) Specification

UHD TV UN672M (NA)

UN672M (NA) | 55" 50" 43"



- UL Hospital Grade Listed
- Pillow Speaker Ready
- Nurse call system Ready
- Pro:Idiom

* Based on 55UN672M (NA) Specification

UHD TV UT662M (MEA)

UT662M (MEA) | 55" 50" 43"



- UL Hospital Grade Listed
- Pillow Speaker & Nurse Call Ready
- Pro:Centric Hospital Management Solution

* Based on 55UT662M (MEA) Specification

Healthcare TV LINE UP



HD TV LN572M9 (NA)

LN572M9 (NA) | 32" 27" 24"

- UL Hospital Grade Listed
- Pillow Speaker Ready
- Reliable Nurse call system
- Pro:Centric V Solution

* Based on 32LN572M9 (NA) Specification



HD TV LN572M (NA)

LN572M (NA) | 32" 28" 24"

- UL Hospital Grade Listed
- Pillow Speaker Ready
- Reliable Nurse call system
- Pro:Centric V Solution

* Based on 32LN572M (NA) Specification



HD TV LN662M (NA)

LN662M (NA) | 32"

- UL Hospital Grade Listed
- Pillow Speaker Ready
- Reliable Nurse call system
- Pro:Centric Hospital Management Solution

* Based on 32LN662M (NA) Specification



Peripheral

Enjoy Seamless and Smart TV with Pro:Centric Set Top Box

Peripheral LINE UP



LG Smart Cam Pro

AN-VC22PR

- 12 Mega Pixel Camera (Main, Night Vision)
- Digital Zoom (4x), 120° Field of View
- Built-in 4 Mic Array
- Echo Cancellation, Noise Reduction

* Based on AN-VC22PR Specification

STB-6500 (ASIA)

STB-6500 (ASIA)



- Pro:Centric Smart IPTV Platform
- Embedded Pro:Idiom decryption for non-Pro:Idiom TV's
- IP Streaming (TA type supports RF Tuning)
- Supports 720p/ 1,366x768 /1,080p /2,160p output resolutions
- Pro:Centric Application Support for non-Pro:Centric TVs
- webOS 5.0 based

* Based on STB-6500 (ASIA) Specification



STB-6500 (NA)

STB-6500 (NA)

- Pro:Centric Smart IPTV Platform
- Embedded Pro:Idiom decryption for non-Pro:Idiom TV's
- IP Streaming and RF Tuning
- Supports 720p/ 1,366x768 /1,080p /2,160p output resolutions
- Pro:Centric Application Support for non-Pro:Centric TVs
- webOS 5.0 based

* Based on STB-6500 (NA) Specification



STB-6500 (MEA)

STB-6500 (MEA)

- Pro:Centric Smart IPTV Platform
- Embedded Pro:Idiom decryption for non-Pro:Idiom TV's
- IP Streaming and RF Tuning
- Supports 720p/ 1,366x768 /1,080p /2,160p output resolutions
- Pro:Centric Application Support for non-Pro:Centric TVs
- webOS 5.0 based

* Based on STB-6500 (MEA) Specification



STB-6500 (EU)

STB-6500 (EU)

- Pro:Centric Smart IPTV Platform
- Embedded Pro:Idiom decryption for non-Pro:Idiom TV's
- IP Streaming and RF Tuning
- Supports 720p/ 1,366x768 /1,080p /2,160p output resolutions
- Pro:Centric Application Support for non-Pro:Centric TVs
- webOS 5.0 based

* Based on STB-6500 (EU) Specification