

DMInteract®

From Visualization to Collaboration

DMInteract®

From Visualization to Collaboration



DMInteract®

From Visualization to Collaboration

10 Point Touch

Support 6 point touch, 10 point touch (optional) leading technology in the world. Opening a new era of interactive teaching experience



Various size for choosing

DMInteract® offers a choice of 55", 65", 70" Full HD and 84" 4K interactive LED panel displays, be suitable for various occations.

-



High Resolution for Display

Durable commercial-grade, glare free LED panels display brilliantly detailed 4K Ultra HD images and text (3840x2160 pixels). Crisp content clarity and readability keeps studens involved no matter where they're seated in the room. (Only for 84 inch)



OPS PC Module (Optional)

DMInteract® flat panels compatible OPS + ATX architecture modular PC at the same time, can be manually removed to maintain the whole machine internal walk the line, the machine without any external connection.



Dynamic Image Control

Images can easily moved, scaled and rotated with your fingers marking presentations, more interesting, dynamic and interactive.



Move

Rotate

Zoom In/ Out

DMInteract®

From Visualization to Collaboration

Product Parameters

Interactive Led Devices

Model	DM-IL55	DM-IL65	DM-IL70	DM-IL84
Size	55 Inch	65 Inch	70 Inch	84 Inch
Aspect Ratio	16:9			
Light	LED			
View Angle	178°			
Response Rate	8ms			
Resolution	1920 x 1080			3840 x 2160
Contrast Ratio	4000:1			1600:1
Color	16.7M			10bit（1.06Billon）
Input Port	HDMI*2，VGA*1，PC-AUDIO*1，YPBPR*1，YPBPR-AUDID*1，TV-IN*1，AV-IN*1，TV-MIC*1			HDMI*3，VGA*1，PC-AUDIO*1，YPBPR*1，CVBS*1,CVBS Audio*1
Output Port	AV-OUT*1,TV-AUDIO*1			COAX*1,EARPHONE*1
Communication Port	USB(TV)*2,USB(PC)*1,USB(TOUCH)*1,RS232*1			USB(TV)*2,USB(PC)*1,USB(TOUCH)*1,RS232*1
Brightness	350cd/m²	360cd/m²	400cd/m²	350 cd/m2
Power consumption	≤190W	≤240W	≤320W	≤500W
Standby consumption	≤1W	≤1W	≤1W	≤2W
Power Supply	100 V ~ 240 V, 50-60 Hz			
Speaker	10W * 2			
Working Temperature	0°C ~ 50°C			
Storage Temperature	-20°C ~ 60°C			
Product Size	1290.0 * 782.6 * 65.0mm	1536 * 931 * 80 mm	1636.90 * 981.45 * 92.50 mm	1965.2 * 1164.2 * 91.12mm
Active Area	1209.6mm x 680.4mm	1428.48 x 803.52mm	1549.44 x 871.56mm	1860.48 mm×1046.52 mm
Net Weight	45Kg	72 Kg	75.5Kg	146Kg
Gross Weight	53.5Kg	95.5Kg	100Kg	207Kg

Touch Screen Parameter

Touch Principle	Infrared	Power Supply	USB Power
Writing Tools	Finger, Pen or other no transparent object	Response rate	＜20ms
Drive Mode	No need driver	Touch Precision	±2mm
Communication Port	USB2.0	Supported OS	Windows 7,Windows 8 /Windows XP/Vista/Linux/Mac/Android/ Wince
Resolution	8192*8192	Tempered Glass Thickness	4mm

Optional Built-in Computer

Structure	OPS Computer	CPU	Intel I3 or I5
MotherBoard	H61 Chipsets	Memory	4GB or More
Hard Disk	500GB or More	WIFI	Yes

DMInteract®

From Visualization to Collaboration

For more information please contact us:

www.DMinteract.com
Email: Info@DMinteract.com
Phone #: +971-4-3360300

Business Center: Showroom G02, IT Plaza, Dubai Silicon Oasis, Dubai, UAE
Dubai Chamber of Commerce Membership no. 238200
(Trade Name: Athar Business Machines FZE)

DMInteract® is one of the Visually interactive Display brands of Athar Business Machines FZE. DMInteract® along with DMBoards® complete the interactive display portfolio of Athar Business Machines FZE.

Athar Business Machines FZE is the largest eCommerce based office automation supplier in GCC based on the number of products available for sale on their website i-e www.DubaiMachines.com

athar® business machines FZE VENTURE

Dubaimachines.com - A venture of Athar Business Machines FZE.