#### Overview

### HP 8/8 Base SAN Switch and 8/8 SAN Switch Family

The 8/8 Base SAN Switch and 8/8 SAN Switch are targeted for small to medium sized enterprises and are ideal for entry-level SANs, and as an edge switch for core-to-edge SAN environments. The 8/8 Base SAN Switch and 8/8 SAN Switch provide SAN connectivity that simplifies IT management infrastructures, improves system performance, maximizes the value of virtual server deployments, and reduces overall storage costs.

The 8/8 SAN Switch integrates innovative hardware and software features that make it easy to deploy, manage, and integrate into a wide range of IT environments. The 8 Gbit/sec Fibre Channel 8/8 Base SAN Switch provides a simple, affordable, single-switch solution for a new, small SAN installation and connects to storage and servers only. An optional Full Fabric SAN scaling license provides connectivity to other switches. The 8/8 SAN Switch has 8 active ports and can be connected to multiple switches and scale to full fabric limits as defined in the SAN Design Guide. Both new 8 port switches provide growth options with Ports On Demand, the ability to activate additional ports in 8 port increments to a maximum of 24 ports. This provides the flexibility to start small and grow storage networks in a non-disruptive manner. In addition, organizations can choose to initially deploy 4 Gbit/sec SFPs and upgrade to 8 Gbit/sec SFP+ at a later date when necessary.

The 8/8 SAN Switch significantly increases performance and functionality for SANs at an entry-level price. The 8/8 SAN Switch provides auto-sensing 1, 2, 4, and 8 Gbit/sec full duplex performance to enable up to 128 Gbit/sec of uncongested throughput. Auto-sensing and speed-matching of data traffic provides interoperability with previous 1, 2, and 4 Gbit/sec devices. To provide more targeted performance, enhanced Inter-Switch Link (ISL) Trunking combines up to eight ISLs between a pair of switches into a single, logical high-speed trunk capable of up to 64 Gbit/sec of throughput. The evolutionary design provides these capabilities while consuming less than 2.5 watts of power per port for exceptional power and cooling efficiency.

An optional enhanced Power Pack+ software bundle can be purchased separately and includes Fabric Vision, Fabric Watch, ISL Trunking, Extended Fabric and Advanced Performance Monitor. The software bundle provides the SAN administrator with the necessary tools to proactively monitor the health and performance thresholds of the network, while also ensuring the highest levels of security, scalability and manageability. Power Pack+ software enables infrastructure management through a single-pane-of-glass.

00000000000000000000000000000000000000				
		000		
©		8		

The 8 port 8 Gb/s 8/8 Base SAN Switch

### What's New

• New RoHS compliant HP SAN switches

**NOTE:** Restriction of Hazardous Substances Directive or RoHS is a directive adopted by the European Union that restricts the use of certain hazardous materials in the manufacture of various types of electronic and electrical equipment. The RoHS compliant products with new part numbers listed in this document are functionally equivalent to the corresponding products with old part numbers and are fully interchangeable



**Features and Benefits** 

### **Key Features and Benefits**

- Superior Performance
  - 8Gb/s full duplex performance to enable up to 128 Gbit/s of uncongested throughput
  - Optional enhanced ISL Trunking combines up to eight ISLs between a pair of switches into a single, logical highspeed trunk capable of up to 64 Gbit/s of throughput
- Superior Scalability
  - Eight 8Gb/s ports expandable to 16 or 24 ports with the purchase of optional 8 port upgrade license
  - o "pay as you grow" scalability from single-switch to full fabric connectivity
- Reduced Total Cost of Ownership for SAN Infrastructure
  - Enables storage consolidation, simplified management of data center SAN environment
- Broadest range of compatibility with SAN products
  - Multi-vendor server and storage environment
  - Widest range of HP SAN solutions
  - o nteroperability with the more than 3.0 Million port HP SAN Switch installed base
- HP Power Pack+ Software Bundle (Optional) Rich, feature packed software that provides the highest supported modular functionality. It includes
  - Fabric Vision
  - Trunking highest throughput between switches
  - Proactive threshold monitor (Fabric Watch)
  - Advanced Performance Monitor
  - Extended Fabric
- Broadest Range of HP Packaged SAN Services
  - o Mission critical SAN Services SAN-ES
  - o Assessment and installation services for security
- Flexible storage connectivity
  - The only SAN solutions providing the complete HP SAN Switch functionality from Embedded to Enterprise. The HP SAN Switch value line products allows the capability to apply the complete SAN Switch functionality to an affordable entry level SAN deployment and then to grow that deployment to the largest SAN fabric solutions supported by HP.



### Models

HP 8/8 SAN Switch Models HP 8/8 Base (0) e-port SAN Switch	AM866B
HP 8/8 (8) Full Fabric Ports Enabled SAN Switch	AM867B
HP 8/8 and 8/24 SAN Switch 8Gb 8-port Upgrade LTU	T5518A
HP 8/8 SAN Full Fabric Upgrade License	T4261A
HP B-series Entry Switch Power Pack+ E-LTU	T5521AAE
	(Physical License
	- T5521A)
<b>NOTE:</b> Some HP B-series software licenses are now available through the Electronic Delivery (E-Delivery) m	nechanism. The E-

**NOTE:** Some HP B-series software licenses are now available through the Electronic Delivery (E-Delivery) mechanism. The E-Delivery software licenses with new part numbers listed in this document are functionally equivalent to the corresponding physical licenses with different part numbers. Some software licenses in this document are represented by two part numbers, the first of which is the E-Delivery version (ending with AAE) and the second is the physical version.



Eight enabled ports with expandability to 16 or 24 ports; auto-sensing 2, 4, or 8 Gb universal, self-

### **Product Highlights**

24 non-blocking ports

	configuring ports (F, FL, E). Can be programmed to fixed 2 Gb, 4Gb, or 8Gb speed.	
<b>Configuration support</b> 8/8 SAN Switch will interoperate with 1Gb ,2Gb, 4Gb, 8Gb/s B-Series SAN Switches runn firmware version as defined in the SAN Design Guide: http://www.hp.com/go/sandesig		
High-availability features	Hot Code Load Activation	
Advanced Fabric Services	<ul> <li>Adaptive Networking (optional)</li> <li>ISL Trunking (optional)</li> <li>Hardware Enforced Zoning</li> <li>Web Tools</li> <li>Enhanced Group Management (EGM)</li> <li>Fabric Watch (optional)</li> <li>Advanced Performance Monitor (optional)</li> <li>Extended Fabric (optional)</li> <li>Server Application Optimization (optional)</li> <li>SAN Network Advisor (optional)</li> </ul>	
Manageability	<ul> <li>Web Tools</li> <li>Enhanced Group Management (EGM)</li> <li>Radius</li> <li>API</li> <li>IP</li> <li>SNMP</li> </ul>	
Scalability	<ul> <li>8/8 Base SAN Switch has zero e-port connectivity and connects to storage or servers only (single-switch connectivity). An optional Full Fabric SAN scaling license provides connection to switches</li> <li>8/8 SAN Switch scales to the maximum limits defined in the SAN Design Guide: http://www.hp.com/go/sandesignguide</li> </ul>	
Cabinet Support	<ul> <li>HP 9000 and 10000 G1 Series (22U, 36U and 42U), HP System/e (25U, 33U and 41U), and HP 10000 G2 Series (22U, 36U, and 42U) and Intelligent Series racks.</li> <li>NOTE: To order factory integration, add 0D1 after the part number on your sales order.</li> </ul>	
Software Compone	nts	
Frame Filtering	An ASIC based capability in the 8Gb family of switches that enables new applications and features. The switch now has the ability to "view" the first 64 bytes of the Fibre Channel frame. At this time, Frame Filtering enables advanced capabilities such as Advanced Zoning and Advanced Performance Monitoring.	
Advanced Zoning	WWN Zoning and Access Control are enforced by hardware that provides the same simple	
	c04123371 — DA – 13042 Worldwide — Version 23 — June 10, 2014 Page	

Product Highlights		
administration previously enforced only with software. Administrators can organize a into logical groups and prevent unauthorized access by devices outside the Zone.		
Web Tools       Enables organizations to monitor and manage single Fibre Channel switches and small S         Tasks can be performed through a Java-capable Web browser from a standard laptop, d         workstation from any location within the enterprise.		
EGM	Enhanced Group Management (EGM) is a FOS license that is included with all B-Series switches and enables multi-switch operations. It helps automate operations across multiple switches to save time and streamline repetitive operations, which are typically prone to error. EGM drives consistency across fabrics, while minimizing the risk associated with potential downtime due to configuration mismatches. EGM provides streamlined troubleshooting for more effective fabric monitoring and diagnosis.	
	Both SAN Network Advisor Professional and Enterprise enable EGM functionality. Customers have EGM functionality enabled within the hardware product and need only to make the decision around which management application is right for them - SAN Network Advisor Professional, Professional Plus, or Enterprise.	
Adaptive Networking	Adaptive Networking (AN) is a family of technologies which allow flexible control of traffic movement within the fabric which deliver application aware management of fabric resources. Applications may be used with multiple protocols and multiple classes of service. It includes the following features:	
	Ingress Rate Limiting:	
	Allows the ingress bandwidth of a port to be throttled to a rate lower than negotiated with the SAN node. This could be very useful for enterprises offering stepped levels of service and enforcing SLAs.	
	Quality of Service (QoS):	
	Enables zones with high, medium, and low priorities within a fabric on a zone by zone basis. This can be very useful for prioritizing array replication over MANs and WANs over less critical traffic.	
	Traffic Isolation Zones:	
	Defines paths through a fabric for some or all nodes. Failover allows a non-preferred path to be used if the preferred fails. TIZs use failover by default but it can be disabled if traffic should stop if a preferred path fails. TIZ can be used to manually map out traffic flows within a fabric based on application, priority, and topology.	
Server Application Optimization	Server Application Optimization (SAO) improves overall application performance for physical servers and virtual machines. SAO, when deployed with B-Series Fibre Channel HBAs, extends B-Series Adaptive Networking from the B-series SAN fabric to the server infrastructure. This delivers application-level, fine-grain Quality of Service (QoS) management to the HBAs and related server applications.	
	Solution Requirements:	



Product Highlights

• SAO requires B-series HBA installed in the server

### Software Components, Optional

SAN Switch Power Pack+	Includes bundled license for:
Software Bundle	

- Fabric Vision
- ISL Trunking
- Advanced Performance Monitoring
- Fabric Watch
- Extended Fabric

#### **Fabric Vision**

Fabric Vision offers innovative diagnostic, monitoring and management capabilities to help accelerate new application deployments, address SAN problems before they impact operations and reduce operational costs. It Includes

- Monitoring and Alerting Policy Suite: A policy-based monitoring tool with pre-built rules and automation that simplifies fabric-wide threshold configuration and monitoring.
- Flow Vision: A comprehensive tool that enables administrators to identify, monitor, and analyze specific application data flows without using taps to ensure optimized performance
- Health and performance dashboard: A single customizable screen displayed in HP SAN Network Advisor that contains all critical SAN information for convenient review and analysis.

Fabric Vision will be included by default in all HP StoreFabric B-series Fibre Channel switches and Directors bundled with Power Pack+ (with FOS 7.2.0a and later). In all other cases, Fabric Vision can be enabled on HP StoreFabric B-series Fibre Channel switches and Directors in any one of the following ways

- Application of the Fabric Vision LTU (FOS 7.2.0a and later)
- Application of the Power Pack+ LTU (FOS 7.2.0a and later)
- Upgrading existing Switch/Director loaded with Power Pack+ to FOS 7.2.0a or later
- Upgrading existing Switch/Director loaded with both Advanced Performance Monitor (APM) and Fabric Watch (FW) licenses to FOS 7.2.0a or later

ISL Trunking	For high performance enhanced Trunking, this optional license logically groups up to eight E-ports to provide a high bandwidth trunk between two switches. Each 8 Gb switch needs its own license. The switch operating system views the trunk as a single, high bandwidth resource (up to 64 Gbit/s) when routing connections between switches. Connections are load-balanced across the individual links, which comprise the logical trunk group.		
Advanced Performance Monitoring	This enabling technology helps administrators monitor and watch specific fabric metrics from a SID (Source ID) to a DID (Destination ID) so they can fine-tune and scale the fabric more efficiently. Plus, Advanced Performance Monitoring includes the ability for early warning detection of hot spots within the fabric, a powerful tool for maintaining overall balanced performance.		

Top Talkers is a component of Advanced Performance Monitoring and tracks the top traffic flows for



Froduct nightights			
	hosts and targets for a switch port or a switch. Top Talkers can help identify the ports that need certain Quality of Service (QoS) attributes or it can help determine portions of the physical topology that need reconfiguration.		
Fabric Watch	Fabric Watch enables each switch to monitor the SAN for potential faults-and automatically alert network managers to problems before they become failures. Fabric Watch tracks a variety of SAN fabric elements, events, and counters. Monitoring fabric-wide events, ports, SFPs, and environmer parameters permits early fault detection and isolation as well as performance measurement. Each switch in the SAN needs its own Fabric Watch license.		
Extended Fabric	Extends all of the scalability, reliability, and performance benefits of Fibre Channel Storage Area Networks (SANs) beyond the native 10 km distance specified by the Fibre Channel standard.		
SAN Network Advisor Professional	HP SAN Network Advisor Professional is a management application available at no-charge and comes with B-series SAN Switches and:		
	<ul> <li>Allows management of a single Fabric OS (FOS) fabric (up to a 1,000 switch ports) at a time</li> <li>Performs group switch management beyond the scope of Web Tools</li> <li>Does not offer management of the SN8000B 8-Slot or DC SAN Backbone Directors</li> </ul>		
	It is targeted for SMB customers that use FOS based SAN fabrics and require a management solution for smaller SANs based on a single fabric.		
	SMB customers that initially start off with SAN Network Advisor Professional and have a small SAN environment may over time feel the need for an enterprise-class product (SAN Network Advisor Enterprise) as their environments start to grow in size and complexity, and as they start to uptake more enterprise-class functionality (such as Fibre Channel Routing, FCIP, etc.). A non-disruptive upgrade path is available from SAN Network Advisor Professional to SAN Network Advisor Enterprise.		
SAN Network Advisor Enterprise and Professional+	HP SAN Network Advisor Enterprise and Professional+ are the enterprise-class products that support FOS products as well as FOS and M-EOS products together. SAN Network Advisor Enterprise provides complete SN8000B 8-Slot Director and DC SAN Backbone Director management including enterprise- class features/environments such as FICON, Fibre Channel Routing, FCIP, adaptive networking, etc while HP SAN Network Advisor Professional+ provides the same feature set except for support for the SN8000B 8-Slot Director, DC SAN Backbone Director, and FICON.		
	HP SAN Network Advisor Enterprise delivers unprecedented scalability, up to 24 fabrics and 9,000 switch ports, while HP SAN Network Advisor Professional+ scales to 4 SAN Fabrics and 2560 switch ports. To accommodate growth, there is an upgrade available to SAN Network Advisor Enterprise from SAN Network Advisor Professional Plus.		
	Both offerings provide brand-new features including Adaptive Networking features for quality of service, ingress rate limiting and traffic isolation zones.		
Full Fabric License for 8/8 SAN Switch	Provides connectivity from zero e-ports to full fabric scaling. Please see the following web site for further information on supported configurations and SAN scalability: http://www.hp.com/go/sandesignguide		
HP 8/8 8 port upgrade license	Optional 8 port increments on demand licenses for additional connectivity. Enables the 8, 16, and 24 universal (E,F and FL) port progression to scale up.		



Warranty	<ul> <li>(1-1-1) Hardware Warranty - One-year on-site warranty, normal business hours, next business day response, installation not included.</li> <li><b>NOTE:</b> The hardware warranty covers firmware and embedded non-saleable software. Saleable software carries its own warranty, see below.</li> <li>Software Warranty - HP warrants only that the software media will be free of physical defects for a period of ninety (90) days from delivery. EXCLUSIVE REMEDY. The entire liability of HP and its suppliers and your exclusive remedy for software that does not conform to this Limited Warranty shall be the repair or replacement of the defective media. This warranty and remedy are subject to your returning the defective media during the warranty period to HP in the country in which you obtained the software.</li> </ul>		
For bundled Software Support	Your HP storage product includes comprehensive support and software updates to enhance the performance and availability of your software. Experienced Response Center engineers provide trustworthy advice on issues such as software features and use, problem diagnosis and resolution, and software defect identification.		
	<ul> <li>Software support benefits include:</li> <li>Improved productivity of system managers and operators</li> <li>Improved system performance and reduced downtime due to software defects</li> <li>Expedited problem resolution through expert-level technical resources</li> <li>Software and documentation updates</li> </ul>		
	Electronic access to essential product and support information		

#### For increased uptime, productivity and ROI -HP Care Pack packaged services for Storage

These days, you need to get the most out of your storage investment-you can't afford not to. When you buy HP storage products and solutions, it's also a good time to think about what levels of service and support you may need. To help take the worry out of deploying, designing, maintaining, and managing your environment, we've designed a portfolio of service options that are as: flexible, reliable and scalable as your storage. Unlike storage-only vendors, we take a holistic approach to your entire environment, bridging storage, servers, blades, software and network infrastructures with our HP Care Pack packaged services for Storage.

#### Protect your business beyond the warranty

When it comes to robustness and reliability, standard warranties on today's computing equipment have matured just as the technologies have matured. Good news on some fronts-but also a source of potential problems and subsequent consequences that come from depending on standard warranties alone. Standard warranty protects against product defects and some causes of downtime- but not the business. By using a standard approach to warranty uplifts, such as HP Care Pack Services, you can reduce downtime risks and be more certain of operational consistency for both mission-critical and standard business computing. Simply put, HP Care Pack Services normalize the warranty of combined products - helping you proactively guard against unplanned downtime.

#### **Extending warranties with HP Care Pack Services**

For cost-effective upgrading or extending your standard warranty, HP Care Pack Services offer a suite of standard reactive hardware and software support services that are sold separately, or combined as with our Support Plus and Support Plus 24 services. The portfolio also provides a combination of proactive and reactive services, such as Proactive 24 Service and Critical



Service. In addition, with HP Proactive Select we offer an innovative approach to service delivery that gives you the flexibility to acquire the specific proactive services you need today, then add services as your needs evolve. HP Proactive Select offers a broad set of technical or per-event type service options - including server, storage, and network, SAN device, and software, environment, installation and education services. Services that you can mix and match depending on your specific requirements, from preliminary planning and equipment delivery to installation, configuration, integration, and testing, through every level of ongoing support. Our HP Care Pack packaged services for Storage assures help when you need it most. And for many products, postwarranty HP Care Pack Services are available when your original warranty has expired.

#### HP Storage Services: Offering reliability, flexibility and value-just like your storage

HP Storage Services offers a full spectrum of customer care, from technology support to complex migrations to complete completely managed services. HP Factory Express provides customization, integration and deployment services for turnkey solutions. HP Education offers flexible, comprehensive training on storage networking, disk storage systems, and storage software to help your IT staff get the most out of your investments. And HP Financial solutions extend innovative financing and asset management programs to cost-effective buy, manage and eventually retire your older equipment.

HP Storage Services, the trusted business technology experts who manage your technology in action, because when technology works, business works. http://www.hp.com/services/storage **NOTE:** Care Pack Services availability may vary by product and country.

HP Care Pack Services are sold by HP and HP Authorized Service Partners:

- Services for customers purchasing from HP or an enterprise reseller are guoted using HP order configuration tools.
- Customers purchasing from a commercial reseller can find HP Care Pack Services at http://h30125.www3.hp.com/csn/salesmktg/elfpack/elf\_nonlkup\_ctrylang.asp?code=ELNL

### Recommended HP Care Pack Services for optimal satisfaction with your HP product.

**Recommended Support** HP Foundation Care 24x7 connects you to HP 24 hours a day, seven days a week for assistance on resolving issues - hardware onsite response within four hours and software call back within two hours after opening your case. Three years' coverage recommended with HP Care Pack Service. Recommended

Deployment

**HP Enhanced Implementation Service for SANs** 

For customers who are building a new SAN or expanding their existing one, we offer the HP Enhanced Implementation Service for SANs. This provides complete design and implementation services for Fibre Channel, FCOE, FCIP, SAS and iSCSI SAN connectivity components. Covering all major SAN connectivity technologies including virtual as well as physical hosts, no competitor offers a more complete end to end SAN design and implementation service, ensuring comprehensive optimal SAN connectivity tailored to your specific environment.

- Ensures optimal SAN connectivity tailored to your specific environment. ٠
- Allows your IT resources to stay focused on their core tasks and priorities •
- Reduces implementation time, impact and risk to your storage environment •
- Helps ensure a successful implementation for complex deployments by providing HP project management

http://h20195.www2.hp.com/v2/GetPDF.aspx/5981-8527EN.pdf



#### Related HP Care Pack Services that will enhance your HP product experience.

#### Related Services 3-Year HP Proactive 24 for SANs

As an alternative to our recommended support level, for customers who want improved SAN availability and access to a wide range of proactive and reactive services:

HP Proactive 24 Service for SANs is an integrated hardware and software support service that combines proactive problem prevention with responsive 24x7 assistance for rapid problem resolution.

A collaborative relationship with HP Services strengthens your IT team and gives you direct access to our technical expertise as issues arise.

Improve IT staff skills, increase SAN productivity.

Proactive 24 Service for SANs can help you:

- Enhance the skills and efficiency of your IT staff through knowledge transfer, shared best practices in storage management, and hands-on assistance
- Improve SAN availability through access to a wide range of proactive and reactive services
- Boost productivity through effective change management, configuration assistance, and performance optimization
- Increase the return on your SAN investment
- Enhance your overall operational effectiveness

Expert single-point-of-contact assistance 24x7

An assigned HP Services account manager is your primary contact for proactive services and access to HP's diverse technical resources. Your account manager works closely with your IT staff to understand your goals, document the components of your infrastructure, recommend changes to improve performance and stability, and monitor ongoing operations through HP's industry-leading remote monitoring and support tools.

#### http://h20195.www2.hp.com/V2/GetPDF.aspx/5982-6887EN.pdf

#### **HP Assessment Service for SANs**

For customers interested in improving availability of their SAN and decreasing potential for unplanned downtime:

The HP Assessment Service for SANs offers customized technical and operational guidance to customers employing HP storage subsystems and the interconnecting storage area network (SAN) infrastructure. In a typical engagement, HP or one of our authorized business partners will perform a detailed discovery using HP's proprietary toolset to gain an understanding of the configuration of your storage devices and SAN topology.

The findings from this process will be compared to HP best practices and industry standards as defined by IT Service Management (ITSM) disciplines. The results of the evaluation will be quickly and efficiently processed into information you can leverage. This information, in the form of a



	business partners with recommendations that are intended to improve availability levels and ongoing management of your storage and SAN environment. http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA1-2941ENW.pdf			
eSupport	HP eSupport is a portfolio of technology-based services that assist you with managing your business environment - from the desktop to the data center.			
	Support Portal The HP support portal provides one-stop access to the information, tools and services you need to manage the daily operations of your IT environment.			
	Features include:			
	<ul> <li>Access to self-solve tools (including search technical knowledge base)</li> <li>Efficient logging and tracking of support cases</li> <li>Collaboration with other business and IT professionals</li> <li>Download of patches and drivers</li> <li>Access to diagnostic tools</li> <li>Proactive notification of relevant information</li> </ul>			
	Access to certain features of the support portal requires an HP service agreement. To access the support portal, visit: <a href="http://www.hp.com/support">http://www.hp.com/support</a>			
	Remote Support Technology (RST)-HP Remote Support Pack Taking a more proactive approach to IT support, the HP Remote Support pack plug-in module easily integrates with HP Systems Insight Manager to provide a powerful, unified "single pane of glass" solution for onsite and remote management.			
	HP Remote Support Pack enhances HP Systems Insight Manager with intelligent event diagnosis plus the automatic submission of hardware event notifications securely to HP support, including acknowledgment and status returns. It adds remote configuration collections to allow the delivery of assessment and proactive services for your SAN storage and HP-UX environments.			
Customer Technical Training	Consider education as an integral part of your strategy to get the best return on investment for your HP storage solution. HP offers a variety of training courses on storage software, networking, archiving and disk storage systems. Our classes are available in many delivery modalities from traditional instructor-led courses at one of our 80 training centers worldwide to on-site training customized to your needs or online. www.hp.com/learn/storage			
HP Services Awards	HP Services continues to be recognized for service and support excellence by customers, partners, industry organizations and publications around the world. Recent honors and award reflect our services team's dedications, technical expertise, professionalism and uncompromising commitment to customer satisfaction. For a list of all our awards, please visit http://h20219.www2.hp.com/services/cache/433028-0-0-225-121.htm			
Additional Services Information	For more information about HP Care Pack Services for Storage, please visit: http://www.hp.com/services/storage			

comprehensive HP SAN Assessment report, will be summarized by HP or one of our authorized



If you have specific questions, contact your local HP representative. Contact information for a representative in your area can be found at "Contact HP" http://www.hp.com



### Family Information

Features	8/8 SAN Switch Base and 8/8 SAN Switch	8/24 SAN Switch Base	8/80 SAN Switch and 8/80 SAN Switch Power Pack+	SN6000B 16Gb FC Switch and SN6000B 16Gb FC Power Pack+
Targeted Environment	Workgroups, Departments	Workgroups, Departments	Workgroups, Departments	Workgroups, Departments
Fibre Channel Port Bandwidth	8Gbit/sec	8Gbit/sec	8Gbit/sec	16Gbit/sec
Aggregate device bandwidth	128 - 384 Gbit/sec full duplex	256 - 384 Gbit/sec full duplex	768 - 1280 Gbit/sec full duplex	384 - 768 Gbit/sec full duplex
OS Support	http://wwv	NOTE: Please Refer to SAN Design Guide w.hp.com/go/sandesign or http://www.hp.com/go/sandesignguide		lesignguide
Storage system support	3PAR Sto	StoreServ, StoreVirtual 4000, P9000/XP, P6000/EVA, P2000/MSA		
FC Ports	8 Enabled 24 Max	16 Enabled 24 Max	48 Enabled 80 Max	24 or 48 Enabled 48 Max
SFP	B-series	B-series	B-series	B-series
Advanced Trunking	Optional Upgrade	Included with Power Pack+ or Optional Upgrade	Included with Power Pack+ or Optional Upgrade	Included with Power Pack+ or Optional Upgrade
Adaptive Networking	Included	Included	Included	Included
Form factor	10	10	2U	1U
Zoning Software	Yes (Included)	Yes (Included)	Yes (Included)	Yes (Included)
Hot plug, redundant power supplies	No	No	Yes	Yes
Hot plug fans	No	No	Yes	Yes (integrated with power supply)

Features	1606 Extension SAN Switch	Encryption SAN Switch
Targeted Environment	Data Centers	Data Centers
Fibre Channel Port Bandwidth	8Gbit/sec	8Gbit/sec
Ethernet	1Gbit/sec Ethernet	N/A
Aggregate device		512 Gbit/sec
bandwidth		full duplex
OS Support	NOTE: Please Refer to SAN Design Guide	
	http://www.hp.com/go/sandesign <b>or</b> http://www.hp.com/go/sandesignguide	
Storage system support	3PAR StoreServ, StoreVirtual 4000, P9000/XP, P6000/EVA, P2000/MSA	
FC Ports	4 or 16 Enabled	32 Enabled
	16 Max	32 Max
Ethernet Ports	2 or 6 Enabled	N/A
	6 Max	
SFP	B-series	B-series
Advanced	Included with Power Pack+ or Optional	Optional Upgrade
Trunking	Upgrade	
Adaptive Networking	Included	Included



### Family Information

Form factor	10	20
Zoning Software	Yes (Included)	Yes (Included)
Hot plug, redundant	Yes	Yes
power supplies		
Hot plug fans	Yes	

Features	SN8000B 8-Slot SAN Director Power Pack+	SN8000B 4-Slot SAN Director and 4-Slot SAN Director Power Pack+	DC SAN Backbone Director Power Pack+	DCO4 SAN Director and DCO4 SAN Director Power Pack+	
Targeted Environment	Cloud Optimized Data Centers	Cloud Optimized Data Centers	Traditional Data Centers	Traditional Data Centers	
Port Bandwidth	Up to 16Gbit/sec	Up to 16Gbit/sec	8Gbit/sec	8Gbit/sec	
Aggregate device bandwidth	16.4 Tbit/sec full duplex	8.2 Tbit/sec full duplex	4.1 Tbit/sec full duplex	2 Tbit/sec full duplex	
OS Support	http://www		to SAN Design Guide http://www.hp.com/go/sanc	lesignguide	
Storage system support	3PAR Stor	3PAR StoreServe, StoreVirtual 4000, P9000/XP, P6000/EVA, P2000/MSA			
Ports	Up to 512 SFP	Up to 256 SFP	Up to 512	Up to 256	
SFP	B-series	B-series	B-series	B-series	
Advanced Trunking	Included with Power Pack	Included with Power Pack or Optional Upgrade	Included with Power Pack+	Included with Power Pack+ or Optional	
Adaptive Networking	Included	Included	Included	Included	
Form factor	14U	9U	14U	90	
Zoning Software	Yes (included)	Yes (included)	Yes (Included)	Yes (Included)	
Hot plug, redundant power supplies	Yes	Yes	Yes	Yes	
Hot plug fans	Yes	Yes	Yes	Yes	

Features	Brocade 16Gb SAN Switch for HP c-Class BladeSystem	Brocade 8Gb SAN Switch for HP c-Class BladeSystem	B-Series Multi-protocol Router Blade	B-Series Multi-protocol Extension Blade	
Targeted	Datacenters, Workgroups,	Workgroups, Departments	Data Centers	Data Centers	
Environment	Departments				
Port Bandwidth	16Gbit/sec	8Gbit/sec	4 Gbit/sec FC Ethernet: 1 Gbit/sec	8 Gbit/sec FC Ethernet: 1 or 10 Gbit/sec	
Aggregate device	896 Gbit/sec	384 Gbit/sec	N/A	N/A	
bandwidth	full duplex	full duplex			
OS Support	NOTE: Please Refer to SAN Design Guide				
	http://www.hp.com/go/sandesign <b>o</b> r http://www.hp.com/go/sandesignguide				
Storage system Support	3PAR Sto	oreServ, StoreVirtual 4000, P9000/XP, P6000/EVA, P2000/MSA		000/MSA	
Ports	12 external /16 internal	4 or 8 external / 8 or 16	18 ports: 16 FC and 2	16 8Gb FC and 10 1GbE or	
		internal	Gigabit Ethernet	2 10GbE	



### **Family Information**

SFP	B-series	B-series	HP	B-series
Advanced Trunking	Included with Power Pack+	Included with Power Pack+	Optional Upgrade to	Optional Upgrade to
	or Optional Upgrade	or Optional Upgrade	chassis	chassis
Adaptive	Included	Included	Included	Included
Networking				
Form factor	Embedded	Embedded	Blade in 4/256, DC SAN	Blade in SN8000B and DC
			Back, or DCO4 SAN Dir	SAN Directors
Zoning Software	Yes (Included)	Yes (Included)	Yes (Included)	Yes (Included)
Hot plug, redundant	Yes, in BladeSystem	Yes, in BladeSystem	Yes, in director chassis	Yes, in director chassis
power supplies	Enclosure	Enclosure		
Hot plug fans	Yes, in BladeSystem	Yes, in BladeSystem	Yes, in director chassis	Yes, in director chassis
	Enclosure	Enclosure		



### **Configuration Information**

### **Step 1 - Base Configuration**

<b>Model Description</b> HP 8/8 Base (0) e-port SA	N Switch	<b>Part Number</b> AM866B
regulatory information, ir	8 active ports (zero e-port); rackmount kit, accessory kit (enterprise safety and nstallation guide, rack-mounting instructions), power cords, single power supply, serial dvanced Fabric OS, Advanced Web Tools, and Advanced Zoning ansceivers listed below.	
HP 8/8 (8) Full Fabric Port		AM867B
8/8 SAN switch with 8 act installation guide, rack-m	ive ports; rackmount kit, accessory kit (enterprise safety and regulatory information, nounting instructions), power cords, single power supply, serial cable, base software of ric OS, Advanced Web Tools, and Advanced Zoning	
	tch 8Gb 8-port Upgrade E-LTU	T5518AAE (Physical License - T5518A)
HP 8/8 SAN Full Fabric Up	grade License	T4261A
License for 8/8 Base (0) e	-port SAN Switch (AM866B) to increase connectivity to Full Fabric connectivity	
Add Software	For Fabric OS (FOS) minimum requirements, please refer to: http://spock.corp.hp.com/	
B-series 8-24 Port SAN Switch Power Pack+ Upgrade LTU	HP B-series Entry Switch Power Pack+ E-LTU	T5521AAE (Physical License -T5521A)
	Fabric Vision, Fabric Watch, ISL Trunking, Advanced Performance Monitoring and Extended Fabric	
	<b>NOTE:</b> Adaptive Networking and Server Application Optimization features are included by default in the switch firmware (FOS 7.2.0a or later) and do not require a separate license	
Optional Software:	HP 8/16Gb Entry Switch Fabric Vision E-LTU	TC509AAE (Physical License - TC509A)
	HP B-series Entry Switch ISLTrunking E-LTU	T5527AAE (Physical License -T5527A)
	HP SAN Network Advisor Enterprise Software LTU	TC352A
	HP SAN Network Advisor Professional Plus Software LTU	TC353A
	HP SAN Network Advisor Professional Plus Upgrade LTU	TC354A
	HP Intelligent Infrastructure Analyzer Software v2 E-LTU	TC472AAE (Physical License - TC472A)
	<b>NOTE:</b> Some HP B-series software licenses are now available through the Electronic Delivery (E-Delivery) mechanism. The E-Delivery software licenses with new part numbers listed in this document are functionally equivalent to the corresponding	



### **Configuration Information**

physical licenses with different part numbers. Some software licenses in this document are represented by two part numbers, the first of which is the E-Delivery version (ending with AAE) and the second is the physical version.

NOTE: HP SAN Network Advisor software will no longer be shipped as a DVD to customers. Instead, customers will be able to access and download the software from HP's Product Download web site.

### **Step 2 - Additional Options**

#### **Optical Transceivers**

	Distance- Maximum	OM2 Cable	OM3 Cable	PremierFlex Cable		
	8Gb performance:	50 meters	150 meters	150 meters		
	4Gb performance:	150 meters	380 meters	380 meters		
	2Gb performance:	300 meters	500 meters	500 meters		
	HP 8Gb Long Wave B	-series 10km Fib	re Channel 1 Pack SFF	P+ Transceiver	AJ717A	
	HP B-series 8Gb Exte	ended Long Wave	25km Fibre Channel	SFP+ Transceiver 1 Pack	AW538A	
	HP 4Gb Short Wave B	B-series Fibre Cha	nnel 1 Pack SFP Tran	sceiver	AJ715A	
	Distance- Maximum	0M2 Cable	OM3 Cable	PremierFlex Cable		
	4Gb performance:	150 meters	380 meters	380 meters		
	2Gb performance:	300 meters	500 meters	500 meters		
	1Gb performance:	500 meters	860 meters	860 meters		
	HP 4Gb Long Wave B	-series 30km Fib	re Channel SFP Trans	ceiver 1 Pack	AN211A	
SB Device	HP B-series 2G USB I	HP B-series 2G USB Drive			AK864B	
ptical Cables	HP PremierFlex OM4+ Fiber Optic Cables					
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 1m Cable					
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 2m Cable					
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 5m Cable					
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 15m Cable					
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 30m Cable					
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 50m Cable					
	OM3 LC-LC type cables					
	HP LC to LC Multi-mo	HP LC to LC Multi-mode OM3 2-Fiber 0.5m 1-Pack Fiber Optic Cable				
	HP LC to LC Multi-mode OM3 2-Fiber 1.0m 1-Pack Fiber Optic Cable					
	HP LC to LC Multi-mode OM3 2-Fiber 2.0m 1-Pack Fiber Optic Cable					
	HP LC to LC Multi-mode OM3 2-Fiber 5.0m 1-Pack Fiber Optic Cable					
	HP LC to LC Multi-mode OM3 2-Fiber 15.0m 1-Pack Fiber Optic Cable					
	HP LC to LC Multi-mo	HP LC to LC Multi-mode OM3 2-Fiber 30.0m 1-Pack Fiber Optic Cable				
	HP LC to LC Multi-mode OM3 2-Fiber 50.0m 1-Pack Fiber Optic Cable					

NOTE: When any of the switch models listed above is ordered, an accessory kit which



### **Configuration Information**

contains the Rack Mount Kit is included in the package by default. A7511A is required only when the original accessory kit or Rack Mount Kit is unavailable.

Fibre Channel Standards	FC-AL Rev. 4.5	FC-GS-2 Rev 5.3	FC-PH Rev 4.3	FC-PLDA Rev 2.1	FC-VI Rev 1.5
And Revisions	FC-AL-2 Rev 7.0	FC-FG Rev 3.5	FC-PH-2 Rev 7.4	FC-SW Rev 3.3	IPFC RFC 2625
	FC-FLA Rev 2.7	FC-FH Rev 1.7	FC-PH-3 Rev 9.4		



### **Technical Specifications**

Fibre Channel ports	8 active with optional license to activate 24 universal ports
Scalability	0 E-port (8/8 Base) and scalable to Full fabric architecture with optional license: http://www.hp.com/go/sandesignguide
Certified maximum	Refer to SAN Design Guide for current configuration information: http://www.hp.com/go/sandesignguide
Interoperability	<ul> <li>4/8 SAN Switch</li> <li>4/16 SAN Switch</li> <li>4/32 SAN Switch</li> <li>4/64 SAN Switch</li> <li>Core Switch 4/64</li> <li>DC04 SAN Director</li> <li>DC SAN Backbone Director</li> <li>MSA SAN Switch 2/8</li> <li>SAN Switch 8/8</li> <li>SAN Switch 8/40</li> <li>SAN Switch 8/40</li> <li>SAN Switch 8/80</li> <li>ncryption SAN Switch</li> <li>1606 Extension SAN Switch</li> <li>Brocade 8Gb SAN Switch for HP BladeSystem c-Class</li> <li>Brocade 4Gb SAN Switch for c-class HP BladeSystem</li> <li>400 MP Router</li> <li>HP MP-Router</li> <li>SN8000B Director</li> <li>SN8000B Fibre Channel Switch</li> <li>SN6000B Fibre Channel Switch</li> <li>SN3000B Fibre Channel Switch</li> </ul>
Performance	8 Gbit/sec line speed, full duplex
Switch core	Non-blocking
Fabric latency	700 nanoseconds with no contention, cut-through routing at 8 Gbit/sec
Maximum frame size	2112-byte payload
<b>Classes of service</b>	Class 2, Class 3, Class F (inter-switch frames)
Port types	FL_Port, F_Port, and E_Port; self-discovery based on switch type (U_Port)
USB	One USB port for system log file downloads or firmware upgrades
Data traffic types	Fabric switches supporting unicast, multicast (255 groups), and broadcast
Media types	B-Series Branded Small Form-Factor Pluggable (SFP)
Laser	Short-wave up to 1,640 ft (500 m); long-wave up to 18.6 mi (30 km)
Fabric services	Simple Name Server, Registered State Change Notification (RSCN), Alias Server (multicast); and Zoning, Web Tools, Enhanced group Management, Optional Fabric Watch, ISL Trunking, Adaptive Networking, Extended Fabric, Advanced Performance Monitor, and Server Application Optimization.
Options	SFP media, USB Device
Supported software	Telnet, RADIUS,SNMP, Web Tools, Enhanced Group Management, Advanced Zoning, Fabric Watch,



### **Technical Specifications**

	•	e Networking, Advanced Per Fabric Manager, SAN Netwo	formance Monitoring, ISL Trunking, Server ork Advisor	
Management access	10/100 Ethernet (RJ-45), serial port			
Diagnostics	POST and embedded onlir	ne/offline diagnostics		
Back-to-front airflow, power inlet on port side	10			
Dimensions	Width	42.88 cm (16.88 inches)		
	Height	4.29 cm (1.69 inches)		
	Depth	30.66 cm (12.07 inches)		
	Weight	9.3 lbs with single power supply, without SFP/SFP+		
Environment	Temperature	Operating	0° to 40° C	
		Non-operating	-25° to 70° C	
	Humidity	Operating	10% to 85% (non-condensing)	
		Non-operating	10% to 90% (non-condensing)	
	Altitude	Up to 9,800 ft (3,000 m)		
	Shock	20 G, 6 ms, half sine		
	Vibration	Operating	.5 G sine, .4grms random 5-500Hz	
		Non-operating	2 G sine, 5-500Hz	
Power	AC Input	100 to 240 VAC nominal		
	Supported power range	Nominal	48 Watts	
		Maximum	57 Watts	
	Frequency	47 to 63 Hz		



### Summary of Changes

Date	Version History	Action	Description of Change:
10-Jun-2014	From Version 22 to 23	Changed	Changes were made to the entire document
28-Feb-2014	From Version 21 to 22	Changed	Updated the following: added to Step 2, Additional Options A7511A, HP B-Series Switch Rack Mount Kit and NOTE
09-Dec-2013	From Version 20 to 21	Changed	Model descriptions and product descriptions were revised throughout Configuration Information
			Removed: HP 8/40 SAN Switch and 8/40 SAN Switch Power Pack+ was removed from Family Information
15-0ct-2013	From Version 19 to 20	Changed	Fabric Vision was added to Product Highlights
			SN3000B and SN6500B Fibre Channel Switches were added to Interoperability
			2408 FCoE CN Switch and 2408 FCoe CN Switch Power Pack+ was removed from Family Information chart
30-Sep-2013	From Version 18 to 19	Changed	Optional Software was revised.
22-Mar-2013	From Version 17 to 18	Changed	Configuration Information: Updated Optical Cables section.
08-Mar-2013	From Version 16 to 17	Changed	Family Information: Updated Storage System support sections.
15-Feb-2013	From Version 15 to 16	Changed	Changes were made to Family Information Sections.
12-0ct-2012	From Version 14 to 15	Changed	Change made to URL in Service and Support, HP Care Pack and Warranty Information section.
14-Sep-2012	From Version 13 to 14	Changed	Changes were made in Configuration Information section.
13-Aug-2012	From Version 12 to 13	Changed	Changes were made in Overview, Models and Configuration Information sections.
18-May-2012	From Version 11 to 12	Changed	Updated the following: Additional Options added AJ816B
06-Apr-2012	From Version 10 to 11	Changed	Cabinet Support was revised.
26-Sep-2011	From Version 9 to 10	Changed	Key Features and Benefits, Models, 24 non-blocking ports, Cabinet Support, Family Information, Optical Cables and Interoperability were revised.
08-Jul-2011	From Version 8 to 9	Changed	Data Center Fabric Manager was changed to SAN Network Advisor and Optional Software was revised in Step 1.
09-Jun-2011	From Version 7 to 8	Removed	Removed "StorageWorks" from the document.
27-Sep-2010	From Version 6 to 7	Added	PremierFlex Cable was added Step 2.
04-Dec-2009	From Version 5 to 6	Added	HP 8Gb Long Wave B-Series 25km FC SFP+1 Pack was added to Step 2 of the Configuration Information section.



### Summary of Changes

14-Sep-2009	From Version 4 to 5	Added	All mentions of Server Application Optimization and Data
			Center Fabric Manager Professional Plus (+) throughout
			the QuickSpec and Encryption SAN Switch, 1606 Extension
			SAN Switch and 2408 PCoE Converged Network Switch to
			the Technical Specifications section.
		Changed	Completely revised Service and Support, HP Care Pack
			and Warranty Information and Family Information
			sections.
26-Jan-2009	From Version 3 to 4	Added	DC04 SAN Director and DC04 SAN Director Power Pack +
			to the Family Information chart.
		Changed	Completely revised Data Center Fabric Manager
			Enterprise in the Product Highlights section and
			Interoperability in the Technical Specifications section.
17-Nov-2008	From Version 2 to 3	Added	Enhanced Group Management (EGM) and Data Center
			Fabric Manager throughout the QuickSpec and HP 8Gb
			Long Wave B-Series 10km FC SFP +1 Pack to Step 2 in the
			Configuration Information section
		Changed	Optional Software in Step 1 of the Configuration
			Information section.
25-Jul-2008	From Version 1 to 2	Changed	The charts in the Family Information section were
			completely rewritten.
		Removed	1Gb Performance from HP 8Gb Short Wave B-series FC
			SFP+ 1 Pack in Step 2 of the Configuration Information
			section.

### Summary of Changes

© Copyright 2014 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

