

# SHREDCAT 8260 CC

max.  
**8**  
sheets

Convenient deskside shredder  
for small and home offices.

← 22 cm →

**Level P-4** 4 x 40 mm particle cut

Sheet capacity\*: 8 | 6



\* A4 paper 70 g/m<sup>2</sup> | 80 g/m<sup>2</sup>


## Technical specifications

**Volume** 18 litres (shred bin)

**Power** 230 V / 50 Hz\*\*

**Motor capacity** 180 Watt

\*\* other voltages available



**Dimensions** 430 x 330 x 230 mm (H x W x D)


**Weight** 6.5 kg

## Product characteristics

Multifunction switch for AutoEcoMode / stop (off) / reverse. LED indications for the operational status. Auto start / stop. Automatic Zero Energy Consumption in EcoMode. Quiet and powerful motor. Cutting unit for 4 x 40 mm cross cut particles. High sheet capacity. Elegant shred bin with window showing fill level, removable to the front. Safe operation with automatic stop if the shred bin is removed. Mobile on castors.

# SHREDCAT 8260 CC

## Features




### MULTIFUNCTION SWITCH

Easy operation is guaranteed with the three-position slide switch for stand-by / stop (off) / reverse.



### PRACTICAL SHRED BIN

With window showing fill level and automatic stop if the shred bin is removed from the shredder housing.



### SWIVEL CASTORS

This shredder is mounted on four swivel castors which provide mobility.





Product Service

# CERTIFICATE

No. Z1A 13 11 80375 005

**Holder of Certificate:** Krug & Priester GmbH & Co. KG

Simon-Schweitzer-Str. 34  
72336 BALINGEN  
GERMANY

**Factory(ies):** 66696

**Certification Mark:**



**Product:** Paper Shredder

**Model(s):** SHREDCAT 8260 CC by IDEAL

**Parameters:**

Rated Input :	220-240VAC, 50Hz, 0.8A
Construction :	Movable
Protection Class :	II
Degree of Protection :	IP20
Operation Mode :	Intermittent operation 5 min on / 50 min off

**Tested according to:** EN 60950-1/A12:2011  
ZEK 01.4-08

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

**Test report no.:** 64210130272901A

**Valid until:** 2014-10-24

**Date,** 2013-11-05

  
( Richard Zhu )

