

Family data sheet

# HP Z Workstations



Quick reference guide

A family of overachievers



January 2017


## Meet our HP Workstation family—compare features



## All-in-One

<b>HP Z1 G3</b>	
<b>Overview</b>	Reimagining our most innovative workstation
<b>Operating systems</b>	Windows 10 Pro 64 <sup>12</sup> Windows 7 Professional 64-bit (available through downgrade rights from Windows 10 Pro 64-bit) <sup>13</sup> HP Linux <sup>®</sup> ready
<b>Processor/chipset</b>	Intel <sup>®</sup> Xeon <sup>®</sup> Processor E3-1200 v5 series <sup>2,4</sup> 5th Generation Intel <sup>®</sup> Core™ i3, i5, and i7 Processors <sup>2</sup> Intel <sup>®</sup> C23 Chipset
<b>Slots available/maximum memory/number of memory channels<sup>3</sup></b>	Up to 64 GB ECC DDR4 2133-SDRAM or 64 GB non-ECC unbuffered DDR4-2133 SDRAM (Transfer rates up to 2133 MT/s); 4 SODIMM slots
<b>Expansion slots<sup>6</sup></b>	1 MXM (dedicated for graphics) 3 M.2 (2 M.2 slots support module types 2242, 2260, 2280-M H4.2; 1 M.2 slot supports module type 3030-E H4.2 for WLAN)
<b>Graphics</b>	Intel <sup>®</sup> HD Graphics 530 <sup>8</sup> Intel <sup>®</sup> HD Graphics P530 <sup>8</sup> Note: If a discrete graphics card is installed Intel <sup>®</sup> integrated graphics is disabled. All discrete graphics cards are PCIe. NVIDIA <sup>®</sup> Quadro <sup>®</sup> M1000M NVIDIA <sup>®</sup> Quadro <sup>®</sup> M2000M
<b>Controllers and HDDs<sup>14,15</sup></b>	Integrated RAID 0, 1 on motherboard for SATA drives 500 GB up to 1 TB SATA 7200 rpm 256 GB up to 1 TB SATA SSD up to (1) mSATA SSD drives: 256 GB 256 GB SATA SED SSD 256 GB up to 1 TB HP Z Turbo Drive G2 (NVMe PCIe SSD)
<b>Optical drives<sup>16,17</sup></b>	Ultra-slim external DVD-RW drive (optional) <sup>25</sup> DVD+/-RW DL Super Multi Slim tray load HP Blu-ray Writer Slim tray load 1 SD 4.0 Media Card Reader
<b>Remote technology<sup>1</sup></b>	HP Remote Graphics Software (RGS)
<b>Communications</b>	Integrated Intel <sup>®</sup> I219LM PCIe Gigabit controller Intel <sup>®</sup> 8260 802.11ac wireless with Bluetooth <sup>®</sup> 4.2 (optional) <sup>22</sup>

## Desktop Workstations



	HP Z2 Mini	HP Z240 SFF	HP Z240 Tower		
<b>Overview</b>	Built for the masses, designed for the selective.	Power, price, and size.	Powered to manage your challenges.		
<b>Operating systems</b>	Windows 10 Pro 64 <sup>12</sup> Windows 7 Professional 64-bit (available through downgrade rights from Windows 10 Pro 64) HP Linux <sup>®</sup> -ready Red Hat <sup>®</sup> Enterprise Linux <sup>®</sup> Workstation (1 year paper license available; Preinstall not available)	Windows 10 Pro 64 <sup>12</sup> Windows 7 Professional 64-bit (available through downgrade rights from Windows 10 Pro 64) Windows 7 Professional 64-bit HP Linux <sup>®</sup> -ready Red Hat <sup>®</sup> Enterprise Linux <sup>®</sup> Workstation (1 year paper license available; Preinstall not available)	Windows 10 Pro 64 <sup>12</sup> Windows 7 Professional 64-bit (available through downgrade rights from Windows 10 Pro 64) Windows 7 Professional 64-bit HP Linux <sup>®</sup> -ready Red Hat <sup>®</sup> Enterprise Linux <sup>®</sup> Workstation (1 year paper license available; Preinstall not available)		
<b>Processor/chipset<sup>24</sup></b>	Intel <sup>®</sup> Xeon <sup>®</sup> E3-1200v5 family and Intel <sup>®</sup> Core <sup>™</sup> processors (fewer configurable options) Intel <sup>®</sup> C236 chipset	Intel <sup>®</sup> Xeon <sup>®</sup> processor E3-1200 v5 series Intel <sup>®</sup> Core <sup>™</sup> i5-6500 <sup>2</sup> Intel <sup>®</sup> Core <sup>™</sup> i5-6600 <sup>2</sup> Intel <sup>®</sup> Core <sup>™</sup> i7-6700 <sup>2</sup> Intel <sup>®</sup> Pentium <sup>®</sup> G4400 Intel <sup>®</sup> C236 chipset	Intel <sup>®</sup> Xeon <sup>®</sup> processor E3-1200 v5 series Intel <sup>®</sup> Core <sup>™</sup> i7-6700K processor Intel <sup>®</sup> Core <sup>™</sup> i5-6500 <sup>2</sup> Intel <sup>®</sup> Core <sup>™</sup> i5-6600 <sup>2</sup> Intel <sup>®</sup> Core <sup>™</sup> i7-6700 <sup>2</sup> Intel <sup>®</sup> Pentium <sup>®</sup> G4400 Intel <sup>®</sup> C236 chipset		
<b>Slots available/ maximum memory /number of memory channels<sup>3</sup></b>	2 DIMM slots, supporting up to 32 GB ECC or non-ECC DDR4 memory	4 DIMM slots, supporting up to 64 GB ECC/non-ECC, DDR4-2133 (Transfer rates up to 2133 MT/s)	4 DIMM slots, supporting up to 64 GB ECC/non-ECC, DDR4-2133 (Transfer rates up to 2133 MT/s)		
<b>Expansion slots<sup>5</sup></b>	1 80 mm M.2 (PCIe Gen3 x4) 1 30 mm M.2 (PCIe Gen3 x1)	1 PCIe Gen3 x16 slot 1 PCIe Gen3 x1 slot /x1 connector 1 PCIe Gen3 x1 slot /x1 connector 1 PCIe Gen3 x4 slot /x16 connector 1 M.2 slot PCIe Gen3 x4	1 PCIe Gen3 x16 slot 1 PCIe Gen3 x4 slot /x16 connector 1 PCIe Gen3 x4 slot /x4 connector 1 PCIe Gen3 x1 slot 1 PCI slot 32-bit (optional) 1 M.2 slot PCIe Gen3 x4		
<b>Graphics</b>	Intel <sup>®</sup> HD Graphics 530 Option for integrated GFX only for 2D and entry workflows Intel <sup>®</sup> HD Graphics P530 Option for NVIDIA <sup>®</sup> Quadro <sup>®</sup> M620 for higher performance 3D applications	Intel <sup>®</sup> HD Graphics 530 <sup>8</sup> Intel <sup>®</sup> HD Graphics P530 NVIDIA <sup>®</sup> NVS <sup>™</sup> 310 1 GB <sup>9</sup> NVIDIA <sup>®</sup> NVS <sup>™</sup> 315 1 GB NVIDIA <sup>®</sup> NVS <sup>™</sup> 510 2 GB <sup>10</sup> AMD FirePro <sup>™</sup> W4300 4 GB	AMD FirePro <sup>™</sup> W2100 2 GB NVIDIA <sup>®</sup> Quadro <sup>®</sup> K420 2 GB NVIDIA <sup>®</sup> Quadro <sup>®</sup> K620 2 GB NVIDIA <sup>®</sup> Quadro <sup>®</sup> K1200 4 GB AMD FirePro <sup>™</sup> W7100 8 GB NVIDIA <sup>®</sup> Quadro <sup>®</sup> M4000 8 GB	Intel <sup>®</sup> HD Graphics P530 <sup>8</sup> Intel <sup>®</sup> HD Graphics 530 <sup>9</sup> NVIDIA <sup>®</sup> NVS <sup>™</sup> 310 1 GB <sup>9</sup> NVIDIA <sup>®</sup> NVS <sup>™</sup> 315 1 GB NVIDIA <sup>®</sup> NVS <sup>™</sup> 510 2 GB <sup>10</sup> AMD FirePro <sup>™</sup> W5100 4 GB AMD FirePro <sup>™</sup> W4300 4 GB	AMD FirePro <sup>™</sup> W7100 8 GB AMD FirePro <sup>™</sup> W2100 2 GB NVIDIA <sup>®</sup> Quadro <sup>®</sup> K420 2 GB NVIDIA <sup>®</sup> Quadro <sup>®</sup> K620 2 GB NVIDIA <sup>®</sup> Quadro <sup>®</sup> K1200 4 GB NVIDIA <sup>®</sup> Quadro <sup>®</sup> K2200 4 GB NVIDIA <sup>®</sup> Quadro <sup>®</sup> M4000 8 GB <sup>11</sup>
<b>Maximum supported displays<sup>7</sup></b>	Up to 6x 2x displays	Up to 6 displays	Up to 6 displays		
<b>Controllers and HDDs<sup>14,15</sup></b>	500 GB, 1 TB SATA 7200 rpm HDD 256 GB SATA SSD 256/512 GB HP Z Turbo Drive G2 (MLC PCIe SSD) 256 GB HP Z Turbo Drive G2 (TLC PCIe SSD)	500 GB, 1/2/3 TB SATA 7200 rpm HDD 500 GB SATA SED HDD 1 TB (8 GB cache) SATA SSHD 256/512 GB, 1TB SATA SSD 256 GB SATA SED 256/512 GB, 1 TB HP Z Turbo Drive (PCIe SSD) Integrated SATA Controller, RAID 0,1 supported: 4x 6 Gb/s ports HP Thunderbolt <sup>™</sup> 2 <sup>4</sup> PCIe 1-port I/O Card	500 GB, 1/2/3/4 TB SATA 7200 rpm HDD 500 GB SATA SED HDD 1 TB (8 GB cache) SATA SSHD 256/512 GB, 1 TB SATA SSD 256 GB SATA 6Gb/s SED Opal 2 SSD 256/512 GB, 1 TB HP Z Turbo Drive (PCIe SSD) Integrated SATA Controller, RAID 0,1 supported: 4x 6 Gb/s ports HP Thunderbolt <sup>™</sup> 2 <sup>4</sup> PCIe 1-port I/O Card		
<b>Optical drives<sup>16,17</sup></b>	HP USB to DVD drive (optional module)	HP DVD-ROM Slim-Tray Drive HP Blu-ray Writer Slim-Tray Drive HP SD Media Card Reader	HP DVD-ROM Slim-Tray Drive HP Slim SuperMulti DVDRW SATA Drive HP Blu-ray Writer Slim-Tray Drive HP SD Media Card Reader		
<b>Remote technology<sup>1</sup></b>	HP Remote Graphics Software (RGS)	HP Remote Graphics Software (RGS)	HP Remote Graphics Software (RGS)		
<b>Communications</b>	1x integrated GbE LAN 1x WLAN/BT module (configurable option)	Integrated Intel <sup>®</sup> I219LM PCIe GbE Controller <sup>18,19,21</sup> (Intel <sup>®</sup> vPro <sup>™</sup> with Intel <sup>®</sup> AMT 11.0) Intel <sup>®</sup> Ethernet I210-T1 PCIe NIC <sup>20</sup> Intel <sup>®</sup> 8260 802.11 a/b/g/n/ac with Bluetooth <sup>®</sup> 4.2 PCIe NIC	Integrated Intel <sup>®</sup> I219LM PCIe GbE Controller <sup>18,19,21</sup> (Intel <sup>®</sup> vPro <sup>™</sup> with Intel <sup>®</sup> AMT 11.0) Intel <sup>®</sup> Ethernet I210-T1 PCIe NIC <sup>20</sup> HP X530 10GbE Dual Port Adapter <sup>21</sup> HP 10GbE SFP+ SR Transceiver <sup>21</sup> Intel <sup>®</sup> 8260 802.11 a/b/g/n/ac with Bluetooth <sup>®</sup> 4.2 PCIe NIC		

# Desktop Workstations



	HP Z440	HP Z640	HP Z840
<b>Overview</b>	Expand your power.	Flexible, powerful, ready to work.	More power to you.
<b>Operating systems</b>	Windows 10 Pro 64 <sup>12</sup> Windows 10 Home 64 <sup>12</sup> Windows 8.1 Pro 64-bit Windows 7 Professional 64-bit (available through downgrade rights from Windows 10 Pro 64) Windows 7 Professional 64-bit (National Academic) HP Installer Kit for Linux (includes drivers for 64-bit OS versions of RHEL 6.6, RHEL 7, SUSE® Linux Enterprise Desktop 11, SP3, 12)	Windows 10 Pro 64 <sup>12</sup> Windows 10 Home 64 <sup>12</sup> Windows 8.1 Pro 64-bit Windows 7 Professional 64-bit (available through downgrade rights from Windows 10 Pro 64) Windows 7 Professional 64-bit (available through downgrade rights from Windows 8.1 Pro 64-bit) HP Installer Kit for Linux (includes drivers for 64-bit OS versions of RHEL 6.6, RHEL 7, SUSE® Linux Enterprise Desktop 11, SP3, 12)	Windows 10 Pro 64 <sup>10</sup> Windows 10 Home 64 <sup>10</sup> Windows 8.1 Pro 64-bit Windows 7 Professional 64-bit (available through downgrade rights from Windows 10 Pro 64) Windows 7 Professional 64-bit (available through downgrade rights from Windows 8.1 Pro 64-bit) Windows 7 Professional 64-bit HP Installer Kit for Linux (includes drivers for 64-bit OS versions of RHEL 6.6, RHEL 7, SUSE® Linux Enterprise Desktop 11, SP3, 12)
<b>Processor/chipset</b>	Intel® Xeon® Processor E5-1600v3/v4 series <sup>2</sup> Intel® Xeon® Processor E5-2600v3/v4 series <sup>2</sup> Intel® C612 Chipset	Intel® Xeon® Processor E5-1600v3/v4 series <sup>2</sup> Intel® Xeon® Processor E5-2600v3/v4 series <sup>2</sup> Intel® C612 Chipset	Intel® Xeon® Processor E5-2600v3/v4 series <sup>2</sup> Intel® C612 Chipset
<b>Slots available/maximum memory/number of memory channels<sup>3</sup></b>	8 DIMM slots; Up to 128 GB DDR4-2400 (Transfer rates up to 2400 MT/s) Registered ECC (w/16 GB DIMMs)	Up to 8 DIMM slots with 2 CPUs, up to 256 GB DDR4-2400 (Transfer rates up to 2400 MT/s) Registered ECC (w/32 GB DIMMs)	Up to 16 DIMM slots with 2 CPUs, up to 1 TB DDR4-2400 (Transfer rates up to 2400 MT/s) Registered ECC (w/64 GB DIMMs)
<b>Expansion slots<sup>6</sup></b>	2 PCIe Gen3 x16 1 PCIe Gen3 x8 (open-ended connector) 1 PCIe Gen2 x4 (open-ended connector) 1 PCIe Gen2 x1 (open-ended connector) 1 PCI 32-bit/33 MT/s (legacy) Optional Thunderbolt™ 2 <sup>4</sup> via PCIe Card	2 PCIe Gen3 x16 1 PCIe Gen3 x8 (open-ended connector) 1 PCIe Gen2 x8 (x4 elec.; open-ended connector) 1 PCIe Gen2 x4 (x1 elec.; open-ended connector) – not available with riser installed 1 Legacy PCI Optional Thunderbolt™ 2 <sup>4</sup> via PCIe Card	2 PCIe Gen3 x16 2 PCIe Gen3 x8 (x16 mechanically) 1 PCIe Gen3 x4 (x8 mechanically) 1 PCIe Gen2 x4 (x8 mechanically) Optional Thunderbolt™ 2 <sup>4</sup> via PCIe Card
<b>Graphics</b>	NVIDIA® NVS™ 310 <sup>9</sup> NVIDIA® Quadro® M5000 NVIDIA® NVS™ 315    NVIDIA® Tesla® K40 NVIDIA® NVS™ 510 <sup>10</sup> AMD FirePro™ W2100 NVIDIA® Quadro® K420    AMD FirePro™ W4300 NVIDIA® Quadro® K620    AMD FirePro™ W5100 NVIDIA® Quadro® K2200    AMD FirePro™ W7100 NVIDIA® Quadro® M4000    AMD Radeon Pro WK 7100	NVIDIA® NVS™ 310 <sup>9</sup> NVIDIA® Quadro® M6000 NVIDIA® NVS™ 315    NVIDIA® Quadro® P5000 NVIDIA® NVS™ 510 <sup>10</sup> NVIDIA® Quadro® P6000 NVIDIA® Quadro® K420    NVIDIA® Tesla® K40 NVIDIA® Quadro® K620    AMD FirePro™ W2100 NVIDIA® Quadro® K1200    AMD FirePro™ W4300 NVIDIA® Quadro® K2200    AMD FirePro™ W5100 NVIDIA® Quadro® M4000    AMD FirePro™ W7100 NVIDIA® Quadro® M5000    AMD Radeon Pro WK 7100	NVIDIA® NVS™ 310 <sup>9</sup> NVIDIA® Quadro® M5000 NVIDIA® NVS™ 315    NVIDIA® Quadro® M6000 NVIDIA® NVS™ 510 <sup>10</sup> NVIDIA® Quadro® P5000 NVIDIA® Quadro® K420    NVIDIA® Quadro® P6000 NVIDIA® Quadro® K620    AMD FirePro™ W2100 NVIDIA® Quadro® K1200    AMD FirePro™ W4300 NVIDIA® Quadro® K2200    AMD FirePro™ W5100 NVIDIA® Quadro® M4000    AMD FirePro™ W7100 NVIDIA® Quadro® M4000
<b>Maximum supported displays<sup>7</sup></b>	8 displays	8 displays	12 displays
<b>Controllers and HDDs<sup>14,15</sup></b>	Integrated SATA Controller, RAID 0, 1, 10 supported: 6 ports, 6 Gb/s Up to (4) 2.5-inch 10K rpm SAS drives: 300/600 GB, 1.2 TB: 4.8 TB max Up to (4) 2.5-inch 15K rpm SAS drives: 300/600 GB: 2.4 TB max Up to (4) 3.5-inch 7200 rpm SATA drives: 500 GB, 1/ 2/3/4 TB: 16 TB max 1 TB (8 GB cache) SATA SSHD Up to (4) 2.5-inch SATA SSD: 128/256/512 GB, 1/2 TB: 4 TB max Up to (1) 2.5-inch SATA SED: 256/512 GB SSD, 500 GB HDD Up to (4) 2.5-inch HP Enterprise Class SATA SSD: 240/480 GB: 2 TB max Up to (2) PCIe SSD HP Z Turbo Drives: 256/512 GB: 1 TB max Up to (2) PCIe SSD HP Z Turbo Drives G2: 256/512 GB, 1 TB: 2 TB max Up to (1) PCIe SED SSD HP Z Turbo Drive G2: 256/512 GB Up to (3) PCIe TLC SSD HP Z Turbo Drive G2: 256/512 GB, 1 TB HP Z Turbo Drive Quad Pro: 2-4x256 GB, 2-4x512 GB, 2-4x1 TB: Modules: 256/512 GB, 1 TB: 4 TB max Note: Fourth 3.5-inch drive occupies one external 5.25-inch bay.	Integrated SATA Controller, RAID 0, 1, 10 supported: 6 ports, 6 Gb/s Up to (4) 2.5-inch 10K rpm SAS drives: 300/600 GB, 1.2 TB: 4.8 TB max Up to (4) 2.5-inch 15K rpm SAS drives: 300/600 GB: 2.4 TB max Up to (4) 3.5-inch 7200 rpm SATA drives: 500 GB, 1, 2, 3, 4 TB: 16 TB max 1 TB (8 GB cache) SATA SSHD Up to (4) 2.5-inch SATA SSD: 128/256/512 GB, 1 TB: 4 TB max Up to (1) 2.5-inch SATA Self-Encrypting Solid State Drive (SED SSD): 256, 512 GB Opal 2 Up to (4) 2.5-inch HP Enterprise Class SATA SSD: 240/ 480 GB: 2 TB max Up to (2) PCIe SSD HP Z Turbo Drives: 256/512 GB: 1 TB max Up to (2) PCIe SSD HP Z Turbo Drives G2: 256/512 GB, 1 TB: 2 TB max HP Z Turbo Drive Quad Pro: 2-4x256 GB, 2-4x512 GB: Modules: 256/512 GB: 2 TB max Note: Fourth drive occupies one external 5.25-inch bay	Integrated SATA Controller, RAID 0, 1, 10 supported: 6 ports, 6 Gb/s Integrated SAS controller, RAID 0, 1, 10 supported: 8 ports 6 Gb/s Up to (5) 3.5-inch 10K rpm SAS Drives: 300/600 GB, 1.2 TB max Up to (6) 3.5-inch 7200 rpm SATA Drives: 500 GB SED SFF, 500 GB, 1/2/4 TB: 24 TB max Up to (6) 2.5-inch SATA SSD: 128/256/512 GB, 1 TB: 6 TB max 1 TB (8 GB cache) SATA SSHD Up to (1) 2.5-inch SATA SED SSD: 256/512 GB: 512 GB max Up to (4) 2.5-inch HP Enterprise Class SATA SSD: 240/480GB: 2 TB max Up to (2) PCIe SSD HP Z Turbo Drives: 256/512 GB: 1 TB max Up to (2) PCIe SSD HP Z Turbo Drives G2: 256/512 GB, 1 TB: 2 TB max HP Z Turbo Drive Quad Pro: 2-4x256 GB, 2-4x512 GB: Modules: 256/512 GB: 2 TB max
<b>Optical drives<sup>16,17</sup></b>	HP DX115 Removable HDD Frame/Carrier HP 9.5 mm Slim SuperMulti DVD Writer HP 9.5 mm Slim DVD-ROM Drive HP 9.5 mm Slim BDXL Blu-ray Writer HP 15-in-1 Media Card Reader	HP DX115 Removable HDD Frame/Carrier HP 9.5 mm Slim SuperMulti DVD Writer HP 9.5 mm Slim DVD-ROM Drive HP 9.5 mm Slim BDXL Blu-ray Writer HP 15-in-1 Media Card Reader	HP DX115 Removable HDD Frame/Carrier HP 9.5 mm Slim SuperMulti DVD Writer HP 9.5 mm Slim DVD-ROM Drive HP 9.5 mm Slim BDXL Blu-ray Writer HP 15-in-1 Media Card Reader
<b>Remote technology<sup>1</sup></b>	HP Remote Graphics Software 6.0 (RGS)	HP Remote Graphics Software 6.0 (RGS)	HP Remote Graphics Software 6.0 (RGS)
<b>Communications</b>	Integrated Intel® I218LM PCIe GbE Controller Intel® Ethernet I210-T1 PCIe NIC HP X520 10GbE Dual Port Adapter HP X540-T2 10 GbE Dual Port Adapter HP 10GbE SFP+ SR Transceiver HP 361T PCIe Dual Port Gigabit NIC <sup>21</sup> Intel® 7260 802.11 a/b/g/n PCIe WLAN NIC Intel® 8260 802.11 a/b/g/n/ac with Bluetooth® 4.2 PCIe NIC	Integrated Intel® I218LM PCIe GbE Controller Intel® Ethernet I210-T1 PCIe NIC HP X520 10 GbE Dual Port Adapter HP X540-T2 10 GbE Dual Port Adapter HP 10 GbE SFP+ SR Transceiver HP 361T PCIe Dual Port Gigabit NIC <sup>21</sup> Intel® 7260 802.11 a/b/g/n PCIe WLAN NIC Intel® 8260 802.11 a/b/g/n/ac with Bluetooth® 4.2 PCIe NIC	Integrated Intel® I218LM PCIe GbE Controller Integrated Intel® I210AT PCIe GbE Controller Intel® Ethernet I210-T1 PCIe NIC HP X520 10 GbE Dual Port Adapter HP X540-T2 10 GbE Dual Port Adapter HP 10 GbE SFP+ SR Transceiver HP 361T PCIe Dual Port Gigabit NIC <sup>21</sup> Intel® 7260 802.11 a/b/g/n PCIe WLAN NIC



## Mobile Workstations

	HP ZBook 15u G4	HP ZBook Studio
<b>Overview</b>	Thin, powerful, affordable.	Brilliant inside and out.
<b>Operating systems</b>	Windows 10 Pro 64 <sup>12</sup> Windows 10 Home 64 for High End Devices FreeDOS 2.0	Windows 10 Pro 64 <sup>12</sup> Windows 10 Home 64 <sup>12</sup> Windows 7 Professional 64 <sup>13</sup> Windows 7 Professional 64 (available through downgrade rights from Windows 10 Pro) <sup>13</sup> FreeDOS 2.0
<b>Processor/chipset<sup>24</sup></b>	Intel® Core™ i7 7600U with Intel® HD Graphics 620 Intel® Core™ i7 7500U with Intel® HD Graphics 620 Intel® Core™ i5 7300U with Intel® HD Graphics 620 Intel® Core™ i5 7200U with Intel® HD Graphics 620 Chipset integrated with processor	Intel® Xeon® E3-1545M v5 <sup>2</sup> with Intel® Iris™ Pro Graphics P580 <sup>8</sup> Intel® Xeon® E3-1505M v5 <sup>2</sup> with Intel® HD Graphics P530 <sup>8</sup> Intel® Core™ i7-6820HQ <sup>2</sup> with Intel® HD Graphics 530 <sup>8</sup> Intel® Core™ i7-6700HQ <sup>2</sup> with Intel® HD Graphics 530 <sup>8</sup> Mobile Intel® CM236
<b>Slots available/maximum memory/number of memory channels<sup>3</sup></b>	Two SODIMM slots supporting dual-channel memory up to 32 GB DDR4 1.35V Non-ECC SDRAM (Transfer rates up to 2133MT/s) 4/8 GB and 16 GB SODIMMs	Two SODIMM slots supporting up to 32 GB DDR4 1.35V ECC or Non-ECC SDRAM (Transfer rates up to 2133MT/s) 4/8 GB and 16 GB Non-ECC SODIMMs (for Intel® Core™ Processors) 8 GB and 16 GB ECC SODIMMs (for Intel® Xeon® Processors)
<b>Expansion slots</b>	1 SD UHS-II Flash Media slot – Supports next generation SD (Secure Digital), backward compatible to SDHC, SDXC 1 Integrated Smart Card Reader (Compatible with ISO 7816 compliant Smart Cards PC/SC interface support)	1 SD UHS-II Flash Media slot – Supports next generation SD (Secure Digital), backward compatible to SDHC, SDXC 1 Thunderbolt™ 3 <sup>5</sup> (supporting DP 1.2, USB 3.1 Gen2, PCIe Gen 3 devices)
<b>Graphics</b>	Intel® HD 620 Graphics <sup>8</sup> AMD® FirePro® W4190M (2 GB dedicated GDDR5) Microsoft DirectX 12 (Shader Model 5.0) and OpenGL 4.4 capable AMD® Enduro™ Technology supported	Intel® HD Graphics 530 available as standalone configurable graphics HP ZBook Studio special edition: NVIDIA® Quadro® M1000M with 4 GB dedicated GDDR5 graphics memory (Intel® HD graphics 530/P530 or Intel® Iris™ Pro Graphics P580 integrated with CPU) Microsoft DirectX 12 (Shader Model 5.0) and OpenGL 4.4 capable
<b>Maximum supported displays<sup>7</sup></b>	Supports up to 3 displays using MST with DisplayPort™ 1.2	Supports up to 5 displays using the optional HP ZBook Dock with Thunderbolt™ 3 and hybrid graphics. Also up to 5 displays using DP1.2 MST and hybrid graphics.
<b>Controllers and HDDs<sup>14,15</sup></b>	256/512 GB, 1 TB HP Z Turbo Drive (M.2 NVMe PCIe SSD) 512 GB HP Z Turbo Drive (M.2 NVMe PCIe SED SSD) 500 GB (8 GB cache) SATA SSHD (5400 rpm) 256 GB M.2 SATA SSD 512 GB M.2 SATA SED SSD 500 GB SATA (7200 rpm) 500 GB SATA SED (7200 rpm) 500 GB SATA SED FIPS 140-2 (7200 rpm) 1 TB SATA (5400 rpm)	128 GB M.2 SATA SSD 256/512 GB M.2 SATA-3 SATA SED SSD 256/512 GB, 1 TB HP Z Turbo Drive (PCIe SSD)
<b>Remote technology<sup>1</sup></b>	HP Remote Graphics Software (RGS)	HP Remote Graphics Software (RGS)
<b>Communications</b>	Integrated Intel® I219-LM GbE for vPro™ processors Integrated Intel® I219-V GbE for non-vPro™ processors Intel® Dual Band Wireless-AC 8265 802.11a/b/g/n/ac (2x2) Wi-Fi and Bluetooth® 4.2 Combo <sup>22</sup> Intel® Dual Band Wireless-AC 8265 802.11a/b/g/n/ac (2x2) non-vPro™ Wi-Fi and Bluetooth® 4.2 Combo <sup>22</sup> Intel® Dual Band Wireless-AC 3168 802.11ac (1x1) non-vPro™ Wi-Fi and Bluetooth® 4.2 Combo <sup>22</sup> HP It4132 Qualcomm® Snapdragon™ X5 LTE Mobile Broadband Module <sup>23</sup> HP It4120 Qualcomm® Snapdragon™ X5 LTE Mobile Broadband Module <sup>23</sup> HP hs3110 HSPA+ Intel® Mobile Broadband Module <sup>23</sup>	Integrated Intel® I219-LM Gigabit <sup>21</sup> Network Connection <sup>18,19</sup> Intel® Dual Band Wireless-AC 8260 802.11 a/b/g/n/ac (2x2) Wi-Fi + Bluetooth® 4.0 Combo Adaptor <sup>23</sup> (vPro) <sup>18,19</sup> Intel® Dual Band Wireless-AC 8260 802.11 a/b/g/n/ac (2x2) Wi-Fi + Bluetooth® 4.0 Combo Adaptor <sup>23</sup> (non-vPro)




## Mobile Workstations

	HP ZBook 15 G3	HP ZBook 17 G3
<b>Overview</b>	Portable powerhouse.	Ultimate mobile performance.
<b>Operating systems</b>	Windows 10 Pro 64 <sup>12</sup> Windows 10 Home 64 <sup>12</sup> Windows 7 Professional 64 <sup>13</sup> Windows 7 Professional 64 (available through downgrade rights from Windows 10 Pro) <sup>13</sup> FreeDOS 2.0	Windows 10 Pro 64 <sup>12</sup> Windows 10 Home 64 <sup>12</sup> Windows 7 Professional 64 <sup>13</sup> Windows 7 Professional 64 (available through downgrade rights from Windows 10 Pro) <sup>13</sup> FreeDOS 2.0
<b>Processor/chipset<sup>24</sup></b>	Intel® Xeon® E3-1545M v5 with Intel® Iris™ Pro Graphics P580 <sup>2</sup> Intel® Xeon® E3-1505M v5 with Intel® HD Graphics P530 <sup>2</sup> Intel® Core™ i7-6820HQ with Intel® HD Graphics 530 <sup>2</sup> Intel® Core™ i7-6700HQ with Intel® HD Graphics 530 <sup>2</sup> Intel® Core™ i5-6440HQ with Intel® HD Graphics 530 <sup>2</sup> Mobile Intel® CM236	Intel® Xeon® E3-1575M v5 with Intel® Iris™ Pro Graphics P580 <sup>2</sup> Intel® Xeon® E3-1535M v5 with Intel® HD Graphics P530 <sup>8</sup> Intel® Core™ i7-6820HQ with Intel® HD Graphics 530 <sup>2</sup> Intel® Core™ i7-6700HQ with Intel® HD Graphics 530 <sup>2</sup> Intel® Core™ i5-6440HQ with Intel® HD Graphics 530 <sup>2</sup> Mobile Intel® CM236
<b>Slots available/maximum memory/number of memory channels<sup>3</sup></b>	Four SODIMM slots supporting dual channel memory up to 64 GB DDR4 1.35V ECC or Non-ECC SDRAM (with transfer rates up to 2133MT/s) 4 GB, 8 GB and 16 GB SODIMMs (for Intel® Core™ Processors) 8 GB and 16 GB ECC SODIMMs (for Intel® Xeon® Processors)	Four SODIMM slots supporting dual channel memory up to 64 GB DDR4 1.35V ECC or Non-ECC SDRAM (Transfer rates up to 2133MT/s) 4 GB, 8 GB and 16 GB SODIMMs (for Intel® Core™ Processors) 8 GB and 16 GB ECC SODIMMs (for Intel® Xeon® Processors)
<b>Expansion slots</b>	2 Thunderbolt® 3 <sup>5</sup> (Supporting DisplayPort 1.2, USB 3.1 Gen2, PCIe Gen 3 devices) 1 SD UHS-II Flash Media slot (Supports next generation SD (Secure Digital), backward compatible to SDHC, SDXC, 1 Integrated Smart Card Reader (Compatible with ISO 7816 compliant Smart Cards PC/SC interface support)	2 Thunderbolt® 3 <sup>5</sup> (Supporting DisplayPort 1.2, USB 3.1 Gen2, PCIe Gen 3 devices) 1 SD UHS-II Flash Media slot (Supports next generation SD (Secure Digital), backward compatible to SDHC, SDXC, 1 Integrated Smart Card Reader (Compatible with ISO 7816 compliant Smart Cards PC/SC interface support)
<b>Graphics</b>	Intel® HD <sup>6</sup> Graphics 530 <sup>8</sup> Intel® HD <sup>6</sup> Graphics P530 <sup>8</sup> Intel® Iris™ Pro Graphics P580	AMD® FirePro™ W5170M NVIDIA® Quadro® M1000M NVIDIA® Quadro® M2000M NVIDIA® Quadro® M600M
		Intel® HD Graphics 530 <sup>8</sup> Intel® HD Graphics P530 <sup>8</sup> Intel® Iris™ Pro Graphics P580 AMD® FirePro™ W6150M NVIDIA® Quadro® M1000M NVIDIA® Quadro® M2000M NVIDIA® Quadro® M3000M NVIDIA® Quadro® M4000M NVIDIA® Quadro® M5000M
<b>Maximum supported displays<sup>7</sup></b>	Up to 3 independent displays with Intel® Integrated graphics, using the system panel, VGA port, and two of the three following ports: HDMI, Thunderbolt™ 3, Thunderbolt™ 3 Up to 4 independent displays with hybrid graphics, using the system panel, VGA port and 2 out of the three following ports: HDMI, Thunderbolt™ 3, Thunderbolt™ 3 Up to 6 independent displays with hybrid graphics, when using the optional HP ZBook Dock with Thunderbolt 3	Up to 3 independent displays with Intel® Integrated graphics, using the system panel, VGA port, and two of the three following ports: HDMI, Thunderbolt™ 3, Thunderbolt™ 3 Up to 4 independent displays with hybrid graphics, using the system panel, VGA port and 2 out of the three following ports: HDMI, Thunderbolt™ 3, Thunderbolt™ 3 Up to 6 independent displays with hybrid graphics, when using the optional HP ZBook Dock with Thunderbolt 3
<b>Controllers and HDDs<sup>14,15</sup></b>	1TB 5400 rpm SATA, 2.5" Hard Drive 500 GB 7200 rpm SATA, 2.5" Hard Drive 500 GB 5400 rpm SATA SSHD (8 GB cache) 500 GB 7200 rpm SATA SED (Opal2) 500 GB 5400 rpm SSATA SED FIPS 140-2 compliant 256 GB M.2 SATA SED 256/512 GB, 1TB HP Z Turbo Drive (PCIe SSD)	500 GB, 1 TB 7200 rpm SATA 2.5" Hard Drive 500 GB 7200 rpm SATA 2.5" Hard Drive 500 GB SATA SATA SSHD (8 GB cache) 500 GB 7200 rpm SATA SED 500 GB 7200 rpm SATA SED FIPS 140-2 compliant 256 GB M.2 SATA Self Encrypting Drive (SED) 256/512 GB, 1TB HP Z Turbo Drive (PCIe SSD)
<b>Remote technology<sup>1</sup></b>	HP Remote Graphics Software (RGS)	HP Remote Graphics Software (RGS)
<b>Communications</b>	Integrated Intel® I219-LM Gigabit <sup>21</sup> Network Connection (vPro configurations) <sup>18,19</sup> Intel® Dual Band Wireless-AC 8260 802.11 a/b/g/n/ac (2x2) Wi-Fi and Bluetooth® 4.2 combo (vPro) <sup>18,19,23</sup> Intel® Dual Band Wireless-AC 8260 802.11 a/b/g/n/ac (2x2) Wi-Fi and Bluetooth® 4.2 combo (non-vPro) <sup>23</sup> HP lt4120 Qualcomm® Snapdragon™ X5 LTE Mobile Broadband Module (optional) <sup>23</sup> HP hs3110 HSPA+ Intel® Mobile Broadband Module (optional) <sup>23</sup>	Integrated Intel® I219-LM Gigabit <sup>21</sup> Network Connection (vPro configurations) <sup>18,19</sup> Intel® Dual Band Wireless-AC 8260 802.11 a/b/g/n/ac (2x2) Wi-Fi and Bluetooth® 4.2 combo (vPro) <sup>18,19,23</sup> Intel® Dual Band Wireless-AC 8260 802.11 a/b/g/n/ac (2x2) Wi-Fi and Bluetooth® 4.2 combo (non-vPro) <sup>23</sup> HP lt4120 Qualcomm® Snapdragon™ X5 LTE Mobile Broadband Module <sup>23</sup> HP hs3110 HSPA+ Intel® Mobile Broadband Module <sup>23</sup>

- <sup>1</sup> HP RGS requires a Windows, Linux®, or Mac® OS X 10.10 and newer operating system and network access.
- <sup>2</sup> Multi-Core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. 64-bit computing on Intel® architecture requires a computer system with a processor, chipset, BIOS, operating system, device drivers, and applications enabled for Intel® 64 architecture. Processors will not operate (including 32-bit operation) without an Intel® 64 architecture-enabled BIOS. Performance will vary depending on your hardware and software configurations. Intel®'s numbering is not a measurement of higher performance.
- <sup>3</sup> Each processor supports up to 2 channels (HP Z240 Tower/HP Z240 SFF) of DDR4 memory or 4 channels (HP Z440/HP Z640/HP Z840) of DDR4 memory. To realize full performance at least 1 DIMM must be inserted into each channel. To get full 8 channel support, 2 processors MUST be installed. Actual memory speeds dependent on processor capability.
- <sup>4</sup> Thunderbolt™ 2 is available via an optional add-in card on HP Z1 G2, HP Z240 SFF, HP Z240 Tower, HP Z440, HP Z640 and HP Z840 Workstations. It is standard on all HP ZBook G3 Mobile Workstations. Thunderbolt cable and Thunderbolt device (sold separately) must be compatible with Windows. To determine whether your device is Thunderbolt Certified for Windows, see [thunderbolttechnology.net/products](http://thunderbolttechnology.net/products).
- <sup>5</sup> Thunderbolt™ 3 is standard on all HP ZBook G3 Mobile Workstations.
- <sup>6</sup> In the PCIe Gen3 x16 slot, if it is not being used for a graphics card, only cards certified as After Market Options for this platform are supported.
- <sup>7</sup> Number of supported displays varies by configuration.
- <sup>8</sup> HD content required to view HD images.
- <sup>9</sup> Can be mixed with one NV5™ 510.
- <sup>10</sup> Can be mixed with one NV5™ 310.
- <sup>11</sup> Requires 400W PSU. Not supported with 280W PSU.
- <sup>12</sup> Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See [microsoft.com](http://microsoft.com).
- <sup>13</sup> This system is preinstalled with Windows 7 Professional software and also comes with a license and media for Windows 10 Pro software. You may only use one version of the Windows software at a time. Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of your data.
- <sup>14</sup> For hard drives, 1 GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 20 GB (for Windows 7) and up to 30 GB (for Windows 8.1 and 10) of hard drive (or system disk) is reserved for the system recovery software.
- <sup>15</sup> SATA hardware RAID is not supported on Linux® systems. The Linux® kernel, with built-in software RAID, provides excellent functionality and performance. It is a good alternative to hardware-based RAID. Please visit [h20000.www2.hp.com/bc/docs/support/SupportManual/c00060684/c00060684.pdf](http://h20000.www2.hp.com/bc/docs/support/SupportManual/c00060684/c00060684.pdf) for RAID capabilities with Linux®.
- <sup>16</sup> Double Layer discs can store more data than single layer discs. However, double-layer discs burned with this drive may not be compatible with many existing single-layer DVD drives and players. The DVD-RAM cannot read or write to 2.6 GB Single Sided/5.2 GB Double Sided – Version 1.0 media.
- <sup>17</sup> With Blu-Ray, certain disc, digital connection, compatibility and/or performance issues may arise, and do not constitute defects in the product. Flawless playback on all systems is not guaranteed. In order for some Blu-ray titles to play, they may require a DVI or HDMI digital connection and your display may require HDCP support. HD-DVD movies cannot be played.
- <sup>18</sup> The integrated network connection is required to support Intel® vPro™ Technology.
- <sup>19</sup> If AMT is provisioned, then network teaming with the integrated LAN port is not possible.
- <sup>20</sup> The Intel® Ethernet I210-T1 PCIe NIC is supported on the following operating systems: Windows 7 and Windows 8 32-bit and 64-bit versions, Red Hat® Enterprise Linux® (RHEL), SLED 11.
- <sup>21</sup> The term “10/100/1000” or “Gigabit” Ethernet indicates compatibility with IEEE standard 802.3ab for Gigabit Ethernet, and does not connote actual operating speed of 1 Gb/s. For high-speed transmission, connection to a Gigabit Ethernet server and network infrastructure is required.
- <sup>22</sup> Wireless cards are optional or add-on features and requires separately purchased wireless access point and internet service. Availability of public wireless access points limited. The specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ac WLAN devices.
- <sup>23</sup> WWAN use requires separately purchased service contract. Check with service provider for coverage and availability in your area. Connection speeds will vary due to location, environment, network conditions, and other factors. 4G LTE not available on all products, and in all regions.
- <sup>24</sup> The following applies to HP systems with Intel® 6<sup>th</sup> Gen and other future-generation processors on systems shipping with Windows 7, Windows 8, Windows 8.1 or Windows 10 Pro systems downgraded to Windows 7 Professional, Windows 8 Pro, or Windows 8.1: This version of Windows running with the processor or chipsets used in this system has limited support from Microsoft. For more information about Microsoft's support, please see Microsoft's Support Lifecycle FAQ at [support.microsoft.com/lifecycle](http://support.microsoft.com/lifecycle).
- <sup>25</sup> Actual speeds may vary. Does not permit copying of commercially available DVD movies or other copyright protected materials. Intended for creation and storage of your original material and other lawful uses. Note that DVD-RAM cannot read or write to 2.6 GB Single Sided/5.2 GB Double Sided – Version 1.0 media.

Sign up for updates  
[hp.com/go/getupdated](http://hp.com/go/getupdated)



© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Core, Xeon, Pentium, Thunderbolt, and vPro are trademarks of Intel Corporation in the U.S. and other countries. AMD®, FirePro, and Enduro are trademarks of Advanced Micro Devices, Inc. Bluetooth is a trademark of its proprietor and used by HP Inc. under license. NVIDIA, CUDA, Optimus, NVS, Tesla, and Quadro are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. Red Hat Enterprise Linux Desktop is a trademark of Red Hat, Inc. in the United States and other countries. Linux is the registered trademark of Linus Torvalds in the U.S. and other countries. All other trademarks are the property of their respective owners.

