



TASKalfa 306ci

[Product Information](#)
[Product Views](#)
[Related Products](#)
[Technical Specification](#)

GENERAL

General type	Colour Multifunctional for A4 format
Technology	KYOCERA Colour Laser, HYPAS™ solution platform
Engine speed	Up to 30 pages A4 per minute in colour and b/w, simplex, duplex
Resolution	600 x 600 dpi, multibit technology for print quality of up to 9,600 x 600 dpi (print), 600 x 600 dpi, 256 greyscales per colour (scan/copy)
Warm-up time	Approx. 20 seconds or less
Time to first print	Approx. 7 / 8 seconds or less in b/w / colour
Time to first copy	Approx. 6.4 / 7.8 seconds or less in b/w / colour
Dimensions (W x D x H)	Main unit: 550 x 507.5 x 736.6 mm
Weight	Main unit: Approx. 48 kg
Power consumption	Copy / Print: 533 W, Ready mode: 77 W, Low-power mode: 38 W, Sleep-mode: 2.5 W, Auto off: 0.15 W
Power source	AC 220 ~ 240 V, 50/60 Hz
Noise (ISO 7779)	Noise (Sound pressure level: ISO 7779 / ISO 9296) Copy / Print in colour: 49.2 dB(A) LpA, Quiet mode in colour: 45.9 dB(A) LpA, Ready mode: Immeasurable low
Safety standards	TÜV/GS, CE - This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.
General memory	Standard 1024 MB, max. 2048 MB

PAPER HANDLING

Input capacity	100-sheet multi-purpose tray; 60 – 220 g/m ² ; A4, A5, A6, B5, B6, Letter, Legal, Custom (70 x 148 mm – 216 x 356 mm), 500-sheet universal cassette; 60 – 220 g/m ² ; A4, A5, A6, B5, B6, Letter, Legal, Custom (105 x 148 – 216 x 356 mm)
Max. input capacity with options	3,100 sheets
Duplex unit	Duplex functionality as standard: Double-sided printing: 60 – 220 g/m ² ; A4, A5, B5, Letter, Legal
Max. output capacity	Max. 500 sheets face-down with paper full sensor
Document processor	Reversing document processor: 75-sheet, 50–120 g/m ² ; A4, A5, A6, B5, Letter, Legal, Custom (105 x 148 – 216 x 356 mm)
General paper handling	All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.

PRINT

Processor	PowerPC 465S / 1 GHz
Controller language	PRESCRIBE IIc
Emulations	PCL 6 (PCL 5c/PCL-XL), PostScript 3 (KPD L 3), PDF Direct Print 1.7, XPS/Open XPS Direct Print
Fonts	93 scalable PCL fonts, 136 scalable PostScript fonts, 8 fonts for Windows Vista, 1 bitmap font, 45 barcodes (e.g. EAN8, EAN13, EAN128) with automatic generation of checksums as well as support of two-dimensional barcodes PDF-417 under PRESCRIBE (PCL and other barcodes available as an option)
Integrated Accounting	100 department codes
Features	Security features: IPSec, HTTPS, SNMPv3, IPPS, Encrypted PDF Direct Print, Private Print, Secure printing via SSL, POP over SSL, SMTP over SSL, Access control via 100 integrated department codes Data Security Kit (E) protects data on the optional SSD
Protocol	Mobile printing support: KYOCERA Mobile Print app for iOS and Android, AirPrint, Mopria, Google Cloud Print
Applicable OS	All current Windows operating systems, MAC OS X Version 10.5 or higher, Unix, Linux as well as other operating systems on request

COPY

Max. original size	A4/Legal
Digital copy features	Auto Colour Mode, Scan-once-copy-many, electronic sort, 2in1, 4in1, ID-card copy, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change, copy density control, skip blank page function
Exposure modes	Auto, manual: 9 steps
Preset magnification ratios	7 Reductions/5 Enlargements
Zoom range	25 - 400 % in 1% steps
Continuous copy	1 - 999
Image adjustments	Text + Photo, Photo, Text, Map, Printed document

SCAN

Compression format	MMR/JPEG
File type	TIFF, PDF, PDF/A , high compression PDF, encrypted PDF, JPEG, XPS, Open XPS
Scan features	Integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB / FTP folder, print) at once
Original recognition	Text + Photo, Photo, Text, Light Text/Fine Line, Text (optimized for OCR)
Max. scan size	A4 / Legal
Scan functionalities	Scan-to-e-mail (SMTP over SSL), Scan-to-FTP (FTP over SSL), Scan-to-SMB, Scan to USB Host, TWAIN scan (USB, network), WSD (WIA) scan (USB, network)
Scan resolution	600, 400, 300, 200 dpi (256 grey scales per colour)
Scan speed	40 ipm (300 dpi, A4, b/w), 30 ipm (600 dpi, A4 b/w; 300 dpi, A4, colour)

FAX

Compatibility	ITU-T Super G3
Modem speed	Max. 33.6 kbps
Scanning speed	2.5 seconds
Transmission speed	Less than 3 seconds
Scanning density	Normal: 200 x 100 dpi, Fine: 200 x 200 dpi, Superfine: 200 x 400 dpi, Ultrafine: 400 x 400 dpi, Halftone: 256 greyscales
Max. original size	A4 / Legal
Compression method	JBIG, MMR, MR, MH
Fax features	Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

INTERFACES

Standard interface	USB 2.0 (Hi-Speed), 2 x USB Host Interface, Gigabit Ethernet (10BaseT/100BaseTX/1000BaseT), Slot for optional internal print server or SSD hard disc, Slot for optional fax system, Slot for optional SD/SDHC-Card
--------------------	--

RELATED DOWNLOADS



RELATED LINKS

Product Configurator

🔍 Pantone Office for KYOCERA

🔍 Product Video TASKalfa 306ci

> [Sitemap](#) > [Legal Notices & Terms](#) > [KYOCERA cookie usage](#)

© KYOCERA Document Solutions Europe B.V.