# WorkForce Pro WF-C869RD3TWFC



Save on energy and cut waste with this reliable 4-in-1 business MFP, featuring predictable printing costs and low user intervention.

Print 84,000 pages<sup>1</sup> without any supply changes with this exemplary business printer, using Epson's super-high-yield Replaceable Ink Pack System (RIPS). Cut intervention downtime and lessen your impact on the environment with a reduction of up to 95 percent on energy<sup>1</sup> and 99 percent on waste<sup>1</sup>. It also uses PrecisionCore technology, renowned for its speed, quality, reliability and efficiency.

# Print 84,000 pages uninterrupted

Thanks to super-high-yield ink supply units, you can print up to 84,000 pages without replacing the ink<sup>1</sup>, that's up to 4.5 times more prints than colour lasers and copiers<sup>2</sup>. It cuts intervention time by up to 98 percent<sup>2</sup> as replacement inks are few and far between.

### The best choice

It uses Epson's most advanced printhead designed for business, PrecisionCore. But that's not all; compared to competitive colour lasers it uses up to 95 percent less power<sup>2</sup> thanks to its no-heat technology. There really is no contest; it also beats lasers and copiers with an up to 99 percent reduction in waste and it's up to 23% quieter than lasers and laser copiers<sup>2</sup>.

# Be more productive

Its first page out time is up to three and a half times faster than competitive products<sup>2</sup>. Wait times and the distance to collect print jobs are minimised too as it's a workgroup printer.

#### DATASHEET











































# **KEY FEATURES**

Reduce downtime
 Print up to 84,000 pages without replacing the ink<sup>1</sup>

Ecological

Uses up to 95 percent less power than competitive colour lasers<sup>2</sup>

Save time
 Automatic double-sided printing, scanning, copying and faxing

Built for business
 Added functionality with software tools such as Epson Open Platform

PrecisionCore technology
 Epson's most advanced printhead technology



#### PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method PrecisionCore™ Print Head

Nozzle Configuration 800 Nozzles black, 800 Nozzles per colour

Minimum Droplet Size 4,6 pl, With Variable-Sized Droplet Technology

Ink Technology Replaceable Ink Pack System (RIPS)

Application Office Workgroup
All-in-One Functions Print, Scan, Copy, Fax

PRINT

First Page Out Monochrome 6 Seconds, Colour 6 Seconds

Printing Speed ISO/IEC 24734 24 pages/min Monochrome, 24 pages/min Colour

Duplex Printing Speed 16 A4 pages/min Monochrome, 16 A4 pages/min Colour

ISO/IEC 24734

Printing Speed ISO/IEC 24734 13 pages/min Monochrome, 13 pages/min Colour

(A3)

Duplex Printing Speed 11 A4 pages/min Monochrome, 11 A4 pages/min Colour

ISO/IEC 24734 (A3)

Maximum Printing Speed 35 pages/min Colour (plain paper), 35 pages/min Monochrome (plain paper)

Printing Resolution 4.800 x 1.200 dpi

Max Duty cycle 75.000 pages per month

Recommended Duty Cycle 2.000 - 10.000 pages per month

Colours Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit http://www.epson.eu/testing.

SCAN

Single-sided scan speed (A4 200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan

black)

Doubled-sided scan speed 200 dpi (with ADF); , 45 ipm with ADF scan

(A4 black)

Single-sided scan speed (A4 200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan

colour)

Doubled-sided scan speed 200 dpi (with ADF); , 45 ipm with ADF scan

(A4 colour)

Scanning Resolution 1.200 dpi x 2.400 dpi (Horizontal x Vertical)
Optical Resolution (ADF) 600 dpi x 600 dpi (Horizontal x Vertical)

Advanced document E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft SharePoint

integration with Epson Document Capture Pro, USB Memory Device

Output formats JPEG, TIFF, PDF

Scanner type Contact image sensor (CIS)

FAX

Type of fax Walk-up black and white and colour fax capability

Fax Transmission Speed Up to 33.6kbps / Approx. 3 sec/page

Error correction mode CCITU/ITU Group3 fax with Error Correction Mode

Fax speed dials (max) 2.000 names and numbers

Page memory Up to 550 pages/ 6MB (ITU-T No. 1 chart)

Fax Functions PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Speed Dial, Fax to Folder, Address

Book

COPY

Copy Speed up to 22 ipm Black, up to 21 ipm Colour
\*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)

Copy resolution (dpi) 600 x 1200

Reduction / Enlargement 25 % - 400 % Auto fit function

Maximum number of copies 999
Maximum Copy Size A3

CONNECTIVITY

**Protocols** 

Network Printing Protocols LPR, FTP, IPP, Port 9100, WSD, Net BIOS over TCP/IP, IPPS, PTP over IP, DPS over IP, IS,

Bonjour/Airprint

Network Management HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, WSD, LLTD, SMTP, LLMNR, POP3, IEEE

802.1X, ARP, GARP, EAP, ICMP, IGMP, DCHP, DNS-SD, HTTPS, XMPP, SMTPS, LDAP,

LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap

Network Scanning Protocols NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP

Interfaces Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-

Base TX/ 10-Base-T), USB host, Wi-Fi Direct, USB 2.0 Type A (2x), Wireless LAN IEEE

802.11a/b/g/n, USB 3.0 Type B

WLAN Security WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES)

Network Protocols TCP, UDP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS

#### WorkForce Pro WF-C869RD3TWFC

#### WHAT'S IN THE BOX

- Quick Setup Guide
- Main unit
- Warranty Documents
- User manual (CD)
- Power cable
- Paper tray
- Initialization Ink Supply Units



#### PRODUCT SPECIFICATIONS

WorkForce Pro WF-C869RD3TWFC

PAPER / MEDIA HANDLING

Paper Formats A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope),

No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, HLT, EXE, Legal, Tabloid

Automatic Document Feeder 50 pages

Compatible Paper Weight 64 g/m<sup>2</sup> - 300 g/m<sup>2</sup>

Duplex Yes

Output Tray Capacity 250 Sheets

Paper Tray Capacity 1.835 Sheets Standard, 1.835 Sheets maximum 85-Sheet Multi-Purpose Tray, 250-sheet paper tray, 3 x 500 sheet paper tray, Cabinet Standard paper tray(s)

Maximum paper input 1.835 Rear paper path (special Yes

media)

Number of paper trays 5

PAPER FEED RASE

RASF Paper Input Name

A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), Paper Formats

No. 10 (Envelope), Letter,  $10 \times 15$  cm,  $13 \times 18$  cm,  $20 \times 25$  cm, 16:9, HLT, User defined, Legal,

Executive, SRA3, Tabloid

Custom sizes Min 55x 330 mm to Max 127x 1.200 mm

64 g/m<sup>2</sup> - 300 g/m<sup>2</sup> Compatible paper weight

Paper Capacity 1 85 80asm

Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper Media type

PAPER FEED C1

Paper Input Name

Paper Formats A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid

Compatible paper weight 64 g/m<sup>2</sup> - 200 g/m<sup>2</sup> 250 80asm Paper Capacity 1

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

{SPECGROUPNAMEPAPERFEEDC2-C4}

Paper Input Name C2-C4

Paper Formats A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid

Compatible paper weight 64 g/m<sup>2</sup> - 200 g/m<sup>2</sup> 500 80asm Paper Capacity 1

PAPER FEED DUPLEX

Paper Input Name Duplex

Paper Formats A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid

64 g/m<sup>2</sup> - 150 g/m<sup>2</sup> Compatible paper weight

Paper Capacity 1 80gsm

Plain Paper, Recycled Paper, Colour Paper, Letterhead Media type

**GENERAL** 

20 W (Ready), 0,5 W (Power off), ENERGY STAR® qualified, 40 W (standalone copying, **Energy Use** 

ISO/IEC 24712 pattern), 1,6 W (sleep mode), TEC 0,3 kWh/week

AC 100 V - 240 V, 50 Hz - 60 Hz Supply Voltage

Product dimensions 787 x 873 x 1.162 mm (Width x Depth x Height)

Product weight 111,5 kg

Citrix XenApp 7.x, Linux, Mac OS 10.10.x, Mac OS 10.11, Mac OS 10.6+, Mac OS 10.7.x, Mac Compatible Operating Systems OS 10.8.x, Mac OS 10.9.x, Microsoft Windows Vista (32/64 bit), Microsoft Windows XP (Home

Edition / Prof / Prof X64 / Vista), SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows XP x64, Windows server 2003

Sound Power Operation: 6,4 B (A) Sound Pressure Operation: 48 dB (A)

Mobile and Cloud printing Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint,

services Google Cloud Print 100V, 110V, 220V, 240V **Power Supply** 

ADDITIONAL FEATURES

Touchscreen, Direct scan-to-print without PC, Direct print from USB **Features** 

LCD screen Type: Colour, Touchscreen, Diagonal: 12,7 cm

Media Handling Automatic duplex (A4/A3, plain paper), Portrait & Landscape printing, Rear specialty media

feed, Thick Media Support

Limit access function with Epson Web Config, Secure confidential printing with PIN code Security Functions

release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin



#### PRODUCT SPECIFICATIONS

#### OTHER FEATURES Emulations PCL6, PCL5c, PCL5e, ESC/P-R, PDF 1.7, PostScript 3

OTHER

Warranty 12 months On-site service

#### **SUPPLIES**

Business Paper 80gsm 500 sheets	C13S450075	
<ul> <li>WorkForce Pro WF-C869R Black XL Ink Supply Unit</li> </ul>	C13T973100	22.500 pages
<ul> <li>WorkForce Pro WF-C869R Cyan XL Ink Supply Unit</li> </ul>	C13T973200	22.000 pages
<ul> <li>WorkForce Pro WF-C869R Magenta XL Ink Supply Unit</li> </ul>	C13T973300	22.000 pages
<ul> <li>WorkForce Pro WF-C869R Yellow XL Ink Supply Unit</li> </ul>	C13T973400	22.000 pages
<ul> <li>WorkForce Pro WF-C869R Black XXL Ink Supply Unit</li> </ul>	C13T974100	86.000 pages
<ul> <li>WorkForce Pro WF-C869R Cyan XXL Ink Supply Unit</li> </ul>	C13T974200	84.000 pages
<ul> <li>WorkForce Pro WF-C869R Magenta XXL Ink Supply Unit</li> </ul>	C13T974300	84.000 pages
<ul> <li>WorkForce Pro WF-C869R Yellow XXL Ink Supply Unit</li> </ul>	C13T974400	84.000 pages
<ul> <li>WorkForce Pro WF-C869R Maintenance Box</li> </ul>	C13T671400	
<ul> <li>WorkForce Pro WF-C869R Optional Cassette Maintenance Roller</li> </ul>	C13S210049	200.000
		pages
<ul> <li>WorkForce Pro WF-C869R Standard Cassette Maintenance Roller</li> </ul>	C13S210048	200.000
		pages

# WorkForce Pro WF-C869RD3TWFC

# **INK YIELD DATA**



T973

T974



22.500 pages\* 86.000 pages\*



22.000 pages\* 84.000 pages\*

\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield

# LOGISTICS INFORMATION

SKU	C11CF34401BP
EAN code	8715946623160
Multiple Order Quantity	1 Units
Pallet Size Euro	1 Units



Epson Deutschland GmbH Otto-Hahn-Str. 4

D-40670 Meerbusch Info-Line: 02159 92 79 500 Telefax: +49 (0) 2159/538-3000







Epson in Österreich Info-Line: 01 253 49 78 333 www.epson.at Epson in der Schweiz Info-Line: 022 592 7923 www.epson.ch

www.epson.de Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen

Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

- 1. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield. Initialisation inks only have enough ink to support printer start up, new inks have to be purchased or supplied for normal operation.

  2. For more information, visit www.epson.eu/inkjetsaving

