


# WorkForce AL-M8100DTN



## DATASHEET / BROCHURE



A fast, duplex A3 mono laser printer for workgroups, with a high paper capacity and network connectivity for easy office integration.

Fast, flexible, high-quality printing and easy office integration make this printer ideal for busy workgroups that want reliable performance to meet the demanding requirements of a fast-paced office.

### Flexible & efficient

Featuring fast print speeds of 40ppm in simplex and 28ppm in duplex<sup>1</sup>, as well as a first page out time of 9 seconds<sup>1</sup>, the AL-M8100DTN is ideal for busy workgroups. Multiple paper trays means a high standard paper capacity of up to 1,100 sheets, with the option to expand paper capacity up to 2,600 sheets with added cassettes. For increased flexibility, documents can be printed from your iPad, iPhone, tablet, smartphone or computer thanks to Email Print for Enterprise compatibility<sup>2</sup>.

### Easy integration and reliable workgroup performance

The AL-M8100DTN fits into complex IT environments thanks to Adobe PS3 as well as PCL6 emulation, IPv6 support and advanced IPsec security. Sharing across workgroups is made easy with built in Gigabit Ethernet connectivity. It features a high duty cycle of 220,000<sup>3</sup> pages as well as an increased toner cartridge capacity of 21,700 sheets<sup>4</sup> meaning more time between cartridge changes.

### High-quality printing

A 1200dpi resolution means great print quality across big and small print jobs, delivered at fast speeds.

### Wide range of media sizes and types

Print onto a range of paper sizes including A3, A4, A5, A6, B4, B5, LT, HLT, LGL, GLT, GLG, EXE, F4, B, and Long paper (297x900mm). The AL-M8100DTN is compatible with a wide range of media types including plain paper, recycled paper, fine-quality paper, thick paper, envelopes, labels, card and more.

## KEY FEATURES

- **Fast printing**  
Fast printing at 40 ppm in A4<sup>1</sup>
- **Duplex printing**  
Print double-sided at 28ppm<sup>1</sup>
- **High toner yield**  
Print up to 21,700 pages<sup>4</sup>
- **High paper capacity**  
1,100-sheet standard paper capacity
- **Reliable operation**  
220,000 page duty cycle<sup>3</sup>

## PRODUCT SPECIFICATIONS

## WorkForce AL-M8100DTN

### OTHER

LCD screen Type: Monochrome, 5-line text

### TECHNOLOGY

Printing Resolution 1,200 x 1,200 dpi  
Toner System AcuBrite  
Application Office Workgroup

### PRINT

Printing Speed 40 pages/min monochrome single-sided, 28 pages/min monochrome double-sided  
First Page Out Monochrome 9 Seconds  
Warm Up time 19 s  
Max Duty cycle 220,000 pages per month  
The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.

### CONNECTIVITY

Interfaces USB 2.0 Type B, Gigabit ethernet interface  
Network Printing Protocols LPR, FTP, IPP, Port 9100, WSD, Net BIOS over TCP/IP, TCP/IPv4, TCP/IPv6, IPSec  
Network Management Protocols SNMP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNT, SSDP, SLP, WSD, LLTD, TCP/IPv4, TCP/IPv6, IPSec, IEEE 802.1X

### PAPER / MEDIA HANDLING

Paper Formats A3, A4, A5, A6, B4, B5, C5 (Envelope), C6 (Envelope), DL (Envelope), LT, HLT, LGL, GLG, GLT, EXE, F4, Com-10  
Duplex Yes  
Output Tray Capacity 500 Sheets  
Paper Tray Capacity 1,100 Sheets Standard, 2,600 Sheets maximum  
Compatible Paper Weight 60 g/m<sup>2</sup> - 220 g/m<sup>2</sup>  
Optional paper tray(s) 3 x 500 sheet paper tray

### GENERAL

Product dimensions 490 x 410 x 451 mm (Width x Depth x Height)  
Product weight 26 kg  
Temperature Operation 10° C - 32.5° C, Storage -20° C - 40° C  
Humidity Operation 15% - 80%, Storage 10% - 95%  
Safety Standards IEC60950-1, IEC60825-1  
Electrical Standards Energy Star Compliant  
EMC Standard IEC61000-4-3, IEC61000-4-2, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-8, IEC61000-4-11  
EMI Standard EN55022

### OTHER FEATURES

Processor Speed 600 MHz  
Memory 1 GB included, 1 GB maximum  
Emulations PCL3, PCL5c, PCL6, PDF 1.7, Adobe® Postscript 3®

## SUPPLIES

- High Capacity Toner Cartridge Black

C13S050762 21,700 pages

## OPTIONAL ACCESSORIES

- 500-Sheet Paper Cassette  
C12C802811
- Face Up Tray  
C12C817071
- Printer stand  
C12C932091

## LOGISTICS INFORMATION

SKU	C11CE13401BS
EAN code	8715946549958
Dimensions Single Carton	536 x 590 x 422 mm
Carton Weight	43.05 Kg
Layer	2 Units
Layer Block	2 Units

## WorkForce AL-M8100DTN

### TONER CARTRIDGE COLLECTION PROGRAM

This free service helps us to collect and recycle used Epson toner cartridges in a safe and environmentally-friendly way. There are three easy ways to dispose of your empty cartridges and take an action role in reducing waste:

- Put them in a toner cartridge collection box which will be picked up once full
- Return them free of charge by Post
- Drop them off at an Epson Express Center. Please visit [www.epson.com/recycle](http://www.epson.com/recycle) for more details about the program.



For more information please contact:

Home users: 0343 90 37766  
Business users\*: 0871 42 37766  
Republic of Ireland: 01 436 7742  
Or visit us at <https://www.epson.co.uk/contactus>  
\* 10p per minute plus network extras.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

1. - Determined in accordance with ISO/IEC 24734 showing the average of ESAT / FSOT from the Office Category Test for default simplex /duplex. For more information visit [www.epson.eu/testing](http://www.epson.eu/testing)
2. - Please visit [www.epson.eu/epe](http://www.epson.eu/epe) for more information.
3. - The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities
4. - Approx. page yield based on ISO/IEC 19752/19798, For more information visit <http://www.epson.eu/pageyield>

# EPSON®