

Pioneering computer case with exceptional style and functionality



# **Special Features**

- Includes three 140mm LED fans and built-in LED strips for stunning visual impact
- >>> Oversized front panel mesh design inspired by supercar intake grill
- Support two 240/280/360mm radiator for AIO liquid cooler or custom water cooling
- >>> Reserved water tank mounting holes for water cooling setup
- >>> Removable filters with positive air pressure design for dust reduction
- Built-in 4-segment LED light controller to adjustable brightness and modes
- >>> Super clean internal look with PSU and drive bay cover
- Includes 10 in 1 fan hub for fan cable management

## **Specifications**

Model No.		
	SST-PM0	11CR-W (matte black with red LED + window)
	SST-PM0	1TR-W (titanium with red LED + window)
	SST-PM0	11WA-W (white with blue LED + window)
Material	Plastic ou	ıter shell, steel body
Motherboard	ATX (up t	o 12" x 10.7"), Micro ATX
Drive Bay	External	None
	Internal	2.5" or 3.5" x 4, 2.5" x 5
Cooling System	Front	3 x 120mm / 140mm fan slot (includes 3 x 140mm LED fan)
	Top	3 x 120mm fan slot or 2 x 140mm fan slot
	Rear	1 x 120mm / 140mm fan slot (includes 1 x 140mm fan)
Radiator Support	Front	2 x 120mm ; 1 x 240mm / 280mm / 360mm
	Top	2 x 120mm ; 1 x 240mm / 280mm / 360mm**
	Rear	1 x 120mm / 140mm
	Bottom	N/A

Expansion Slot	7
Front I/O Port	USB 2.0 x 2, USB 3.0 x 2, Audio x 1, MIC x 1
Power Supply	Standard PS2 (ATX)
Expansion Card	Support graphics card up to 16.5", width restriction - 6.88
Limitation of CPU cooler	180mm
Limitation of PSU	240mm
Net Weight	9kg
Dimension	220mm (W) x 571mm (H) x 560mm (D), 70.3 Liters

\* Four modes: full brightness, half brightness, breathing pattern, and off

\*\* For 280mm radiators and fans, total thickness may not exceed 33mm depending on motherboard component clearance.

### Taiwan Headquarters

12F., No.168, Jiankang Rd., Zhonghe Dist., New Taipei City 235, Taiwan R.O.C.

Tel: + 886-2-8228-1238 / Fax: + 886-2-8228-7123 For sales and purchasing: sales@silverstonetek.com

### USA

13626 Monte Vista Ave. Unit #A, Chino, CA 91710, USA

Tel: + 1-909-465-9596 / Fax: + 1-909-465-9569 For General Questions/Sales: usasales@silverstonetek.com

### Europ

Brandstücken 27, D-22549 Hamburg, Germany



# SPRIMERA SERIES

Pioneering computer case with exceptional style and functionality

# PMG



- >>> Includes three 140mm LED fans and built-in LED strips for stunning visual impac
- >>> Oversized front panel mesh design inspired by supercar intake grill
- >>> Support two 240/280/360mm radiator for AIO liquid cooler or custom water cooling
- >>> Reserved water tank mounting holes for water cooling setup
- >>> Removable filters with positive air pressure design for dust reduction
- >>> Built-in 4-segment LED light controller to adjustable brightness and modes
- >>> Super clean internal look with PSU and drive bay cover
- >>> Includes 10 in 1 fan hub for fan cable management

### **Specifications**

Model No.	SST-PM0 SST-PM0	1BR-W (black with red LED + window) 1CR-W (matte black with red LED + window) 1TR-W (titanium with red LED + window) 1TWA-W (white with blue LED + window)
Material	Plastic ou	iter shell, steel body
Motherboard	ATX (up t	o 12" x 10.7"), Micro ATX
Drive Bay	External	None
	Internal	2.5" or 3.5" x 4, 2.5" x 5
Cooling System	Front	3 x 120mm / 140mm fan slot (includes 3 x 140mm LED fan)
	Top	3 x 120mm fan slot or 2 x 140mm fan slot
	Rear	1 x 120mm / 140mm fan slot (includes 1 x 140mm fan)
Radiator Support	Front	2 x 120mm ; 1 x 240mm / 280mm / 360mm
	Top	2 x 120mm ; 1 x 240mm / 280mm / 360mm**
	Rear	1 x 120mm / 140mm
	Bottom	N/A

Expansion Slot	7
Front I/O Port	USB 2.0 x 2, USB 3.0 x 2, Audio x 1, MIC x 1
Power Supply	Standard PS2 (ATX)
Expansion Card	Support graphics card up to 16.5", width restriction - 6.88"
Limitation of CPU cooler	180mm
Limitation of PSU	240mm
Net Weight	9kg
Dimension	220mm (W) x 571mm (H) x 560mm (D), 70.3 Liters

- \* Four modes: full brightness, half brightness, breathing pattern, and off.
- \*\* For 280mm radiators and fans, total thickness may not exceed 33mm depending on motherboard component clearance.

### **Taiwan Headquarters**

12F., No.168, Jiankang Rd., Zhonghe Dist., New Taipei City 235, Taiwan R.O.C

Tel: + 886-2-8228-1238 / Fax: + 886-2-8228-7123 For sales and purchasing: sales@silverstonetek.com

13626 Monte Vista Ave. Unit #A, Chino, CA 91710,

Tel: + 1-909-465-9596 / Fax: + 1-909-465-9569 For General Questions/Sales: usasales@silverstonetek.com

### **Europe**

Brandstücken 27. D-22549 Hamburg, Germany



Pioneering computer case with exceptional style and functionality

# FILE



- >>> Includes three 140mm LED fans and built-in LED strips for stunning visual impact
- >>> Oversized front panel mesh design inspired by supercar intake grill
- >>> Support two 240/280/360mm radiator for AIO liquid cooler or custom water cooling
- >>> Reserved water tank mounting holes for water cooling setup
- >>> Removable filters with positive air pressure design for dust reduction
- >>> Built-in 4-segment LED light controller to adjustable brightness and modes
- >>> Super clean internal look with PSU and drive bay cover
- >>> Includes 10 in 1 fan hub for fan cable management

### **Specifications**

Model No.		DIBR-W (black with red LED + window) DICR-W (matte black with red LED + window)
		1TR-W (titanium with red LED + window)
	SST-PM0	11WA-W (white with blue LED + window)
Material	Plastic οι	iter shell, steel body
Motherboard	ATX (up t	o 12" x 10.7"), Micro ATX
Drive Bay	External	None
	Internal	2.5" or 3.5" x 4, 2.5" x 5
Cooling System	Front	3 x 120mm / 140mm fan slot (includes 3 x 140mm LED fan
	Тор	3 x 120mm fan slot or 2 x 140mm fan slot
	Rear	1 x 120mm / 140mm fan slot (includes 1 x 140mm fan)
Radiator Support	Front	2 x 120mm ; 1 x 240mm / 280mm / 360mm
	Top	2 x 120mm ; 1 x 240mm / 280mm / 360mm**
	Rear	1 x 120mm / 140mm
	5	21/2

Expansion Slot	1
Front I/O Port	USB 2.0 x 2, USB 3.0 x 2, Audio x 1, MIC x 1
Power Supply	Standard PS2 (ATX)
Expansion Card	Support graphics card up to 16.5", width restriction - 6.88"
Limitation of CPU cooler	180mm
Limitation of PSU	240mm
Net Weight	9kg
Dimension	220mm (W) x 571mm (H) x 560mm (D), 70.3 Liters

\* Four modes: full brightness, half brightness, breathing pattern, and off

\*\*\* For 280mm radiators and fans, total thickness may not exceed 33mm depending on motherboard component clearance.

### Taiwan Headquarters

12F., No.168, Jiankang Rd., Zhonghe Dist., New Taipei City 235, Taiwan R.O.C.

Tel: + 886-2-8228-1238 / Fax: + 886-2-8228-7123 For sales and purchasing: sales@silverstonetek.com

### USA

13626 Monte Vista Ave. Unit #A, Chino, CA 91710, USA

Tel: + 1-909-465-9596 / Fax: + 1-909-465-9569 For General Questions/Sales: usasales@silverstonetek.com

### Europe

Brandstücken 27, D-22549 Hamburg, <u>Germa</u>ny



# SPRINER SERIES

Pioneering computer case with exceptional style and functionality

## Special Features

- Includes three 140mm LED fans and built-in LED strips for stunning visual impact
- >>> Oversized front panel mesh design inspired by supercar intake grill
- Support two 240/280/360mm radiator for AIO liquid cooler or custom water cooling
- >>> Reserved water tank mounting holes for water cooling setup
- >>> Removable filters with positive air pressure design for dust reduction
- >>> Built-in 4-segment LED light controller to adjustable brightness and modes
- >>> Super clean internal look with PSU and drive bay cover
- >>> Includes 10 in 1 fan hub for fan cable management

### **Specifications**

Model No.	SST-PM0	1BR-W (black with red LED + window)
	SST-PM0	1CR-W (matte black with red LED + window)
	SST-PM0	1WA-W (white with blue LED + window)
Material	Plastic ou	ter shell, steel body
Motherboard	ATX (up to	o 12" x 10.7"), Micro ATX
Drive Bay	External	None
	Internal	2.5" or 3.5" x 4, 2.5" x 5
Cooling System	Front	3 x 120mm / 140mm fan slot (includes 3 x 140mm LED fan)
	Тор	3 x 120mm fan slot or 2 x 140mm fan slot
	Rear	1 x 120mm / 140mm fan slot (includes 1 x 140mm fan)
Radiator Support	Front	2 x 120mm ; 1 x 240mm / 280mm / 360mm
	Тор	2 x 120mm; 1 x 240mm / 280mm / 360mm**
	Rear	1 x 120mm / 140mm
	Rottom	N/A

CaraSter		
Expansion Slot	7	
Front I/O Port	USB 2.0 x 2, USB 3.0 x 2, Audio x 1, MIC x 1	
Power Supply	Standard PS2 (ATX)	
Expansion Card	Support graphics card up to 16.5", width restriction - 6.8	
Limitation of CPU cooler	180mm	
Limitation of PSU	240mm	
Net Weight	9kg	
Dimension	220mm (W) x 571mm (H) x 560mm (D) 70 3 Liters	

\* Four modes: full brightness, half brightness, breathing pattern, and off

\*\* For 280mm radiators and fans, total thickness may not exceed 33mm depending on motherboard component clearance.

### Taiwan Headquarters

12F., No.168, Jiankang Rd., Zhonghe Dist., New Taipei City 235, Taiwan R.O.C.

Tel: + 886-2-8228-1238 / Fax: + 886-2-8228-7123 For sales and purchasing: sales@silverstonetek.com

### USA

13626 Monte Vista Ave. Unit #A, Chino, CA 91710, USA

Tel: + 1-909-465-9596 / Fax: + 1-909-465-9569 For General Questions/Sales: usasales@silverstonetek.com

### Europ

Brandstücken 27, D-22549 Hamburg, Germany