

HP Thin Client Family



HP Thin Clients deliver the tools for simple cloud manageability and control. Plus with powerful security and productivity-maximizing features, experience the added benefit of IT peace-of-mind.

HP Thin Clients give you the tools to easily rule the cloud with features from HP, like HP Device Manager and HP EasyShell¹⁸ - set up, manage and monitor thousands of HP Thin Clients remotely from a single point.

With features like 4K multi-display support, remote access to your data, and cloud optimized OS options, your users can be at their most productive whether at the office or on the go.



HP Zero Clients

Zero in on a better VMware client.

HP Zero Clients are designed for VMware environments with the latest PCoIP technology ideal for graphics-intensive applications that need workstation-like performance and support for dual monitors.¹ No operating system or moving parts mean HP Zero Clients require zero management. Deployment is simple and viruses are history. As HP's most secure endpoints, HP Zero Clients keep your data safe in the datacenter—only pixels are transferred. Hardware USB authorization and fiber NIC² add extra layers of security. Designed for fast PCoIP, Teradici²⁶, Amazon Workspaces™ and VMware®, HP Zero Clients are an ultra-low-cost-per-seat solution with ultra-performance and reliability.



HP Desktop Thin Clients

Customize your level of performance, security and manageability.

Pair the thin client form factor of your choice with the operating system of your choice, including Linux®-based **HP Smart Zero** and **HP ThinPro**, or **Windows Embedded**. Choose the processing power that matches your productivity needs, whether it's for mission-critical multimedia access, or everyday task-based demands. Support your growth with expansion options and legacy ports, choose native support for up to four digital displays, and maintain network adaptability with wired-in Ethernet and Wi-Fi options. Get a cloud-ready and VDI-optimized thin client that's tested and certified for today's top ISV providers, including Citrix®, VMware® and Microsoft.



HP Mobile Thin Clients

Ultimate cloud convenience.

Mobile cloud computing is easier and more flexible than ever with HP Mobile Thin Clients. Employees can get the job done from just about anywhere thanks to professional cloud and VDI-optimized features with critical user and management software built right in. HP ThinPro and Windows-based programs and tools make it easy for everyone to log in and get to work with familiar tools and programs. No training required.

HP Thin Client Operating Systems



HP ThinPro

A modern, secure, and intuitive Linux® computing experience.

Deliver secure desktop virtualization that's as comfortable for IT as it is for end users with the stunningly redesigned HP ThinPro. Leap forward with a beautifully reimagined operating system that is amazingly easy to navigate, and ideal for virtual desktop and web browser applications. Make setup and configuration painless for IT with a streamlined start-up wizard and configuration instructions. Connect quickly with Citrix®, VMware®, Microsoft® RDP and a default web browser. Help protect data with a Linux®-based OS that attracts few viruses and has a locked file system to deter unauthorized updates, customizable user settings and permissions, a firewall, and HP Smart Zero.



HP Zero and Smart Zero Core

The smarter zero client.

Configure it and forget it. It's that easy with the smarter HP Zero Client experience provided by HP Smart Zero technology. Everyone wins with an easy-to-navigate ecosystem for end-users and simple setup and maintenance for IT that doesn't require specialized administrative support. Switch up your virtualized environment without new requirements or installations, and maintain connection flexibility across cloud- and web-based applications, compatible browsers, and top VDI environments like Citrix®, VMware®, and Microsoft® RDP.




Windows Embedded OS

A familiar interface.

Work efficiently on Windows Embedded Standard, the thin client operating system you're already well-acquainted with. The familiarity of a powerful Windows®-based environment will help reduce the cost of training and tools and make maintenance and roll-outs a breeze for end users, application developers, and IT administrators.


For more information, visit [HP Thin Client Operating Systems](#).

HP Thin Client Software



Network performance improvements with HP Velocity

Figure 1. Effective network performances seen by user under different network conditions.



HP Thin Client Conversion Suite

One Solution. One software package. One cost.

Accelerate your transition to the cloud with the HP Thin Client Conversion Suite. This simple software bundle allows you to optimize your PCs with all the benefits of a thin client, ensuring superb end user experience and effortless device management.

HP Device Manager

Stress-free management.

HPDM provides full life cycle management for HP Thin Clients; from initial discovery, deployment and configuration to maintenance and EOL of product. IT Deploy gateways and FTP repositories strategically, and view and manage your entire HP thin client install base from anywhere through a network connection. With just one software you can do it all—track, configure, upgrade, clone, and manage up to thousands of thin client devices.

HP Velocity

Accelerate network performance.

Improve network performance and the end-user experience with HP Velocity software, which optimizes network traffic for remote desktops and application streaming, IDs and fixes bottlenecks, and simplifies IT troubleshooting.

HP EasyShell

Quick. Simple. Customized.

Make your HP Thin Client Windows Embedded user experience easier than ever with HP Easy Shell¹⁸. Customize the intuitive interface and level of protection to fit your needs, and enjoy targeted control at a great price so you can make the most of your cloud infrastructure, VDI, and kiosk environments.

HP True Graphics

Truly astounding cloud-based multimedia.

Experience breakthrough video playback, smooth graphics, and impressive high-speed performance of your cloud-based multimedia with HP True Graphics4 for Windows[®]- and Linux[®]-based HP Thin Clients. Power through more applications, redirect H.264 content, and add heavy compute programs to your current environment with a solution that offloads tasks from the CPU.

HP Remote Graphics Software

Work virtually anywhere.

Access your workstation or server-based graphic-rich applications and collaborate remotely in real time from any PC, Thin Client or Windows tablet with HP Remote Graphics Software (RGS).⁵

For more information, visit **HP Thin Client Software**.

HP Desktop Thin Clients

Series	ThinPro, Smart Zero and Windows Embedded*			
	t430	t530	t630	t730
Processor and memory				
Processor	Intel® Celeron® Processor N4000 (1.1 – 2.6 GHz dual-core processor)	AMD GX-215JJ Dual-Core APU SoC with Radeon™ R2E Graphics (1.5 GHz base frequency, up to 2 GHz burst frequency, 1 MB cache) ⁷	AMD GX-420GI (2.0GHz - 2.2 GHz quad-core ⁷) APU with a Radeon R7E based graphics core	AMD R-Series RX-427BB (2.7GHz– 3.6 GHz quad-core ⁷) APU with a Radeon HD 9000 based graphics core
Flash/RAM ⁸	Up to 32GB flash/ 4GB DDR4 single-channel SDRAM ²⁰	Up to 512GB flash/up to 16 GB DDR4-1866 SDRAM ²⁰	Up to 512GB flash/up to 32 GB DDR4- 1866 SDRAM ²⁰	Up to 128GB flash/up to 16GB SDRAM ²⁰
Video and audio (All HP desktop thin clients support widescreen resolutions and headphone/mic)				
Maximum resolution ⁹	Ultra-High Definition (UHD) 3820 x 2160 via DisplayPort™ over USB-C™ 1920 x 1200	3840 x 2160 via DisplayPort™ 1920 x 1080 via optional VGA output	3840 x 2160 via DisplayPort™ 1920 x 1200 via optional VGA output	3840 x 2160
Monitor support ¹¹	1 x DisplayPort 1.2™ 1 x HDMI 1 x DisplayPort™ over USB-C™ Dual-display support via: HDMI + DisplayPort™ or HDMI + DisplayPort™ over USB-C™	2 x DisplayPort™ 1 x VGA (optional) ²⁴	2 x DisplayPort™ 1 x VGA (optional)	4 X DisplayPort™ 6 x DisplayPort™ (optional) ²²
Networking				
Embedded Networking Interface	LAN: Gigabit Ethernet (RJ-45) WLAN: Intel® Wireless-AC 9260 with Bluetooth®; M.2 module with integrated internal Wi-Fi antenna system ¹³	LAN: Gigabit Ethernet (RJ-45) WLAN: Intel® Dual Band Wireless-AC 3168 Wi-Fi/Bluetooth® combo (optional) ¹³ Intel® Dual Band Wireless AC 8265 Wi-Fi/Bluetooth® combo (optional) ¹³	LAN: Gigabit Ethernet (RJ-45) WLAN: Intel® Dual Band Wireless-AC 3168 Wi-Fi/Bluetooth® combo adapter (optional) ¹³ Intel® Dual Band Wireless AC 8260 Wi-Fi/Bluetooth® combo adapter (optional) ¹³ Allied Telesis Fiber Optic NIC (optional) ^{13,23}	LAN: Gigabit Ethernet (RJ-45) WLAN: Intel® 802.11a/b/g/n/ac PCIe ¹³ Allied Telesis AT-27M2/SC M.2 Fiber Fast Ethernet Network Interface ¹³ Allied Telesis Fiber Optic NIC (optional) ^{13,23}
I/O and expansion				
Serial	0	0	1 (2nd port optional)	2
Parallel	0	0	0	1
PS2	0	0	2	2
USB	Total: 4 1 x USB-C™ 3.1 Gen 1 supports DisplayPort™ over USB-C™ and USB Power Delivery 3 x USB-A	Total: 6 3 USB-A 3.1 2 USB-A 2.0 1 USB 3.1 Type-C™	Total: 7 2 USB 3.0 1 USB 3.0, hidden 4 USB 2.0	Total: 9 2 USB 3.0 6 USB 2.0 1 USB 3.0, hidden
Slot expansion options ¹⁴	No	Yes 1 configurable port (choice of serial, VGA or coaxial port) ²⁴	No	1 x half height PCI Express expansion slot x16 physical slot wired as a x8 (rear)
HP cable lock slot	Yes	Yes	Yes	Yes
Environmental certifications				
ENERGY STAR®	Yes	Yes	Yes	Yes
EPEAT® ¹⁵	Yes	Yes	Yes	Yes
Low Halogen ²¹	Yes	Yes	Yes	Yes

HP Zero Clients

Series	Zero Clients		
Platforms	t310 G2	t310 G2 AiO	t310 Quad Display
Processor and memory			
Processor	TERA2321 PCoIP Zero Client processor	TERA2321 PCoIP Zero Client processor	TERA2140 PCoIP Zero Client processor
System Memory ⁸	512 MB DDR3-1333 SDRAM	512 MB DDR3-1333 SDRAM	32 MB/512 MB SDRAM
Video and audio (All HP desktop thin clients support widescreen resolutions and headphone/mic)			
Maximum resolution ⁹	Dual displays: 1920 x 1200 Single display: 2560 x 1600 ¹⁰	23.8" diagonal FHD IPS WLED-backlit 1920x1080 One : 2048 x 1152 via DisplayPort™	Four displays: 1920 x 1200 Dual displays: 2560 x 1600 ¹⁰
Monitor support ¹¹	1 x DVI-I 1 x DisplayPort™ ²⁵	1 x DVI-I 1 x VGA 1 x DisplayPort™ ²⁵	1 x DVI-D 1 x VGA
Networking			
Embedded Networking Interface	Gigabit Ethernet (RJ-45 interface) 1 Gbps Fiber NIC ¹⁴	Gigabit Ethernet (RJ-45 interface)	Gigabit Ethernet (RJ-45 interface) 100Mbps Fiber NIC ¹⁴ 1 Gbps Fiber NIC ¹⁴
Networking Options	Wake on LAN (WoL) using magic packet.	Wake on LAN (WoL) using magic packet.	Wake on USB
I/O and expansion			
USB	6 USB 2.0	6 USB 2.0	4 USB 2.0
Slot expansion options ¹⁴	No	No	No
HP cable lock slot	Yes	Yes	Yes
Environmental certifications			
ENERGY STAR®	No	No	No
EPEAT® ¹⁵	No	No	No

HP Mobile Thin Clients

Series	Mobile	
Platforms	mt44	mt21
Processor and memory		
Processor	AMD Ryzen™ 3 PRO 2300U Mobile processor (2.0 GHz base frequency, up to 3.4 GHz burst frequency, 6 MB cache, 4 cores) ⁷ with Radeon™ Vega Graphics	Intel® Celeron® 3865u with Intel HD Graphics (1.8 GHz, 2 cores ⁷)
System Memory ⁸	Up to 8 GB	Up to 8 GB
Operating System and Flash		
Operating System	Windows 10 IoT Enterprise ¹⁹	Windows 10 IoT Enterprise ¹⁹ HP ThinPro with Smart Zero Core
Flash	128GB M.2 flash drive	128GB M.2 flash drive
Video and audio (All HP desktop thin clients support widescreen resolutions and headphone/mic)		
Maximum resolution ^{9, 14, 26, 27}	14" diagonal FHD IPS (1920x1080) Anti-Glare LED-backlit 14" diagonal FHD IPS (1920x1080) LED-backlit with Corning® Gorilla® Glass Four displays: 1920 x 1080 via HP UltraSlim Docking Station Four displays: 1920x1200 via HP Elite USB-C Dock G4	14" diagonal FHD UWVA (1920x1080) Anti-Glare LED-backlit 14" diagonal HD SVA (1366 x 768) Anti-Glare LED-backlit Two Displays: 2048 x 2160 via HDMI Two Displays: 2048 x 1536 via VGA
Monitor support ¹¹	1x VGA 1x HDMI	1x VGA 1x HDMI
Touchscreen support ¹²	Yes (optional)	No
Networking		
Integrated	Broadband Wireless (WWAN): HP lt4132 LTE/HSPA+ 4G Mobile Broadband ¹³ Wireless LAN (WLAN): Intel® Dual Band Wireless-AC 8265 802.11 a/b/g/n/ac (2x2) Wi-Fi® and Bluetooth® 4.2 Combo, non-vPro™ ¹³ LAN: Realtek PCIe GbE Family Controller 10/100/1000 ²⁹	Wireless LAN (WLAN): Intel® Dual Band Wireless-AC 8265 802.11ac (2x2) Wi-Fi® Bluetooth® 4.2 Combo Wired LAN: Realtek RTL 8111HSH Gigabit Ethernet
I/O and Expansion		
Ports	1 x USB 3.1 GEN 1 1 x USB Type-C™ (Alt Mode) 1 x USB 3.1 GEN 1 (Charging) 1 x HDMI 2.0 1 x RJ-45 / Ethernet 1 x docking connector 1 x headphone/microphone Combo 1 x AC power	2 x USB 3.1 Gen 1 (1 charging) 1x USB 3.1 Type-C™ port 1x VGA 1x HDMI 1x headphone/microphone combo jack 1x AC power interface 1x RJ-45 Gigabit Ethernet interface 1x SD Multi-media Reader slot; supports SD, SDHC, SDXC
Slot expansion options ¹⁴	Smart card reader (optional) External Micro SIM Slot(3FF)	None
Security		
	Security lock slot Integrated smart card reader ³⁰ HP Fingerprint Sensor ³⁰ IR camera for facial recognition ³⁰ Trusted Platform Module (TPM) 2.0 NFC Antenna ³⁰	TPM v2.0 Security lock slot Pre-boot Authentication
Environmental certifications		
ENERGY STAR®	Yes	Yes
EPEAT® ¹⁵	Yes	Yes
Dimensions		
	12.84 x 9.22 x 0.71 in; starting at 3.37 lbs (non-touch); starting at 3.56 lbs (touch)	13.23 x 9.37 x 0.79 in; 3.6lbs

HP Thin Clients

Software specifications	Windows 10 IoT Enterprise for Thin Clients ¹⁹	Windows Embedded Standard 7E/7P ¹⁶	HP ThinPro	HP Smart Zero Technology ¹⁷
Available Platforms				
	HP t430, HP t530, HP t630, HP t730, HP mt44	HP t530†, HP t630†, HP t730‡	HP t430, HP t530, HP t630, HP t730, HP mt21	HP t430, HP t530, HP t630, HP t730, HP mt21
Applications				
ICA/RDP	•	•	•	•
VDI brokers	•	•	•	•
HP TeemTalk Terminal Emulation		•	•	
X Windows (X11R6)			•	
Java Virtual Machine	Add-on	Add-on	Add-on	Add-on
API compatibility	Win64	Win32/Win 64	Linux	Linux
Local browser	Full Internet Explorer	Full Internet Explorer	Mozilla Firefox	Mozilla Firefox
Media player	•	•	Through VDI protocol	Through VDI protocol
PDF Reader	•	•	•	•
ThinPrint print client (TCP/IP)	Available directly from vendor	Available directly from vendor		
Security				
File protection	Unified Write Filter	Enhanced Write filter or File based Write Filter	Read only file system	Read only file system
Locked configuration/accounts	•	•		
Firewall	Microsoft Firewall	Microsoft Firewall		
Smart Card support	•	•	•	•
Management and User Experience Software				
HP Device Manager	•	•	•	•
Microsoft SCCM	•	•		
HP Remote Graphics Software (HP RGS) - not offered on HP t430, ThinPro & Smart Zero	•	•	•	•
HP Universal Print Driver		•		
Velocity	•	•	•	•
HP Easy Shell	•	•		
HP True Graphics (not offered on HP t730)	•	•	•	•

† 7E only

‡ 7P only

Model	OS Version	VMware Horizon View HCL	Citrix Ready/HDX Ready
		Horizon View Client	XenDesktop/XenApp
t310 G2	No Operating System	Tera2 Certified ²⁶	N/A
t310 AiO G2	No Operating System	Tera2 Certified ²⁶	N/A
t430	HP ThinPro	Certified	Verified
t430	HP Smart Zero Core	Certified	N/A
t430	Windows Embedded	Certified	Verified
t530	Windows Embedded	TBD	TBD
t530	HP ThinPro	TBD	TBD
t530	HP Smart Zero Core	TBD	TBD
t630	ThinPro	Certified	Verified
t630	HP Smart Zero Core	Certified	Verified
t630	Windows Embedded	Certified	Verified
t730	Windows Embedded	Certified	Verified
mt21	Windows Embedded	Certified	Verified
mt21	HP ThinPro	Certified	Verified
mt21	HP Smart ZeroCore	Certified	Verified
mt44	Windows Embedded	Certified	Verified

* Availability varies by region

N/A – Certification is not applicable to this device

For more information visit hp.com/go/thin

- The resolutions your monitor displays and the multi-display modes (i.e. clone, spanning, extended/independent) supported in ICA, RDP or locally may vary. Number of monitors supported varies by model.
- t310 only
- Based on 64-bit vs. 32-bit and tested using x11perf comparing HP ThinPro 6.1 on an HP t620 Thin Client vs. HP ThinPro 5.2 on a similarly configured HP t620 Thin Client.
- HP True Graphics requires an HP Thin Client with an HP ThinPro 5.0 or higher operating system (combo OS with HP Smart Zero Core begins at v5.0), AMD processing technology, and a Citrix® virtual desktop infrastructure—XenApp® or XenDesktop® v7.0 or higher or WES 7E 32-bit/Windows 10 IoT with a Citrix® 4.4 receiver and Citrix® virtual desktop infrastructure—XenApp® or XenDesktop® v7.0 or higher. HP True Graphics is preinstalled on the OS starting with HP ThinPro 5.2. See product QuickSpecs for exact compatibility.
- HP Remote Graphics Software requires Windows and internet connection.
- This system requires a 64-bit operating system and 64-bit software products to take advantage of the 64-bit processing capabilities of AMD technology. Multi-core processing available with AMD technology is designed to improve performance of this system. Given the wide range of software applications available, performance of a system including a 64-bit operating system will vary.
- Multi-Core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance will vary depending on your hardware and software configurations. Intel® AMD's numbering is not a measurement of clock speed.
- Maximum memory capacities assume Windows 64-bit operating systems or Linux. With Windows and Linux 32-bit operating systems, memory above 3 GB may not all be available due to system resource requirements.
- The resolutions your monitor displays and the multi-display modes (i.e. clone, spanning, extended/independent) supported in ICA, RDP or locally may vary. Number of monitors supported varies by model.
- With custom single-to-dual DVI conversion cable, sold separately.
- 64 MB or more memory reserved for video. 42 GB/1 GB SKU available in North America. Up to 1 GB may not be available in 4GB configurations with 32-bit operating systems due to system resource requirements. Flash and RAM maximum vary with OS.
- Touchscreen support varies by OS. Not supported by Windows Embedded Standard 7E, Windows CE, or HP Smart Zero Client Technology.
- Wi-Fi and WWAN modules are sold as optional modules and must be configured at the factory. WWAN requires a separately purchased service contract with a wireless service provider. Check with service provider for coverage and availability in your area. Connection speeds will vary due to location, environment, network conditions, and other factors. 4G LTE not available on all products, in all regions. The Wi-Fi adapter provides Wi-Fi access only. WLAN requires wireless access point and Internet service is required and is not included with the purchase of a Wi-Fi adapter. Availability of public wireless access points limited. The specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ac WLAN devices.
- Options sold separately. Availability varies by country.
- EPEAT® registered where applicable. EPEAT registration varies by country. See epeat.net for registration status by country.
- Windows Embedded Standard 7 products require 8 GB or more Flash memory.
- Configurable for one protocol at a time.
- HP Easy Shell is currently available on HP Thin Clients with a Windows Embedded OS.
- Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. ISP fees may apply and additional requirements may apply over time for updates. See <http://www.windows.com>.
- Graphics chipset uses part of the total system memory (RAM) for graphics performance. System memory dedicated to graphics performance is not available for other use by other programs. WES 7E is a 32-bit operating system and only recognizes up to 3.2 GB RAM.
- External power adapters, power cords, cables and peripherals are not low halogen; service parts obtained aftermarket may not be low halogen.
- An optional AMD FirePro™ W2100 discrete graphics solution provides two additional digital video streams for a system total of six video outputs.
- Fiber NIC cannot be installed simultaneously with Wi-Fi.
- You can configure an additional port between one of three optional I/O features: Serial, VGA or an External Antenna port. The optional VGA port does not increase the number of supported displays.
- The DisplayPort™ did not pass VESA 1.2 certification guidelines.
- Teradici Desktop Access one (1) year subscription included. Proof of purchase required. Trial begins on date of hardware purchase. PCoIP Zero Clients purchase must be more recent than December 1, 2017. For more information, visit teradici.com.
- HD content required to view HD images.
- HP Sure View is optional and must be configured at purchase.
- The term "10/100/1000" or "Gigabit" Ethernet indicates compatibility with IEEE standard 802.3ab for Gigabit Ethernet, and does not connote actual operating speed of 1 Gb/s. For high-speed transmission, connection to a Gigabit Ethernet server and network infrastructure is required.
- Microsoft Defender Opt in and internet connection required for updates.

© Copyright 2013-2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation. Intel, and Celeron are trademarks of Intel Corporation in the U.S. and other countries. AMD is a trademark of Advanced Micro Devices, Inc. Linux is the registered trademark of Linux Torvalds in the U.S. and other countries. ENERGY STAR® is a registered mark owned by the US Environmental Protection Agency. Java is a registered trademark of Oracle and/or its affiliates. ARM is a trademark or registered trademark of ARM Ltd or its subsidiaries. Citrix® and XenDesktop® are trademarks of Citrix Systems®, Inc. and/or one or more of its subsidiaries, and may be registered in the United States Patent and Trademark Office and in other countries. All other trademarks are the property of their respective owners. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. VMware products are covered by one or more patents listed at <http://www.vmware.com/go/patents>. VMware is a registered trademark or trademark of VMware, Inc. in the United States and/or other jurisdictions. USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum. SD, SDHC, and SDXC are trademarks or registered trademarks of SD-3C in the United States, other countries or both. To learn more, visit hp.com.

