

## Technical Information

Number of Screens

1

Screen Mode

Full HD

Response Time

1 ms GTG

Aspect Ratio

16:9

Horizontal Viewing Angle

170°

Vertical Viewing Angle

160°

Backlight Technology

LED

Panel Technology

Twisted Nematic Film (TN Film)

Tilt Angle

-5° to 15°

Swivel Angle

No

Maximum Adjustable Height

No

Adjustable Display Pivot

No

## Video

Maximum Resolution

1920 x 1080

Standard Refresh Rate

75 Hz

Colour Support

16.7 Million Colours

Brightness

250 cd/m<sup>2</sup>

Tearing Prevention Technology

AMD FreeSync™

## Audio

Number of Speakers

2

Speakers

Yes

Speaker Output Power

1 W

## Interfaces/Ports

HDMI

Yes

VGA

Yes

## Power Description

Energy Efficiency Class

A

Energy Consumption per Year

31 kWh

Input Voltage

120 V AC

230 V AC

Operating Power Consumption (Energy Star)

17 W

Standby Power Consumption

400 mW

Off-Mode Power Consumption

350 mW

## Physical Characteristics

VESA Mount Compatible

Yes

VESA Mount Standard

100 x 100

Colour

Black

Height

305 mm

Width

508 mm

Depth

52 mm

Height with Stand

406 mm

Width with Stand

508 mm

Depth with Stand

189 mm

Weight (Approximate)

3.01 kg

Weight with Stand (Approximate)

3.36 kg

## **Miscellaneous**

Package Contents

KG221Q Widescreen LCD Monitor  
Power Cord  
1 x VGA Cable

Environmental Certification

MPR II