

<b>DISPLAY SIZE (IN.)</b>	<b>PANEL TYPE</b>
24	IPS
<b>RESOLUTION</b>	<b>STATIC CONTRAST RATIO</b>
1920 x 1080	1,000:1

## DISPLAY

<b>DISPLAY SIZE (IN.)</b>	<b>VIEWABLE AREA (IN.)</b>
24	23.8
<b>PANEL TYPE</b>	<b>RESOLUTION</b>
IPS	1920 x 1080
<b>RESOLUTION TYPE</b>	<b>STATIC CONTRAST RATIO</b>
HD (1920x1080)	1,000:1
<b>DYNAMIC CONTRAST RATIO</b>	<b>LIGHT SOURCE</b>
50,000,000:1	WLED
<b>BRIGHTNESS</b>	<b>COLORS</b>
250 cd/m2	16.7M
<b>COLOR SPACE SUPPORT</b>	<b>ASPECT RATIO</b>
8 bits	16:9
<b>RESPONSE TIME (TYPICAL GTG)</b>	<b>RESPONSE TIME (GTG W/OD)</b>
15ms	5ms
<b>VIEWING ANGLES</b>	<b>BACKLIGHT LIFE (HOURS)</b>
178° horizontal, 178° vertical	30,000
<b>PANEL SURFACE</b>	
Anti-glare, Hard coating (3H)	

## COMPATIBILITY

**PC RESOLUTION (MAX)**

1920x1080

**MAC® RESOLUTION (MAX)**

1920x1080

## CONNECTOR

**USB 3.0 TYPE A**

3

**USB 3.0 TYPE B**

1

**USB 3.1 TYPE C**

1

**VGA**

1

**HDMI 1.4**

1

**DISPLAY PORT**

1

## AUDIO

**INTERNAL SPEAKERS**

2W (x2)

## POWER

**ECO MODE (CONSERVE)**

13.4

**ECO MODE (OPTIMIZED)**

15.9

**CONSUMPTION (TYPICAL)**

19.3

**CONSUMPTION (MAX)**

45.1

**VOLTAGE**

AC 100-240V (universal), 50-60Hz

**STAND-BY**

0.5

**POWER SUPPLY**

Internal

---

## ADDITIONAL HARDWARE

---

<b>KENSINGTON LOCK SLOT</b>
-----------------------------

1
---

---

---

## CONTROLS

---

<b>PHYSICAL CONTROLS</b>	<b>ON SCREEN DISPLAY</b>
--------------------------	--------------------------

1,2,3,4,5,6 (Power)	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
---------------------	---

---

## OPERATING CONDITIONS

---

<b>TEMPERATURE</b>	<b>HUMIDITY (NON-CONDENSING)</b>
--------------------	----------------------------------

32-104° F (0 - 40° C)	20-90%
-----------------------	--------

---

## MOUNT

---

<b>VESA COMPATIBLE</b>
------------------------

100 x 100 mm
--------------

---

---

## VIDEO SIGNAL

---

<b>FREQUENCY HORIZONTAL</b>	<b>FREQUENCY VERTICAL</b>
-----------------------------	---------------------------

15 ~ 82 KHz	24 ~ 75 Hz
-------------	------------

---

## VIDEO INPUT

---

<b>DIGITAL SYNC</b>
---------------------

TMDS for HDMI (v1.4), PCI-E for DisplayPort (v1.2), Micro-Packet for USB Type C
---

---

---

## ERGONOMICS

---

<b>HEIGHT ADJUST (MM)</b>
---------------------------

130
-----

<b>SWIVEL</b>
---------------

120°
------

---

<b>PIVOT (RIGHT/LEFT)</b>
---------------------------

90° / 90°
-----------

<b>TILT (FORWARD/BACK)</b>
----------------------------

40° / 5°
----------

---

---

## WEIGHT (IMPERIAL)

---

<b>NET (LBS)</b>
------------------

14.1
------

<b>NET WITHOUT STAND (LBS)</b>
--------------------------------

8.8
-----

---

<b>GROSS (LBS)</b>
--------------------

20.7
------

---

---

## WEIGHT (METRIC)

---

<b>NET (KG)</b>
-----------------

6.4
-----

<b>NET WITHOUT STAND (KG)</b>
-------------------------------

4.0
-----

---

<b>GROSS (KG)</b>
-------------------

9.4
-----

---

---

**DIMENSIONS (IMPERIAL) (WXHxD)**

---

**PACKAGING (IN.)**

23.4 x 8.3 x 15.6

**PHYSICAL (IN.)**

21.2 x 16.0 x 8.0

**PHYSICAL WITHOUT STAND (IN.)**

21.2 x 12.6 x 2.0

---

**DIMENSIONS (METRIC) (WXHxD)**

---

**PACKAGING (MM)**

595.0 x 210.0 x 396.0

**PHYSICAL (MM)**

539.0 x 406.2 x 202.0

**PHYSICAL WITHOUT STAND (MM)**

539.0 x 320.0 x 52.0