

SPECIFICATIONS

LCD PANEL

Display Size (in.): 32

Viewable Area (in.): 31.5

Panel Type: VA Technology

Resolution: 1920 x 1080

Resolution Type: FHD

Static Contrast Ratio: 3,000:1 (typ)

Dynamic Contrast Ratio: 80M:1

Light Source: LED

Brightness: 250 cd/m² (typ)

Aspect Ratio: 16:9

Response Time (Typical GTG): GtG(Recommend; typ; ms): MPRT 1ms

Viewing Angles: 178° horizontal, 178° vertical

Curvature: 1800R

Refresh Rate (Hz): 165 (DisplayPort)

Adaptive Sync: FreeSync

Colour Gamut: NTSC: 88% size (Typ)

Pixel Size: 0.364 mm (H) x 0.364 mm (V)

COMPATIBILITY

PC Resolution (max): 1920x1080

Mac® Resolution (max): 1920x1080

PC Operating System: Windows 10 certified; macOS tested

Mac® Resolution (min): 1920x1080

CONNECTOR

3.5mm Audio Out: 1

HDMI 1.4: 2

Display Port: 1

Power in: External power adapter

AUDIO

Internal Speakers: 2.5Watts x2

POWER

Eco Mode (Conserve): 31W
Eco Mode (optimised): 35.5W
Consumption (typical): 38.5W
Consumption (max): 45W
Voltage: AC 100-240V, 50/60 Hz
Stand-by: 0.5W
Power Supply: External

ADDITIONAL HARDWARE

Kensington Lock Slot: 1

CONTROLS

Physical Controls: Up, Right, Down, Left, Power
On Screen Display: Input Select, Audio Adjust, ViewMode, Colour Adjust, Manual Image Adjust, Setup Menu

OPERATING CONDITIONS

Temperature: 32°F to 104°F (0°C to 40°C)
Humidity (non-condensing): 20% to 90%

INPUT SIGNAL

Frequency Horizontal: 15 ~ 160KHz
Frequency Vertical: 48 ~ 144Hz

VIDEO INPUT

Digital Sync: TMDS - HDMI (v1.4), PCI-E - DisplayPort (v1.2)

ERGONOMICS

Tilt (Forward/Back): -5° / 10°

WEIGHT (METRIC)

Net (kg): 5.9

Net Without Stand (kg): 5

Gross (kg): 8.9

DIMENSIONS (METRIC) (WXHXD)

Packaging (mm): 776 x 569 x 167

Physical (mm): 713 x 489 x 218

Physical Without Stand (mm): 713 x 419 x 79

GENERAL

Regulations: CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, BSMI, RCM, GEMS, KC, e-Standby

PACKAGE CONTENTS: VX3258-PC-MHD x1, 3-pin Plug (IEC C13 / CEE22) x1, DisplayPort Cable (Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1

Warranty: *Warranty offered may differ from market to market
