

DISPLAY

DISPLAY SIZE (IN.) 35	VIEWABLE AREA (IN.) 35
PANEL TYPE MVA	RESOLUTION 3440 x 1440
RESOLUTION TYPE QHD (3440x1440)	STATIC CONTRAST RATIO 2,500:1
DYNAMIC CONTRAST RATIO 120,000,000:1	LIGHT SOURCE LED
BRIGHTNESS 300 cd/m2	COLORS 16.7M
COLOR SPACE SUPPORT RGB 8-bit	ASPECT RATIO 21:9
RESPONSE TIME (TYPICAL GTG) 3ms	VIEWING ANGLES 178° horizontal, 178° vertical
BACKLIGHT LIFE (HOURS) 30,000	PANEL SURFACE 3H Anti-glare, hard-coating
CURVATURE 1800R	REFRESH RATE (HZ) 100
ADAPTIVE SYNC AMD FreeSync	

COMPATIBILITY

PC RESOLUTION (MAX) 3440x1440	MAC® RESOLUTION (MAX) 3440x1440
---	---

CONNECTOR

USB 3.0 TYPE A 3	USB 3.0 TYPE B 1
3.5MM AUDIO OUT 1	HDMI 2.0 2
DISPLAY PORT 1	

AUDIO

INTERNAL SPEAKERS 5W (x2)	
-------------------------------------	--

POWER

ECO MODE (CONSERVE) 50W	ECO MODE (OPTIMIZED) 60W
CONSUMPTION (TYPICAL) 70W	CONSUMPTION (MAX) 100W
VOLTAGE 100-240 VAC	STAND-BY 0.5W
POWER SUPPLY External	

ADDITIONAL HARDWARE

KENSINGTON LOCK SLOT 1	
----------------------------------	--

CONTROLS

PHYSICAL CONTROLS Up, Right, Down, Left, Power	ON SCREEN DISPLAY Gaming Settings, Display, Input Select, ViewMode, Audio Adjust, Setup Menu (See user guide for complete OSD functionality)
--	--

OPERATING CONDITIONS

TEMPERATURE 32-104° F (0 - 40° C)	HUMIDITY (NON-CONDENSING) 20-90%
---	--

MOUNT

VESA COMPATIBLE 100 x 100 mm	
--	--

VIDEO SIGNAL

FREQUENCY HORIZONTAL 15 ~ 160KHz	FREQUENCY VERTICAL 48 ~ 100Hz
--	---

VIDEO INPUT

DIGITAL SYNC TMDS for HDMI (v2.0), PCI-E for DisplayPort (v1.4)	
---	--

ERGONOMICS

HEIGHT ADJUST (MM) 100	SWIVEL 45°
TILT (FORWARD/BACK) 5° / 15°	

WEIGHT (IMPERIAL)

NET (LBS) 29.8	NET WITHOUT STAND (LBS) 20.9
GROSS (LBS) 40.7	

WEIGHT (METRIC)

NET (KG) 13.5	NET WITHOUT STAND (KG) 9.5
GROSS (KG) 18.5	

DIMENSIONS (IMPERIAL) (WXHxD)

PACKAGING (IN.) 38.9 x 19.8 x 11.3	PHYSICAL (IN.) 33.4 x 17.1 x 12.0
PHYSICAL WITHOUT STAND (IN.) 33.4 x 15.2 x 5.0	

DIMENSIONS (METRIC) (WXHxD)



PACKAGING (MM) 988.0 x 502.0 x 286.0	PHYSICAL (MM) 848.0 x 434.6 x 306.0
PHYSICAL WITHOUT STAND (MM) 848.0 x 387.0 x 127.0	

GENERAL

REGULATIONS cTUVus, FCC-B, ICES003, MX-CoC, Mexico Energy	PACKAGE CONTENTS XG350R-C Display, 1 x Power Cable, 1 x HDMI Cable, 1 x DisplayPort Cable, 1 x USB3.0 Cable, 1 x AC/DC Adapter, 1 x Quick Start Guide
RECYCLE/DISPOSAL Please dispose of in accordance with local, state or federal laws.	WARRANTY Three-year limited warranty on parts, labor and backlight

DIMENSIONS

33.4 x 17.1 x 12.0 in / 848.0 x 434.6 x 306.0 mm



Cable Management Internal Speakers VESA Compatible Wall Mount 100 x 100 mm Menu Controls HDMI 2.0 (x2)
Display Port In Audio Out USB 3.0 Type B Headphone Hook Kensington Lock Slot DC In USB 3.0 Type A (x3)