

# Smart Signage Series ST5501K

## Panel

---

<b>Screen Size</b>	<b>55"</b>
--------------------	------------

---

<b>Backlight / Lightsource</b>	<b>D-LED</b>
------------------------------------	--------------

---

<b>Active Area (Horizontal × Vertical) (mm)</b>	<b>1209.6 × 680.4</b>
---	-----------------------

---

<b>Resolution (pixels)</b>	<b>UHD 3840 × 2160</b>
----------------------------	------------------------

---

<b>Brightness (Typical) (nits)</b>	<b>350</b>
--	------------

---

<b>Contrast Ratio (Typical)</b>	<b>1200:1</b>
-------------------------------------	---------------

---

<b>Viewing Angle (Horizontal / Vertical)</b>	<b>178° / 178°</b>
--	--------------------

---

<b>Aspect Ratio</b>	<b>16:9</b>
---------------------	-------------

---

<b>Light Life (Typical) (hours)</b>	<b>30,000</b>
---	---------------

---

<b>Display Orientation</b>	<b>Landscape / Portrait</b>
----------------------------	-----------------------------

Audio

---

<b>Internal Speaker (Amp)</b>	<b>5W x 2</b>
-----------------------------------	---------------

---

<b>Audio Line In / Out</b>	<b>N/A</b>
----------------------------	------------

Connectivity

---

<b>VGA In / Out</b>	<b>x1 / NA</b>
---------------------	----------------

---

<b>DVI In / Out</b>	<b>x1 / NA</b>
---------------------	----------------

---

<b>HDMI In / Out</b>	<b>x1 / NA</b>
----------------------	----------------

---

<b>Display Port In / Out</b>	<b>x2 / NA</b>
------------------------------	----------------

---

<b>USB Port (Type A)</b>	<b>x3 (2.0)</b>
--------------------------	-----------------

---

<b>RJ45 Port In / Out</b>	<b>x1 / No</b>
---------------------------	----------------

## Power

---

**AC / DC In**                      **AC**

---

**AC Power Switch**              **Yes**

---

**Voltage**                              **100V ~ 240V, 50Hz / 60Hz**

---

## Mechanical

---

**Dimension (WxHxD)**              **1243.2 x 714.0 x 69.6**  
**(mm)**

---

**Bezel Width (Top /**              **13.9 / 13.9 / 13.9 / 13.9**  
**Bottom / Left / Right)**  
**(mm)**

---

**Weight (Without /**              **15.0 / 20.8**  
**With Packing) (kg)**

---

**Wall Mounting (VESA)**          **400 x 400 (4-M6)**  
**(mm)**

---

## Environment

---

**Operation**                              **0°C ~ 40°C**

## Temperature

---

**Storage Temperature**    -10°C ~ 60°C

---

## OSD

---

**On-Screen Display Languages**    **English / French / German / Dutch / Polish / Russian / Czech / Danish / Swedish / Italian / Romanian / Finnish / Norwegian / Greek / Hungarian / Spanish / Portuguese / Traditional Chinese / Simplified Chinese / Arabic / Japanese / Thai / Persian / Vietnamese / Korean (25L)**

---

## Software

---

**Device Management Solution (DMS)**    **Yes**

---

**X-Sign**    **Yes**

---

## Accessory

---

**Remote Control**    **Yes**

---

**Power Cord (By Region)**    **Yes**

---

**VGA Cable**

**Yes**

---

**HDMI Cable**

**Yes**

---

**Quick Start Guide**

**Yes**

---

**User's Manual  
Electronic File**

**Yes**