

# Dell U2719D Specs

## Display

---

Size	27"
Screen Area	23.49 x 13.21" / 596.74 x 335.66 mm
Panel Type	IPS-Type LCD
Touchscreen	No
Resolution	2560 x 1440
Aspect Ratio	16:9
Pixels Per Inch (ppi)	109 ppi
Finish	Matte
Hardness Rating	3H
Maximum Brightness	350 cd/m <sup>2</sup>
Contrast Ratio	1000:1
Refresh Rate	60 Hz
Adaptive Sync Technology	<i>None</i>

Horizontal Frequency	30 to 90 kHz
Vertical Frequency	56 to 76 Hz
Pixel Clock Frequency	241.5 MHz
Bit Depth / Color Support	8-Bit (16.7 Million Colors)
Color Gamut	99% sRGB 99% Rec. 709 85% DCI-P3
Response Time	8 ms 5 ms
Viewing Angle	Horizontal: 178° Vertical: 178°
Dot Pitch	0.233 x 0.233 mm

## Inputs / Outputs

Connectivity	<b>1 x</b> DisplayPort Output <b>1 x</b> DisplayPort 1.4 Input <b>1 x</b> HDMI 1.4 Input <b>4 x</b> USB Type-A (USB 3.1 Gen 1) Output <b>1 x</b> USB Type-B (USB 3.1 Gen 1) Input <b>1 x</b> 3.5 mm Output
HDCP Support	Yes, Version 1.4
Built-In Speakers	<i>None</i>

## Power

---

Power Consumption	30 W (Typical) 74 W (Maximum) 0.3 W (Standby)
AC Input Power	100 to 240 VAC, 50 / 60 Hz at 1.6 A
Power Adapter Type	Internal

---

## Environmental

---

Operating Temperature	32 to 104°F / 0 to 40°C
Storage Temperature	-4 to 140°F / -20 to 60°C
Operating Humidity	10 to 80%
Storage Humidity	5 to 90%
Operating Altitude	16,404' / 4999 m
Storage Altitude	40,000' / 12,192 m
Certifications	ENERGY STAR, EPEAT GOLD, RoHS, TCO Certified, as per Manufacturer

---

## Physical

---

Height Adjustment	5.12" / 130 mm
-------------------	----------------

---

Swivel Adjustment	80° (-40 to 40°)
Tilt Adjustment	-5 to 21°
Mounting-Hole Pattern	100 x 100 mm
Lock Slot	Yes
Dimensions (W x H x D)	24.1 x 20.5 x 7.1" / 61.2 x 52.1 x 18.0 cm (with Stand) 24.1 x 14.0 x 1.5" / 61.2 x 35.6 x 3.8 cm (without Stand)
Weight	8.64 lb / 3.92 kg (Without Stand) 12.43 lb / 5.64 kg (With Stand)

## Packaging Info

---

Package Weight	19.05 lb
Box Dimensions (LxWxH)	26.5 x 16.5 x 7"