

Canon PRO-2000 Specs

Printer

Printing Technology	Inkjet
Ink Type	Pigment Based
Compatible Ink Cartridges	Canon PFI-1100, Canon PFI-1300, Canon PFI-1700
Number of Cartridges	12 Individual Cartridges
Number of Nozzles	1536 Nozzles (Per Channel) 18,432 Nozzles (Total)
Print Resolution	2400 x 1200 dpi
Borderless Printing	Yes
Minimum Ink Droplet Size	4 pL
Printer Language	SG Raster

Media Handling

Paper Handling	Manual Feed, Roll Feed
Media Roll Diameter	2" / 5.1 cm (Core) 3" / 7.6 cm (Core)

6.7" / 17 cm (Outer)

Media Length 0.6' to 59.0' / 0.2 m to 18.0 m (Roll)
0.6' to 5.2' / 0.2 m to 1.6 m (Sheet)

Media Width 8.0 to 24.0" / 20.3 to 61.0 cm

Media Thickness 2.8 to 31.4 mil / 0.1 to 0.8 mm

Margins Roll: 0.1" / 3.0 mm (Leading, Sides, Trailing)
Sheet: 0.1" / 3.0 mm (Leading, Sides)
0.8" / 20.0 mm (Trailing)

Connectivity

Interface USB 2.0, Wi-Fi, Ethernet

Direct Printing USB Port

Hard Drive 320 GB

Memory 3 GB

Operating System Support Windows, macOS/OS X

Environmental

Operating Temperature 59 to 86°F / 15 to 30°C

Operating Humidity 10 to 80%

General

Control Panel	3.5" / 8.9 cm Color Touchscreen LCD
---------------	-------------------------------------

AC Input Power	100 to 240 VAC, 50 / 60 Hz
----------------	----------------------------

Power Consumption	88 W (Maximum) 1.8 W (Standby) 0.5 W (Off)
-------------------	--

Max Acoustic Noise	48 dBA
--------------------	--------

Dimensions (W x H x D)	46.0 x 43.7 x 38.7" / 116.8 x 111.0 x 98.3 cm (with Basket Open)
------------------------	--

Weight	223.0 lb / 101.2 kg
--------	---------------------

Packaging Info

Package Weight	290 lb
----------------	--------

Box Dimensions (LxWxH)	50 x 40 x 33"
------------------------	---------------
